

Predicted XUV Line Intensities
CHIANTI database - Version 10.0.2

Calculated with Constant pressure= 1.00e+16 (cm⁻³ K)
1.3 to 49.9 Å

Number of lines: 2150

Minimum intensity = 1160.00

Units are: erg cm⁻² sr⁻¹ s⁻¹

Lines marked with a * do not have correspondent observed energy levels
and have approximate wavelengths.

Calculated: Wed Jun 8 14:37:34 2022

Ionization Fractions file: chianti.ioneq
ionization equilibrium: CHIANTI

produced as part of the CHIANTI atomic data base collaboration

Created on Fri Oct 9 11:46:20 2020

Elemental Abundance file: sun_photospheric_2015_scott.abund

created for the CHIANTI atomic database by Peter Young, 16-Aug-2017

abundances (F to Ca):

Scott et al., 2015, A&A, 573, A25

DOI: 10.1051/0004-6361/201424109

abundances (Sc to Ni):

Scott et al., 2015, A&A, 573, A26

DOI: 10.1051/0004-6361/201424110

abundances (Cu & Zn):

Grevesse et al., 2015, A&A, 573, A27

DOI: 10.1051/0004-6361/201424111

abundances (other elements):

Asplund, M., Grevesse, N., Sauval, A.J., & Scott, P. 2009, ARAA, 47, 481

DOI: 10.1146/annurev.astro.46.060407.145222

comment:

This updates the Asplund et al. (2009) results for elements F and higher. The
changes
are mostly small.

Minimum abundance = 3.63078e-08

Differential Emission Measure file: flare_ext.dem

filename: flare.dem

dem: Dere, K.P., Cook, J.W., 1979, ApJ, 229, 772

comment: composite of August 9 1553 and 1554 UT data of an M2 X-ray class
flare

comment: modifies at high temperature (7.3 to 8.0) by G.Del Zanna to
calculate

the emissivities of the hottest ions.
produced as part of the Arcetri/Cambridge/NRL 'CHIANTI' atomic data base
collaboration
K.P.Dere and G. Del Zanna - Aug 2002

Calculation performed with population lookup tables.

Table 1: *Line List*

Ion	λ (Å)	Transition	T_{\max}	Int
Ni XXVII	1.2825	$1s^2\ ^1S_0 - 1s\ 4p\ ^1P_1$	8.0	1.97e+03
Ni XXVII	1.3501	$1s^2\ ^1S_0 - 1s\ 3p\ ^1P_1$	8.0	5.92e+03
Fe XXVI	1.3917	$1s\ ^2S_{1/2} - 5p\ ^2P_{3/2}$	8.0	4.76e+03
Fe XXVI	1.3919	$1s\ ^2S_{1/2} - 5p\ ^2P_{1/2}$	8.0	2.61e+03
Fe XXVI	1.4249	$1s\ ^2S_{1/2} - 4p\ ^2P_{3/2}$	8.0	1.05e+04
Fe XXVI	1.4253	$1s\ ^2S_{1/2} - 4p\ ^2P_{1/2}$	8.0	5.80e+03
Fe XXV *	1.4431	$1s^2\ ^1S_0 - 1s\ 6p\ ^1P_1$	7.9	1.29e+03
Fe XXV	1.4608	$1s^2\ ^1S_0 - 1s\ 5p\ ^1P_1$	7.8	2.05e+04
Fe XXV	1.4612	$1s^2\ ^1S_0 - 1s\ 5p\ ^3P_1$	7.8	3.08e+03
Fe XXIV *	1.4682	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 6p\ ^2D_{5/2}$	7.6	1.64e+03
Fe XXIV *	1.4853	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 5p\ ^2D_{5/2}$	7.6	3.11e+03
Fe XXV	1.4946	$1s^2\ ^1S_0 - 1s\ 4p\ ^1P_1$	7.8	4.52e+04
Fe XXV	1.4953	$1s^2\ ^1S_0 - 1s\ 4p\ ^3P_1$	7.8	6.96e+03
Fe XXVI	1.5023	$1s\ ^2S_{1/2} - 3p\ ^2P_{3/2}$	8.0	3.15e+04
Fe XXVI	1.5035	$1s\ ^2S_{1/2} - 3p\ ^2P_{1/2}$	8.0	1.75e+04
Fe XXIV *	1.5096	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 4p\ ^2P_{3/2}$	7.6	2.40e+03
Fe XXIV *	1.5148	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 4p\ ^2P_{1/2}$	7.7	1.51e+03
Fe XXIV *	1.5149	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 4p\ ^2P_{3/2}$	7.7	2.80e+03
Fe XXIV *	1.5177	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2p\ (^3P)\ 4p\ ^2D_{3/2}$	7.6	1.47e+03
Fe XXIV *	1.5179	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 4p\ ^2D_{5/2}$	7.6	7.00e+03
Ni XXVIII	1.5303	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	8.0	6.01e+03
Ni XXVIII	1.5358	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	8.0	3.01e+03
Fe XXV	1.5732	$1s^2\ ^1S_0 - 1s\ 3p\ ^1P_1$	7.8	1.35e+05
Fe XXV	1.5750	$1s^2\ ^1S_0 - 1s\ 3p\ ^3P_1$	7.8	2.15e+04
Fe XXIV *	1.5860	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 3p\ ^2P_{3/2}$	7.6	5.00e+03
Fe XXIV *	1.5870	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 3p\ ^2P_{1/2}$	7.7	2.59e+03
Ni XXVII	1.5884	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.9	3.77e+04
Fe XXIV *	1.5912	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 3p\ ^2D_{5/2}$	7.6	1.19e+03
Fe XXIV *	1.5917	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 3p\ ^2P_{1/2}$	7.7	2.72e+03
Fe XXIV *	1.5917	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 3p\ ^2P_{3/2}$	7.6	4.56e+03
Ni XXVII	1.5923	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_2$	7.8	7.66e+03
Fe XXIV *	1.5928	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 3p\ ^4P_{3/2}$	7.6	2.48e+03
Fe XXIV *	1.5934	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 3p\ ^2D_{5/2}$	7.6	1.51e+04
Fe XXIV *	1.5936	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2p\ (^3P)\ 3p\ ^2D_{3/2}$	7.6	1.60e+03
Ni XXVI	1.5939	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^2P_{1/2}$	7.7	1.80e+03
Fe XXIV *	1.5952	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 3p\ ^4P_{5/2}$	7.6	2.01e+03
Ni XXVII	1.5966	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_1$	7.9	8.92e+03
Ni XXVI	1.5970	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^2P_{3/2}$	7.7	4.16e+03
Ni XXVI	1.5977	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ ^2P_{3/2}$	7.6	1.26e+03
Ni XXVI	1.5985	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2p\ (^1D)\ ^2D_{3/2}$	7.6	3.02e+03
Ni XXVI	1.5998	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 2p\ ^2P_{1/2}$	7.7	1.84e+03
Ni XXVI	1.6010	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^1D)\ ^2D_{5/2}$	7.6	4.61e+03
Ni XXVII	1.6036	$1s^2\ ^1S_0 - 1s\ 2s\ ^3S_1$	7.9	1.17e+04
Fe XXVI	1.7780	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	8.0	1.88e+05
Fe XXV *	1.7793	$1s\ 3p\ ^1P_1 - 2p\ 3p\ ^1D_2$	7.9	3.17e+03
Fe XXV *	1.7793	$1s\ 3s\ ^1S_0 - 2p\ 3s\ ^1P_1$	7.9	1.77e+03
Fe XXVI	1.7833	$1s\ ^2S_{1/2} - 2s\ ^2S_{1/2}$	8.0	6.20e+03
Fe XXVI	1.7834	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	8.0	1.04e+05
Fe XXV *	1.7872	$1s\ 2s\ ^1S_0 - 2s\ 2p\ ^1P_1$	7.9	6.53e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXV *	1.7874	$1s\ 2p\ ^3P_2 - 2p^2\ ^1D_2$	7.9	3.53e+03
Fe XXV *	1.7881	$1s\ 2s\ ^3S_1 - 2s\ 2p\ ^3P_2$	7.9	1.40e+03
Fe XXV *	1.7887	$1s\ 2p\ ^3P_1 - 2p^2\ ^3P_2$	7.9	2.67e+03
Fe XXV *	1.7920	$1s\ 2p\ ^1P_1 - 2p^2\ ^1D_2$	7.9	1.27e+04
Fe XXV *	1.7922	$1s\ 2s\ ^3S_1 - 2s\ 2p\ ^3P_1$	7.9	1.18e+03
Fe XXV *	1.7926	$1s\ 2p\ ^3P_2 - 2p^2\ ^3P_2$	7.9	4.57e+03
Fe XXV *	1.7973	$1s\ 2p\ ^1P_1 - 2p^2\ ^3P_2$	7.9	1.28e+03
Fe XXV	1.8504	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.8	8.55e+05
Fe XXIV *	1.8505	$1s^2\ 6d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 6d\ ^2F_{7/2}$	7.6	1.52e+03
Fe XXIV *	1.8507	$1s^2\ 3d\ ^2D_{3/2} - 1s\ 2p\ (^1P)\ 3d\ ^2F_{5/2}$	7.6	4.31e+03
Fe XXIV *	1.8507	$1s^2\ 5d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 5d\ ^2F_{7/2}$	7.6	2.70e+03
Fe XXIV *	1.8507	$1s^2\ 6p\ ^2P_{1/2} - 1s\ 2p\ (^1P)\ 6p\ ^2D_{3/2}$	7.6	1.22e+03
Fe XXIV *	1.8508	$1s^2\ 5p\ ^2P_{1/2} - 1s\ 2p\ (^1P)\ 5p\ ^2D_{3/2}$	7.6	2.27e+03
Fe XXIV *	1.8508	$1s^2\ 5p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 5p\ ^2D_{5/2}$	7.6	2.13e+03
Fe XXIV *	1.8509	$1s^2\ 4d\ ^2D_{3/2} - 1s\ 2p\ (^1P)\ 4d\ ^2F_{5/2}$	7.6	1.27e+03
Fe XXIV *	1.8510	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 3p\ ^2S_{1/2}$	7.6	3.03e+03
Fe XXIV *	1.8511	$1s^2\ 4d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 4d\ ^2F_{5/2}$	7.6	2.05e+03
Fe XXIV *	1.8512	$1s^2\ 3d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 3d\ ^2F_{5/2}$	7.6	3.68e+03
Fe XXIV *	1.8514	$1s^2\ 4d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 4d\ ^2F_{7/2}$	7.6	5.53e+03
Fe XXIV *	1.8517	$1s^2\ 4p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 4p\ ^2P_{3/2}$	7.6	1.92e+03
Fe XXIV *	1.8517	$1s^2\ 4p\ ^2P_{1/2} - 1s\ 2p\ (^1P)\ 4p\ ^2D_{3/2}$	7.6	4.96e+03
Fe XXIV *	1.8519	$1s^2\ 4p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 4p\ ^2D_{5/2}$	7.6	4.81e+03
Fe XXIV *	1.8520	$1s^2\ 3d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 3d\ ^2F_{7/2}$	7.6	1.25e+04
Fe XXIV *	1.8525	$1s^2\ 3s\ ^2S_{1/2} - 1s\ 2p\ (^1P)\ 3s\ ^2P_{1/2}$	7.6	3.09e+03
Fe XXIV *	1.8525	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 3p\ ^2P_{3/2}$	7.6	7.17e+03
Fe XXIV *	1.8528	$1s^2\ 3p\ ^2P_{1/2} - 1s\ 2p\ (^1P)\ 3p\ ^2D_{3/2}$	7.6	1.54e+04
Fe XXIV *	1.8535	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 3p\ ^2D_{5/2}$	7.6	2.21e+04
Fe XXV	1.8553	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_2$	7.8	1.61e+05
Cr XXIII	1.8558	$1s^2\ ^1S_0 - 1s\ 3p\ ^1P_1$	7.7	1.97e+03
Fe XXIV	1.8563	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 2p\ ^2P_{3/2}$	7.5	3.02e+03
Fe XXIV *	1.8566	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 3p\ ^2D_{5/2}$	7.6	2.76e+03
Fe XXIV	1.8567	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^1S)\ ^2S_{1/2}$	7.5	1.16e+04
Fe XXIV	1.8571	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^2P_{1/2}$	7.6	3.33e+04
Fe XXIV *	1.8591	$1s^2\ 3s\ ^2S_{1/2} - 1s\ 2p\ (^3P)\ 3s\ ^2P_{1/2}$	7.6	6.08e+03
Fe XXV	1.8595	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_1$	7.8	1.78e+05
Fe XXIV *	1.8598	$1s^2\ 5p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 5p\ ^4D_{5/2}$	7.6	1.33e+03
Fe XXIV *	1.8598	$1s^2\ 4s\ ^2S_{1/2} - 1s\ 2p\ (^3P)\ 4s\ ^2P_{1/2}$	7.6	2.08e+03
Fe XXIV *	1.8609	$1s^2\ 4p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 4p\ ^4D_{5/2}$	7.6	1.55e+03
Fe XXIV	1.8610	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^2P_{3/2}$	7.6	7.28e+04
Fe XXIV	1.8622	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^3P)\ ^2P_{3/2}$	7.5	2.44e+04
Fe XXIV	1.8631	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2p^2\ (^1D)\ ^2D_{3/2}$	7.5	6.40e+04
Fe XXIV *	1.8633	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 3p\ ^4D_{5/2}$	7.6	1.72e+03
Fe XXIV	1.8636	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 2p\ ^2P_{1/2}$	7.6	3.49e+04
Fe XXIV	1.8659	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^1D)\ ^2D_{5/2}$	7.5	9.74e+04
Fe XXIV	1.8676	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^1D)\ ^2D_{3/2}$	7.5	7.54e+03
Fe XXIV *	1.8678	$1s^2\ 3p\ ^2P_{1/2} - 1s\ 2s\ (^1S)\ 3s\ ^2S_{1/2}$	7.6	1.47e+03
Fe XXV	1.8682	$1s^2\ ^1S_0 - 1s\ 2s\ ^3S_1$	7.8	2.59e+05
Fe XXIII	1.8682	$2s\ 2p\ ^3P_2 - 1s\ 2s\ 2p^2\ ^1D_2$	7.3	1.74e+03
Fe XXIV *	1.8692	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2s\ (^1S)\ 3s\ ^2S_{1/2}$	7.6	2.02e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXIII	1.8704	$2s^2\ ^1S_0 - 1s\ 2s^2\ 2p\ ^1P_1$	7.3	1.88e+04
Fe XXIII	1.8723	$2s\ 2p\ ^3P_1 - 1s\ 2s\ 2p^2\ ^3D_1$	7.3	4.74e+03
Fe XXIV	1.8728	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^3P)\ ^4P_{5/2}$	7.5	1.65e+04
Fe XXIII *	1.8731	$2s\ 2p\ ^3P_0 - 1s\ 2s\ 2p^2\ ^3P_1$	7.3	1.53e+03
Fe XXIII	1.8736	$2s\ 2p\ ^3P_1 - 1s\ 2s\ 2p^2\ ^3D_2$	7.3	8.16e+03
Fe XXIII *	1.8737	$2s\ 2p\ ^3P_2 - 1s\ 2s\ 2p^2\ ^3P_2$	7.3	3.76e+03
Fe XXIV	1.8738	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^4P_{3/2}$	7.5	1.13e+04
Fe XXIV	1.8745	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^3P)\ ^4P_{3/2}$	7.6	2.12e+03
Fe XXIV	1.8749	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^4P_{1/2}$	7.5	4.94e+03
Fe XXIII	1.8755	$2s\ 2p\ ^3P_2 - 1s\ 2s\ 2p^2\ ^3D_1$	7.3	1.29e+03
Fe XXIII	1.8758	$2s\ 2p\ ^3P_2 - 1s\ 2s\ 2p^2\ ^3D_3$	7.3	1.05e+04
Fe XXIII	1.8781	$2s\ 2p\ ^1P_1 - 1s\ 2s\ 2p^2\ ^1D_2$	7.3	3.72e+03
Fe XXII	1.8794	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s\ 2s^2\ 2p^2\ ^2S_{1/2}$	7.2	1.20e+03
Fe XXII	1.8824	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s\ 2s^2\ 2p^2\ ^2P_{3/2}$	7.2	1.63e+03
Fe XXII	1.8825	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s\ 2s^2\ 2p^2\ ^2D_{3/2}$	7.2	4.80e+03
Fe XXII	1.8825	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s\ 2s^2\ 2p^2\ ^2P_{1/2}$	7.2	1.59e+03
Fe XXII	1.8851	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s\ 2s^2\ 2p^2\ ^2D_{5/2}$	7.2	5.09e+03
Fe XXIV	1.8922	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2s^2\ ^2S_{1/2}$	7.5	4.25e+03
Fe XXIV	1.8968	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2s^2\ ^2S_{1/2}$	7.5	4.21e+03
Cr XXIII	2.1819	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.7	1.30e+04
Cr XXIII	2.1886	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_2$	7.6	1.96e+03
Cr XXIII	2.1925	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_1$	7.6	2.21e+03
Cr XXIII	2.2034	$1s^2\ ^1S_0 - 1s\ 2s\ ^3S_1$	7.6	3.72e+03
Fe XXIV	2.2735	$1s^2\ 3d\ ^2D_{5/2} - 1s\ 2s\ (^3S)\ 2p\ ^4P_{5/2}$	7.5	1.15e+04
Ca XX	2.4172	$1s\ ^2S_{1/2} - 4p\ ^2P_{3/2}$	7.7	1.90e+03
Ca XIX	2.5138	$1s^2\ ^1S_0 - 1s\ 5p\ ^1P_1$	7.5	1.86e+03
Ca XX	2.5490	$1s\ ^2S_{1/2} - 3p\ ^2P_{3/2}$	7.7	5.73e+03
Ca XX	2.5501	$1s\ ^2S_{1/2} - 3p\ ^2P_{1/2}$	7.7	2.86e+03
Ca XIX	2.5714	$1s^2\ ^1S_0 - 1s\ 4p\ ^1P_1$	7.4	4.41e+03
Ti XXI	2.6103	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.6	2.81e+03
Ca XIX	2.7054	$1s^2\ ^1S_0 - 1s\ 3p\ ^1P_1$	7.4	1.34e+04
Ar XVIII	2.9873	$1s\ ^2S_{1/2} - 4p\ ^2P_{3/2}$	7.6	2.03e+03
Ca XX	3.0185	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	7.7	3.75e+04
Ca XX	3.0239	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	7.7	1.87e+04
Ca XIX *	3.0485	$1s\ 2p\ ^1P_1 - 2p^2\ ^1D_2$	7.6	1.83e+03
Ar XVIII	3.1502	$1s\ ^2S_{1/2} - 3p\ ^2P_{3/2}$	7.5	6.16e+03
Ar XVIII	3.1514	$1s\ ^2S_{1/2} - 3p\ ^2P_{1/2}$	7.5	3.09e+03
Ca XIX	3.1773	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.4	8.16e+04
Ca XVIII *	3.1794	$1s^2\ 3d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 3d\ ^2F_{7/2}$	7.2	1.20e+03
Ca XVIII *	3.1820	$1s^2\ 3p\ ^2P_{1/2} - 1s\ 2p\ (^1P)\ 3p\ ^2D_{3/2}$	7.2	1.38e+03
Ca XVIII *	3.1828	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 3p\ ^2D_{5/2}$	7.2	2.31e+03
Ca XIX	3.1892	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_2$	7.4	1.12e+04
Ca XVIII	3.1914	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^2P_{1/2}$	7.2	1.29e+03
Ca XIX	3.1928	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_1$	7.4	1.46e+04
Ca XVIII	3.2005	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^2P_{3/2}$	7.3	3.15e+03
Ca XVIII	3.2027	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 2p\ ^2P_{1/2}$	7.2	1.77e+03
Ca XVIII	3.2037	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^3P)\ ^2P_{3/2}$	7.2	1.23e+03
Ca XVIII	3.2064	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2p^2\ (^1D)\ ^2D_{3/2}$	7.2	4.83e+03
Ca XVIII	3.2101	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^1D)\ ^2D_{5/2}$	7.2	6.61e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Ca XIX	3.2111	$1s^2\ ^1S_0 - 1s\ 2s\ ^3S_1$	7.4	2.62e+04
K XIX	3.3467	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	7.6	2.03e+03
Ar XVII	3.3653	$1s^2\ ^1S_0 - 1s\ 3d\ ^1D_2$	7.3	1.77e+03
K XVIII	3.5320	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.3	3.76e+03
S XVI	3.6958	$1s\ ^2S_{1/2} - 5p\ ^2P_{3/2}$	7.4	6.40e+03
S XVI	3.6960	$1s\ ^2S_{1/2} - 5p\ ^2P_{1/2}$	7.4	3.19e+03
Ar XVIII	3.7310	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	7.5	4.11e+04
Ar XVIII	3.7370	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	7.5	2.21e+04
Ar XVII *	3.7720	$1s\ 2p\ ^1P_1 - 2p^2\ ^1D_2$	7.4	2.18e+03
S XVI	3.7843	$1s\ ^2S_{1/2} - 4p\ ^2P_{3/2}$	7.4	1.44e+04
S XVI	3.7847	$1s\ ^2S_{1/2} - 4p\ ^2P_{1/2}$	7.4	7.19e+03
Cl XVI	3.7897	$1s^2\ ^1S_0 - 1s\ 3p\ ^1P_1$	7.2	1.42e+03
Ar XVII	3.9491	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.3	8.73e+04
Ar XVI *	3.9518	$1s^2\ 3d\ ^2D_{5/2} - 1s\ 2p\ (^1P)\ 3d\ ^2F_{7/2}$	7.2	1.35e+03
Ar XVI	3.9558	$1s^2\ 3p\ ^2P_{1/2} - 1s\ 2p\ (^1P)\ 3p\ ^2D_{3/2}$	7.2	1.50e+03
Ar XVI	3.9567	$1s^2\ 3p\ ^2P_{3/2} - 1s\ 2p\ (^1P)\ 3p\ ^2D_{5/2}$	7.2	2.51e+03
Ar XVII	3.9659	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_2$	7.3	1.62e+04
Ar XVII	3.9694	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_1$	7.2	1.44e+04
Ar XVI	3.9813	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^3S)\ 2p\ ^2P_{3/2}$	7.2	2.72e+03
Ar XVI	3.9834	$1s^2\ 2s\ ^2S_{1/2} - 1s\ 2s\ (^1S)\ 2p\ ^2P_{1/2}$	7.2	1.56e+03
Ar XVI	3.9898	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2p^2\ (^1D)\ ^2D_{3/2}$	7.1	4.22e+03
S XVI	3.9908	$1s\ ^2S_{1/2} - 3p\ ^2P_{3/2}$	7.4	4.38e+04
S XVI	3.9919	$1s\ ^2S_{1/2} - 3p\ ^2P_{1/2}$	7.4	2.19e+04
Ar XVI	3.9938	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p^2\ (^1D)\ ^2D_{5/2}$	7.1	5.85e+03
Ar XVII	3.9941	$1s^2\ ^1S_0 - 1s\ 2s\ ^3S_1$	7.3	4.19e+04
S XV	3.9978	$1s^2\ ^1S_0 - 1s\ 5p\ ^1P_1$	7.2	1.08e+04
S XV	4.0885	$1s^2\ ^1S_0 - 1s\ 4p\ ^1P_1$	7.2	2.27e+04
Cl XVII	4.1853	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	7.4	6.65e+03
Cl XVII	4.1908	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	7.4	3.32e+03
S XV	4.2991	$1s^2\ ^1S_0 - 1s\ 3p\ ^1P_1$	7.2	6.44e+04
S XV	4.3047	$1s^2\ ^1S_0 - 1s\ 3p\ ^3P_1$	7.2	1.60e+03
S XIV *	4.3875	$1s^2\ 2p\ ^2P_{1/2} - 1s\ 2p\ (^3P)\ 3p\ ^2D_{3/2}$	7.1	1.76e+03
S XIV *	4.3880	$1s^2\ 2p\ ^2P_{3/2} - 1s\ 2p\ (^3P)\ 3p\ ^2D_{5/2}$	7.1	3.61e+03
Cl XVI	4.4443	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	7.2	9.79e+03
Cl XVI	4.4679	$1s^2\ ^1S_0 - 1s\ 2p\ ^3P_1$	7.2	1.32e+03
Cl XVI	4.4972	$1s^2\ ^1S_0 - 1s\ 2s\ ^3S_1$	7.2	3.32e+03
S XV *	4.7204	$1s\ 3d\ ^1D_2 - 2p\ 3d\ ^1F_3$	7.2	1.52e+03
S XV *	4.7258	$1s\ 3p\ ^1P_1 - 2p\ 3p\ ^1D_2$	7.2	1.76e+03
S XV *	4.7271	$1s\ 4p\ ^1P_1 - 2p\ 4p\ ^1D_2$	7.2	1.39e+03
S XVI	4.7274	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	7.3	3.04e+05
S XVI	4.7326	$1s\ ^2S_{1/2} - 2s\ ^2S_{1/2}$	7.3	1.50e+03
S XVI	4.7328	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	7.3	1.52e+05
S XV *	4.7611	$1s\ 2s\ ^1S_0 - 2s\ 2p\ ^1P_1$	7.2	3.32e+03
S XV *	4.7704	$1s\ 2s\ ^3S_1 - 2s\ 2p\ ^3P_2$	7.2	1.73e+03
S XV *	4.7849	$1s\ 2p\ ^1P_1 - 2p^2\ ^1D_2$	7.2	1.02e+04
Si XIV	4.8310	$1s\ ^2S_{1/2} - 5p\ ^2P_{3/2}$	7.2	1.57e+04
Si XIV	4.8312	$1s\ ^2S_{1/2} - 5p\ ^2P_{1/2}$	7.2	7.82e+03
Si XIV	4.9467	$1s\ ^2S_{1/2} - 4p\ ^2P_{3/2}$	7.2	3.50e+04
Si XIV	4.9472	$1s\ ^2S_{1/2} - 4p\ ^2P_{1/2}$	7.2	1.75e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
S XV	5.0387	$1s^2 \ ^1S_0 - 1s 2p \ ^1P_1$	7.2	4.08e+05
S XIV *	5.0409	$1s^2 5d \ ^2D_{5/2} - 1s 2p \ (^1P) 5d \ ^2F_{7/2}$	7.1	1.36e+03
S XIV *	5.0414	$1s^2 3d \ ^2D_{3/2} - 1s 2p \ (^1P) 3d \ ^2F_{5/2}$	7.1	3.23e+03
S XIV *	5.0416	$1s^2 4d \ ^2D_{3/2} - 1s 2p \ (^1P) 4d \ ^2F_{5/2}$	7.1	1.48e+03
S XIV *	5.0419	$1s^2 5p \ ^2P_{3/2} - 1s 2p \ (^1P) 5p \ ^2D_{5/2}$	7.1	1.37e+03
S XIV *	5.0421	$1s^2 4d \ ^2D_{5/2} - 1s 2p \ (^1P) 4d \ ^2F_{7/2}$	7.1	2.72e+03
S XIV *	5.0427	$1s^2 3d \ ^2D_{5/2} - 1s 2p \ (^1P) 3d \ ^2F_{7/2}$	7.1	5.26e+03
S XIV *	5.0439	$1s^2 4p \ ^2P_{1/2} - 1s 2p \ (^1P) 4p \ ^2D_{3/2}$	7.1	2.14e+03
S XIV *	5.0441	$1s^2 4p \ ^2P_{3/2} - 1s 2p \ (^1P) 4p \ ^2D_{5/2}$	7.1	3.04e+03
S XIV *	5.0461	$1s^2 3s \ ^2S_{1/2} - 1s 2p \ (^1P) 3s \ ^2P_{1/2}$	7.1	1.26e+03
S XIV *	5.0466	$1s^2 3s \ ^2S_{1/2} - 1s 2p \ (^1P) 3s \ ^2P_{3/2}$	7.1	1.63e+03
S XIV *	5.0477	$1s^2 3p \ ^2P_{3/2} - 1s 2p \ (^1P) 3p \ ^2P_{3/2}$	7.1	2.06e+03
S XIV *	5.0482	$1s^2 3p \ ^2P_{1/2} - 1s 2p \ (^1P) 3p \ ^2D_{3/2}$	7.1	5.50e+03
S XIV *	5.0490	$1s^2 3p \ ^2P_{3/2} - 1s 2p \ (^1P) 3p \ ^2D_{5/2}$	7.1	9.15e+03
S XIV *	5.0534	$1s^2 2s \ ^2S_{1/2} - 1s 2s \ (^3S) 2p \ ^2P_{3/2}$	7.1	1.04e+04
S XIV *	5.0578	$1s^2 3s \ ^2S_{1/2} - 1s 2p \ (^3P) 3s \ ^2P_{3/2}$	7.1	1.23e+03
S XIV *	5.0614	$1s^2 2p \ ^2P_{3/2} - 1s 2p^2 \ (^1S) \ ^2S_{1/2}$	7.1	2.02e+03
S XV	5.0631	$1s^2 \ ^1S_0 - 1s 2p \ ^3P_2$	7.1	2.96e+04
S XIV *	5.0653	$1s^2 3p \ ^2P_{3/2} - 1s 2p \ (^3P) 3p \ ^2D_{5/2}$	7.1	1.20e+03
S XIV *	5.0664	$1s^2 2s \ ^2S_{1/2} - 1s 2s \ (^3S) 2p \ ^2P_{1/2}$	7.1	1.96e+03
S XV	5.0667	$1s^2 \ ^1S_0 - 1s 2p \ ^3P_1$	7.2	5.99e+04
S XIV *	5.0875	$1s^2 2s \ ^2S_{1/2} - 1s 2s \ (^1S) 2p \ ^2P_{1/2}$	7.1	7.85e+03
S XIV *	5.0915	$1s^2 2p \ ^2P_{3/2} - 1s 2p^2 \ (^3P) \ ^2P_{3/2}$	7.1	2.30e+03
S XIV *	5.0980	$1s^2 2p \ ^2P_{1/2} - 1s 2p^2 \ (^1D) \ ^2D_{3/2}$	7.1	1.20e+04
S XIV *	5.0980	$1s^2 2s \ ^2S_{1/2} - 1s 2s \ (^1S) 2p \ ^2P_{3/2}$	7.1	9.77e+03
S XV	5.1015	$1s^2 \ ^1S_0 - 1s 2s \ ^3S_1$	7.2	1.69e+05
S XIV *	5.1022	$1s^2 2p \ ^2P_{3/2} - 1s 2p^2 \ (^1D) \ ^2D_{5/2}$	7.1	1.70e+04
Si XIII *	5.1860	$1s^2 \ ^1S_0 - 1s 7p \ ^1P_1$	7.1	1.42e+03
Si XIV	5.2168	$1s \ ^2S_{1/2} - 3p \ ^2P_{3/2}$	7.2	1.08e+05
Si XIV	5.2180	$1s \ ^2S_{1/2} - 3p \ ^2P_{1/2}$	7.2	5.38e+04
Si XIII *	5.2230	$1s^2 \ ^1S_0 - 1s 6p \ ^1P_1$	7.1	2.35e+03
Si XIII	5.2856	$1s^2 \ ^1S_0 - 1s 5p \ ^1P_1$	7.1	1.97e+04
P XV	5.3813	$1s \ ^2S_{1/2} - 2p \ ^2P_{3/2}$	7.2	5.84e+03
P XV	5.3868	$1s \ ^2S_{1/2} - 2p \ ^2P_{1/2}$	7.2	2.92e+03
Si XIII	5.4046	$1s^2 \ ^1S_0 - 1s 4p \ ^1P_1$	7.1	3.98e+04
Si XII *	5.5616	$1s^2 2p \ ^2P_{3/2} - 1s 2p \ (^3P) 4p \ ^2D_{5/2}$	7.1	1.20e+03
Al XIII	5.6048	$1s \ ^2S_{1/2} - 5p \ ^2P_{3/2}$	7.1	1.20e+03
Si XIII	5.6807	$1s^2 \ ^1S_0 - 1s 3p \ ^1P_1$	7.1	1.11e+05
Si XIII	5.6887	$1s^2 \ ^1S_0 - 1s 3p \ ^3P_1$	7.1	1.34e+03
Al XIII	5.7391	$1s \ ^2S_{1/2} - 4p \ ^2P_{3/2}$	7.1	2.69e+03
Al XIII	5.7396	$1s \ ^2S_{1/2} - 4p \ ^2P_{1/2}$	7.1	1.34e+03
P XIV	5.7602	$1s^2 \ ^1S_0 - 1s 2p \ ^1P_1$	7.1	6.57e+03
Si XII *	5.8145	$1s^2 2p \ ^2P_{1/2} - 1s 2p \ (^3P) 3p \ ^2D_{3/2}$	7.1	2.06e+03
Si XII *	5.8150	$1s^2 2p \ ^2P_{3/2} - 1s 2p \ (^3P) 3p \ ^2D_{5/2}$	7.1	4.03e+03
P XIV	5.8357	$1s^2 \ ^1S_0 - 1s 2s \ ^3S_1$	7.1	2.27e+03
Al XIII	6.0525	$1s \ ^2S_{1/2} - 3p \ ^2P_{3/2}$	7.1	8.12e+03
Al XIII	6.0537	$1s \ ^2S_{1/2} - 3p \ ^2P_{1/2}$	7.1	4.06e+03
Ni XXVI *	6.1082	$1s^2 2s \ ^2S_{1/2} - 1s^2 5p \ ^2P_{3/2}$	7.4	1.66e+03
Si XIII *	6.1695	$1s 3d \ ^1D_2 - 2p 3d \ ^1F_3$	7.1	3.52e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Al XII	6.1755	$1s^2 \ ^1S_0 - 1s 5p \ ^1P_1$	7.1	1.19e+03
Si XIII *	6.1760	$1s 4d \ ^1D_2 - 2p 4d \ ^1F_3$	7.1	2.21e+03
Si XIII *	6.1765	$1s 3p \ ^1P_1 - 2s 3d \ ^1D_2$	7.1	2.38e+03
Si XIII *	6.1782	$1s 3s \ ^1S_0 - 2p 3s \ ^1P_1$	7.1	1.82e+03
S XIV *	6.1789	$1s^2 3d \ ^2D_{5/2} - 1s 2s \ (^3S) 2p \ ^4P_{5/2}$	7.1	1.28e+03
Si XIII *	6.1795	$1s 4s \ ^1S_0 - 2p 4s \ ^1P_1$	7.1	1.28e+03
Si XIII *	6.1799	$1s 4p \ ^1P_1 - 2p 4p \ ^1D_2$	7.1	2.29e+03
Si XIV	6.1804	$1s \ ^2S_{1/2} - 2p \ ^2P_{3/2}$	7.2	7.68e+05
Si XIII *	6.1808	$1s 6p \ ^1P_1 - 2p 6p \ ^1D_2$	7.1	1.36e+03
Si XIII *	6.1812	$1s 5p \ ^1P_1 - 2p 5p \ ^1D_2$	7.1	2.08e+03
Si XIV	6.1856	$1s \ ^2S_{1/2} - 2s \ ^2S_{1/2}$	7.2	2.34e+03
Si XIV	6.1858	$1s \ ^2S_{1/2} - 2p \ ^2P_{1/2}$	7.2	3.84e+05
Si XIII *	6.1909	$1s 4p \ ^1P_1 - 2s 4d \ ^1D_2$	7.1	1.33e+03
Si XIII *	6.2004	$1s 3d \ ^3D_3 - 2p 3d \ ^3F_4$	7.1	1.99e+03
Si XIII *	6.2015	$1s 3p \ ^1P_1 - 2p 3p \ ^1D_2$	7.1	2.05e+03
Si XIII *	6.2296	$1s 2s \ ^1S_0 - 2s 2p \ ^1P_1$	7.1	5.46e+03
Si XIII *	6.2446	$1s 2s \ ^3S_1 - 2s 2p \ ^3P_2$	7.1	3.87e+03
Si XIII *	6.2482	$1s 2s \ ^3S_1 - 2s 2p \ ^3P_1$	7.1	2.40e+03
Si XIII *	6.2651	$1s 2p \ ^1P_1 - 2p^2 \ ^1D_2$	7.1	1.72e+04
Al XII	6.3139	$1s^2 \ ^1S_0 - 1s 4p \ ^1P_1$	7.1	2.42e+03
Ni XXVI *	6.3371	$1s^2 2p \ ^2P_{3/2} - 1s^2 5d \ ^2D_{5/2}$	7.4	1.29e+03
Ni XXV *	6.3480	$2s^2 \ ^1S_0 - 2s 5p \ ^1P_1$	7.3	1.43e+03
Fe XXIV *	6.4480	$1s^2 2s \ ^2S_{1/2} - 1s^2 8p \ ^2P_{3/2}$	7.3	1.25e+03
Fe XXIV *	6.5770	$1s^2 2s \ ^2S_{1/2} - 1s^2 7p \ ^2P_{3/2}$	7.4	1.96e+03
Mg XII	6.5800	$1s \ ^2S_{1/2} - 5p \ ^2P_{3/2}$	7.1	1.46e+04
Mg XII	6.5802	$1s \ ^2S_{1/2} - 5p \ ^2P_{1/2}$	7.1	7.29e+03
Al XII	6.6348	$1s^2 \ ^1S_0 - 1s 3p \ ^1P_1$	7.1	6.65e+03
Si XIII	6.6479	$1s^2 \ ^1S_0 - 1s 2p \ ^1P_1$	7.1	6.86e+05
Si XII *	6.6510	$1s^2 7p \ ^2P_{3/2} - 1s 2p \ (^1P) 7p \ ^2D_{5/2}$	7.1	1.24e+03
Si XII *	6.6515	$1s^2 5d \ ^2D_{3/2} - 1s 2p \ (^1P) 5d \ ^2F_{5/2}$	7.1	1.22e+03
Si XII *	6.6518	$1s^2 5d \ ^2D_{5/2} - 1s 2p \ (^1P) 5d \ ^2F_{7/2}$	7.1	1.98e+03
Si XII *	6.6526	$1s^2 4d \ ^2D_{3/2} - 1s 2p \ (^1P) 4d \ ^2F_{5/2}$	7.1	2.29e+03
Si XII *	6.6527	$1s^2 3d \ ^2D_{3/2} - 1s 2p \ (^1P) 3d \ ^2F_{5/2}$	7.1	4.40e+03
Si XII *	6.6531	$1s^2 4d \ ^2D_{5/2} - 1s 2p \ (^1P) 4d \ ^2F_{7/2}$	7.1	3.80e+03
Si XII *	6.6533	$1s^2 5p \ ^2P_{3/2} - 1s 2p \ (^1P) 5p \ ^2D_{5/2}$	7.1	1.85e+03
Si XII *	6.6540	$1s^2 3d \ ^2D_{5/2} - 1s 2p \ (^1P) 3d \ ^2F_{7/2}$	7.1	6.87e+03
Si XII *	6.6558	$1s^2 4p \ ^2P_{1/2} - 1s 2p \ (^1P) 4p \ ^2D_{3/2}$	7.1	2.95e+03
Si XII *	6.6560	$1s^2 4p \ ^2P_{3/2} - 1s 2p \ (^1P) 4p \ ^2D_{5/2}$	7.1	4.35e+03
Si XII *	6.6591	$1s^2 3s \ ^2S_{1/2} - 1s 2p \ (^1P) 3s \ ^2P_{1/2}$	7.1	1.67e+03
Si XII *	6.6596	$1s^2 3s \ ^2S_{1/2} - 1s 2p \ (^1P) 3s \ ^2P_{3/2}$	7.1	2.31e+03
Si XII *	6.6616	$1s^2 3p \ ^2P_{3/2} - 1s 2p \ (^1P) 3p \ ^2P_{3/2}$	7.1	2.55e+03
Si XII *	6.6621	$1s^2 3p \ ^2P_{1/2} - 1s 2p \ (^1P) 3p \ ^2D_{3/2}$	7.1	6.58e+03
Si XII *	6.6629	$1s^2 3p \ ^2P_{3/2} - 1s 2p \ (^1P) 3p \ ^2D_{5/2}$	7.1	1.06e+04
Si XII *	6.6764	$1s^2 3s \ ^2S_{1/2} - 1s 2p \ (^3P) 3s \ ^2P_{3/2}$	7.1	1.48e+03
Si XII *	6.6809	$1s^2 2p \ ^2P_{3/2} - 1s 2p^2 \ (^1S) \ ^2S_{1/2}$	7.1	2.14e+03
Si XIII	6.6850	$1s^2 \ ^1S_0 - 1s 2p \ ^3P_2$	7.1	2.66e+04
Si XII *	6.6877	$1s^2 3p \ ^2P_{3/2} - 1s 2p \ (^3P) 3p \ ^2D_{5/2}$	7.1	1.34e+03
Si XII *	6.6882	$1s^2 2s \ ^2S_{1/2} - 1s 2s \ (^1S) 2p \ ^2P_{3/2}$	7.1	1.81e+03
Si XIII	6.6882	$1s^2 \ ^1S_0 - 1s 2p \ ^3P_1$	7.1	9.99e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Si XII *	6.6892	$1s^2 2s^2 S_{1/2} - 1s 2s ({}^3S) 2p^2 P_{1/2}$	7.1	1.39e+03
Ni XXV *	6.7010	$2s 2p {}^1P_1 - 2s 5d {}^1D_2$	7.3	1.26e+03
Fe XXV	6.7034	$1s 2s {}^3S_1 - 1s 5p {}^3P_2$	7.8	1.17e+03
Si XII *	6.7197	$1s^2 2s^2 S_{1/2} - 1s 2s ({}^3S) 2p^2 P_{3/2}$	7.1	1.93e+04
Si XII *	6.7212	$1s^2 2s^2 S_{1/2} - 1s 2s ({}^1S) 2p^2 P_{1/2}$	7.1	5.09e+03
Si XII *	6.7276	$1s^2 2p^2 P_{3/2} - 1s 2p^2 ({}^3P) {}^2P_{3/2}$	7.1	1.49e+03
Mg XII	6.7377	$1s^2 S_{1/2} - 4p {}^2P_{3/2}$	7.1	3.25e+04
Si XII *	6.7382	$1s^2 2p^2 P_{1/2} - 1s 2p^2 ({}^1D) {}^2D_{3/2}$	7.0	1.06e+04
Mg XII	6.7382	$1s^2 S_{1/2} - 4p {}^2P_{1/2}$	7.1	1.63e+04
Si XIII	6.7403	$1s^2 {}^1S_0 - 1s 2s {}^3S_1$	7.1	3.14e+05
Si XII *	6.7426	$1s^2 2p^2 P_{3/2} - 1s 2p^2 ({}^1D) {}^2D_{5/2}$	7.0	1.58e+04
Fe XXIV	6.7488	$1s^2 2p^2 P_{1/2} - 1s^2 7d {}^2D_{3/2}$	7.3	1.20e+03
Fe XXIV	6.7863	$1s^2 2s^2 S_{1/2} - 1s^2 6p {}^2P_{3/2}$	7.4	2.15e+03
Fe XXIV	6.7885	$1s^2 2s^2 S_{1/2} - 1s^2 6p {}^2P_{1/2}$	7.3	1.56e+03
Fe XXIV	6.8084	$1s^2 2p^2 P_{3/2} - 1s^2 7d {}^2D_{5/2}$	7.3	1.24e+03
Ni XXVI *	6.8086	$1s^2 2s^2 S_{1/2} - 1s^2 4p {}^2P_{3/2}$	7.4	4.73e+03
Ni XXVI *	6.8200	$1s^2 2s^2 S_{1/2} - 1s^2 4p {}^2P_{1/2}$	7.4	2.40e+03
Fe XXIV	6.9720	$1s^2 2p^2 P_{1/2} - 1s^2 6d {}^2D_{3/2}$	7.3	2.21e+03
Ni XXVI *	7.0036	$1s^2 2p^2 P_{1/2} - 1s^2 4d {}^2D_{3/2}$	7.4	2.27e+03
Fe XXIV	7.0330	$1s^2 2p^2 P_{3/2} - 1s^2 6d {}^2D_{5/2}$	7.3	2.63e+03
Ni XXV *	7.0570	$2s^2 {}^1S_0 - 2s 4p {}^1P_1$	7.3	4.22e+03
Ni XXVI *	7.0880	$1s^2 2p^2 P_{3/2} - 1s^2 4d {}^2D_{5/2}$	7.4	4.10e+03
Mg XII	7.1058	$1s^2 S_{1/2} - 3p {}^2P_{3/2}$	7.1	9.79e+04
Mg XII	7.1069	$1s^2 S_{1/2} - 3p {}^2P_{1/2}$	7.1	4.91e+04
Ni XXVI *	7.1373	$1s^2 2p^2 P_{3/2} - 1s^2 4s {}^2S_{1/2}$	7.4	1.67e+03
Ni XXIII *	7.1640	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 5d {}^3D_1$	7.2	2.81e+03
Fe XXIV	7.1676	$1s^2 2s^2 S_{1/2} - 1s^2 5p {}^2P_{3/2}$	7.3	3.31e+04
Al XIII	7.1709	$1s^2 S_{1/2} - 2p {}^2P_{3/2}$	7.1	5.66e+04
Fe XXIV	7.1719	$1s^2 2s^2 S_{1/2} - 1s^2 5p {}^2P_{1/2}$	7.3	1.61e+04
Al XIII	7.1763	$1s^2 S_{1/2} - 2p {}^2P_{1/2}$	7.1	2.83e+04
Mg XI *	7.2246	$1s^2 {}^1S_0 - 1s 6p {}^1P_1$	7.1	1.55e+03
Mg XI	7.3103	$1s^2 {}^1S_0 - 1s 5p {}^1P_1$	7.0	1.05e+04
Fe XXIV	7.3700	$1s^2 2p^2 P_{1/2} - 1s^2 5d {}^2D_{3/2}$	7.3	1.44e+04
Fe XXIV	7.3891	$1s^2 2p^2 P_{1/2} - 1s^2 5s {}^2S_{1/2}$	7.3	4.29e+03
Fe XXIV	7.4380	$1s^2 2p^2 P_{3/2} - 1s^2 5d {}^2D_{5/2}$	7.3	1.34e+04
Fe XXIV	7.4406	$1s^2 2p^2 P_{3/2} - 1s^2 5d {}^2D_{3/2}$	7.3	2.79e+03
Fe XXIV	7.4601	$1s^2 2p^2 P_{3/2} - 1s^2 5s {}^2S_{1/2}$	7.3	1.08e+04
Fe XXIII	7.4720	$2s^2 {}^1S_0 - 2s 5p {}^3P_1$	7.2	3.67e+03
Fe XXIII	7.4720	$2s^2 {}^1S_0 - 2s 5p {}^1P_1$	7.2	2.90e+04
Mg XI	7.4731	$1s^2 {}^1S_0 - 1s 4p {}^1P_1$	7.0	2.06e+04
Ni XXV *	7.4770	$2s 2p {}^1P_1 - 2s 4d {}^1D_2$	7.3	4.42e+03
Fe XXV	7.4835	$1s 2s {}^3S_1 - 1s 4p {}^3P_2$	7.8	2.59e+03
Ni XXV *	7.5530	$2s 2p {}^1P_1 - 2s 4s {}^1S_0$	7.3	2.18e+03
Ni XXIV *	7.5671	$2s^2 2p^2 P_{1/2} - 2s^2 4d {}^2D_{3/2}$	7.2	4.34e+03
Fe XXIII	7.6710	$2s 2p {}^3P_0 - 2s 5d {}^3D_1$	7.2	1.68e+03
Fe XXIII	7.6800	$2s 2p {}^3P_1 - 2s 5d {}^3D_2$	7.2	3.26e+03
Fe XXIII	7.6890	$2s 2p {}^3P_1 - 2s 5d {}^3D_1$	7.2	1.22e+03
Ni XXIII *	7.7180	$2s^2 2p^2 {}^3P_0 - 2s 2p^2 4p {}^3D_1$	7.2	1.97e+03
Fe XXIII	7.7330	$2s 2p {}^3P_2 - 2s 5d {}^3D_3$	7.2	5.48e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Al XII	7.7573	$1s^2 \ ^1S_0 - 1s \ 2p \ ^1P_1$	7.1	3.99e+04
Fe XXV	7.7939	$1s \ 2p \ ^1P_1 - 1s \ 4s \ ^1S_0$	7.8	1.17e+03
Al XII	7.8070	$1s^2 \ ^1S_0 - 1s \ 2p \ ^3P_1$	7.0	5.58e+03
Mg XI	7.8505	$1s^2 \ ^1S_0 - 1s \ 3p \ ^1P_1$	7.0	5.66e+04
Fe XXII *	7.8648	$1s^2 \ 2s^2 \ 2p \ ^2P_{1/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5p \ ^2D_{3/2}$	7.2	6.52e+03
Fe XXII *	7.8668	$1s^2 \ 2s^2 \ 2p \ ^2P_{1/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5p \ ^2P_{1/2}$	7.2	4.56e+03
Al XII	7.8721	$1s^2 \ ^1S_0 - 1s \ 2s \ ^3S_1$	7.1	1.93e+04
Fe XXII *	7.8744	$1s^2 \ 2s^2 \ 2p \ ^2P_{1/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5p \ ^4D_{3/2}$	7.2	1.67e+03
Fe XXIII	7.8830	$2s \ 2p \ ^1P_1 - 2s \ 5d \ ^1D_2$	7.2	2.55e+04
Fe XXII *	7.8874	$1s^2 \ 2s^2 \ 2p \ ^2P_{1/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5p \ ^4S_{3/2}$	7.2	1.41e+03
Fe XXIII	7.9340	$2s \ 2p \ ^1P_1 - 2s \ 5s \ ^1S_0$	7.2	1.48e+04
Ni XXIII *	7.9410	$2s^2 \ 2p^2 \ ^3P_0 - 2s^2 \ 2p \ 4d \ ^3D_1$	7.2	8.76e+03
Fe XXIV	7.9841	$1s^2 \ 2s \ 2s^2 \ ^1S_{1/2} - 1s^2 \ 4p \ ^2P_{3/2}$	7.3	9.34e+04
Fe XXIII *	7.9940	$2p^2 \ ^1S_0 - 2p \ 5d \ ^1P_1$	7.2	1.48e+03
Fe XXIV	7.9943	$1s^2 \ 2s \ 2s^2 \ ^1S_{1/2} - 1s^2 \ 4p \ ^2P_{1/2}$	7.3	4.71e+04
Ni XXIII *	8.0090	$2s^2 \ 2p^2 \ ^3P_1 - 2s^2 \ 2p \ 4d \ ^3D_1$	7.2	1.26e+03
Fe XXII *	8.1378	$1s^2 \ 2s \ 2p^2 \ ^4P_{3/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5d \ ^2F_{5/2}$	7.2	1.64e+03
Si XII *	8.1479	$1s^2 \ 3d \ ^2D_{5/2} - 1s \ 2s \ (^3S) \ 2p \ ^4P_{5/2}$	7.1	1.25e+03
Fe XXII *	8.1639	$1s^2 \ 2s \ 2p^2 \ ^4P_{3/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5d \ ^4P_{5/2}$	7.1	2.10e+03
Fe XXII *	8.1686	$1s^2 \ 2s^2 \ 2p \ ^2P_{3/2} - 1s^2 \ 2p^2 \ (^1D) \ 4d \ ^2D_{5/2}$	7.2	8.30e+03
Fe XXII *	8.1787	$1s^2 \ 2s \ 2p^2 \ ^4P_{5/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5d \ ^4F_{7/2}$	7.1	1.35e+03
Ni XXIII *	8.2180	$2s \ 2p^3 \ ^3D_1 - 2s \ 2p^2 \ 4d \ ^3F_2$	7.2	2.26e+03
Fe XXIV	8.2323	$1s^2 \ 2p \ ^2P_{1/2} - 1s^2 \ 4d \ ^2D_{3/2}$	7.2	4.98e+04
Fe XXIV	8.2833	$1s^2 \ 2p \ ^2P_{1/2} - 1s^2 \ 4s \ ^2S_{1/2}$	7.3	1.58e+04
Fe XXIII	8.3030	$2s^2 \ ^1S_0 - 2s \ 4p \ ^1P_1$	7.2	8.51e+04
Fe XXIII	8.3150	$2s^2 \ ^1S_0 - 2s \ 4p \ ^3P_1$	7.2	1.58e+04
Fe XXIV	8.3164	$1s^2 \ 2p \ ^2P_{3/2} - 1s^2 \ 4d \ ^2D_{5/2}$	7.2	8.33e+04
Fe XXIV	8.3205	$1s^2 \ 2p \ ^2P_{3/2} - 1s^2 \ 4d \ ^2D_{3/2}$	7.2	9.67e+03
Fe XXII *	8.3246	$1s^2 \ 2s \ 2p^2 \ ^2D_{3/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5d \ ^2F_{5/2}$	7.2	6.57e+03
Ni XXIII *	8.3530	$2s \ 2p^3 \ ^3D_1 - 2s \ 2p^2 \ 4s \ ^3P_0$	7.2	1.19e+03
Fe XXIV	8.3727	$1s^2 \ 2p \ ^2P_{3/2} - 1s^2 \ 4s \ ^2S_{1/2}$	7.3	3.62e+04
Fe XXII *	8.3768	$1s^2 \ 2s \ 2p^2 \ ^2D_{3/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5s \ ^2P_{1/2}$	7.2	3.73e+03
Mg XI *	8.4014	$1s \ 3d \ ^1D_2 - 2p \ 3d \ ^1F_3$	7.1	2.33e+03
Fe XXII *	8.4071	$1s^2 \ 2s \ 2p^2 \ ^2P_{1/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5d \ ^2D_{3/2}$	7.2	4.51e+03
Mg XI *	8.4110	$1s \ 3p \ ^1P_1 - 2s \ 3d \ ^1D_2$	7.1	1.31e+03
Mg XI *	8.4129	$1s \ 4d \ ^1D_2 - 2p \ 4d \ ^1F_3$	7.1	1.64e+03
Mg XII	8.4192	$1s \ 2s^2 \ ^1S_{1/2} - 2p \ ^2P_{3/2}$	7.1	6.66e+05
Mg XI *	8.4203	$1s \ 5p \ ^1P_1 - 2p \ 5p \ ^1D_2$	7.1	1.19e+03
Mg XII	8.4246	$1s \ 2s^2 \ ^1S_{1/2} - 2p \ ^2P_{1/2}$	7.1	3.33e+05
Mg XI *	8.4500	$1s \ 3p \ ^1P_1 - 2p \ 3p \ ^1D_2$	7.1	1.23e+03
Mg XI *	8.4506	$1s \ 3d \ ^3D_3 - 2p \ 3d \ ^3F_4$	7.1	1.45e+03
Fe XXII *	8.4585	$1s^2 \ 2s \ 2p^2 \ ^2P_{1/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 5s \ ^2P_{1/2}$	7.2	1.72e+03
Na XI	8.4591	$1s \ 2s^2 \ ^1S_{1/2} - 3p \ ^2P_{3/2}$	7.1	3.03e+03
Na XI	8.4603	$1s \ 2s^2 \ ^1S_{1/2} - 3p \ ^2P_{1/2}$	7.1	1.51e+03
Mg XI *	8.4956	$1s \ 2s \ ^1S_0 - 2s \ 2p \ ^1P_1$	7.1	2.57e+03
Ni XIX	8.5121	$2s^2 \ 2p^6 \ ^1S_0 - 2s^2 \ 2p^5 \ 7d \ ^3D_1$	7.0	1.45e+03
Mg XI *	8.5207	$1s \ 2s \ ^3S_1 - 2s \ 2p \ ^3P_2$	7.1	2.45e+03
Mg XI *	8.5243	$1s \ 2s \ ^3S_1 - 2s \ 2p \ ^3P_1$	7.1	1.50e+03
Fe XXII *	8.5262	$1s^2 \ 2s^2 \ 2p \ ^2P_{3/2} - 1s^2 \ 2s \ 2p \ (^1P) \ 4p \ ^2P_{3/2}$	7.2	1.49e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXIII	8.5290	$2s\ 2p\ ^3P_0 - 2s\ 4d\ ^3D_1$	7.2	4.91e+03
Fe XXIII	8.5500	$2s\ 2p\ ^3P_1 - 2s\ 4d\ ^3D_2$	7.2	9.42e+03
Fe XXIII	8.5510	$2s\ 2p\ ^3P_1 - 2s\ 4d\ ^3D_1$	7.2	3.55e+03
Mg XI *	8.5516	$1s\ 2p\ ^1P_1 - 2p^2\ ^1D_2$	7.1	8.23e+03
Fe XXI *	8.5710	$2s^2\ 2p^2\ ^3P_1 - 2s^2\ 2p\ 5d\ ^3D_2$	7.1	4.62e+03
Fe XXI	8.5730	$2s^2\ 2p^2\ ^3P_0 - 2s^2\ 2p\ 5d\ ^3D_1$	7.1	5.03e+04
Fe XXIII	8.6140	$2s\ 2p\ ^3P_2 - 2s\ 4d\ ^3D_3$	7.2	1.55e+04
Ni XIX	8.6140	$2s^2\ 2p^6\ ^1S_0 - 2s^2\ 2p^5\ 7d\ ^1P_1$	7.0	2.85e+03
Fe XXIII	8.6180	$2s\ 2p\ ^3P_2 - 2s\ 4d\ ^3D_2$	7.2	3.02e+03
Fe XXI	8.6280	$2s^2\ 2p^2\ ^3P_1 - 2s^2\ 2p\ 5d\ ^3D_1$	7.1	7.56e+03
Fe XXIII *	8.6340	$2s\ 2p\ ^3P_1 - 2s\ 4s\ ^3S_1$	7.2	1.94e+03
Fe XXI	8.6430	$2s^2\ 2p^2\ ^3P_2 - 2s^2\ 2p\ 5d\ ^3F_3$	7.1	3.25e+03
Fe XXIII	8.6720	$2p^2\ ^3P_0 - 2p\ 4d\ ^3D_1$	7.2	2.38e+03
Fe XXI *	8.7020	$2s^2\ 2p^2\ ^1S_0 - 2s^2\ 2p\ 5d\ ^1P_1$	7.1	3.22e+03
Fe XXIII *	8.7050	$2s\ 2p\ ^3P_2 - 2s\ 4s\ ^3S_1$	7.2	3.46e+03
Fe XXII	8.7154	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4p\ ^2D_{3/2}$	7.2	2.49e+04
Fe XXII	8.7222	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4p\ ^2P_{1/2}$	7.2	1.47e+04
Ni XIX *	8.7280	$2s^2\ 2p^6\ ^1S_0 - 2s^2\ 2p^5\ 6d\ ^3D_1$	7.0	2.45e+03
Fe XXII *	8.7302	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4p\ ^2D_{5/2}$	7.1	1.62e+03
Fe XXII *	8.7394	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4p\ ^2P_{3/2}$	7.1	8.24e+03
Ni XIX	8.7443	$2s^2\ 2p^6\ ^1S_0 - 2s^2\ 2p^5\ 6d\ ^1P_1$	7.0	4.53e+03
Fe XXII *	8.7651	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4p\ ^4D_{1/2}$	7.2	2.97e+03
Zn XXV *	8.8090	$2s^2\ 2p^2\ ^3P_0 - 2s^2\ 2p\ 3d\ ^3D_1$	7.3	1.20e+03
Fe XXIII	8.8140	$2s\ 2p\ ^1P_1 - 2s\ 4d\ ^1D_2$	7.2	8.93e+04
Fe XXII *	8.8306	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4p\ ^2P_{3/2}$	7.1	1.93e+03
Fe XXI	8.8400	$2s^2\ 2p^2\ ^3P_0 - 2s\ 2p^2\ 4p\ ^3P_1$	7.1	1.98e+03
Fe XXI	8.8550	$2s^2\ 2p^2\ ^1S_0 - 2s^2\ 2p\ 5d\ ^3D_1$	7.1	3.59e+03
Fe XXI	8.8980	$2s^2\ 2p^2\ ^3P_1 - 2s\ 2p^2\ 4p\ ^3P_1$	7.1	1.17e+03
Fe XXIII	8.9060	$2s\ 2p\ ^1P_1 - 2s\ 4s\ ^1S_0$	7.2	4.47e+04
Fe XXIII	8.9350	$2p^2\ ^1S_0 - 2p\ 4d\ ^1P_1$	7.2	4.05e+03
Fe XXII	8.9600	$1s^2\ 2s\ 2p^2\ ^2D_{3/2} - 1s^2\ 2s\ 2p\ (^1P)\ 4d\ ^2F_{5/2}$	7.1	2.43e+03
Fe XXII	8.9767	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s^2\ 4d\ ^2D_{3/2}$	7.1	8.63e+04
Fe XXII *	8.9915	$1s^2\ 2s\ 2p^2\ ^4P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^4D_{1/2}$	7.1	1.29e+03
Fe XXII	8.9916	$1s^2\ 2s\ 2p^2\ ^4P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^4D_{3/2}$	7.1	1.95e+03
Fe XXII	9.0108	$1s^2\ 2s\ 2p^2\ ^4P_{3/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^2F_{5/2}$	7.2	4.48e+03
Fe XXII *	9.0273	$1s^2\ 2s\ 2p^2\ ^4P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^4F_{3/2}$	7.1	1.45e+03
Fe XXII *	9.0456	$1s^2\ 2s\ 2p^2\ ^4P_{3/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^4P_{5/2}$	7.1	3.00e+03
Fe XXII	9.0498	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s^2\ 4s\ ^2S_{1/2}$	7.1	1.37e+03
Ni XXVI *	9.0560	$1s^2\ 2s\ ^2S_{1/2} - 1s^2\ 3p\ ^2P_{3/2}$	7.4	2.50e+04
Fe XXII	9.0647	$1s^2\ 2s\ 2p^2\ ^4P_{3/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^4F_{5/2}$	7.1	4.64e+03
Fe XX	9.0650	$2s^2\ 2p^3\ ^4S_{3/2} - 2s^2\ 2p^2\ (^3P)\ 5d\ ^4P_{1/2}$	7.1	1.25e+04
Fe XX	9.0688	$2s^2\ 2p^3\ ^4S_{3/2} - 2s^2\ 2p^2\ (^3P)\ 5d\ ^4P_{3/2}$	7.1	1.79e+04
Fe XX	9.0688	$2s^2\ 2p^3\ ^4S_{3/2} - 2s^2\ 2p^2\ (^3P)\ 5d\ ^4P_{5/2}$	7.1	9.03e+03
Fe XXII *	9.0726	$1s^2\ 2s\ 2p^2\ ^2D_{3/2} - 1s^2\ 2s\ 2p\ (^1P)\ 4s\ ^2P_{1/2}$	7.1	1.30e+03
Fe XXII	9.0730	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s^2\ 2s^2\ 4d\ ^2D_{5/2}$	7.1	1.40e+04
Fe XXII	9.0730	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s^2\ 2s^2\ 4d\ ^2D_{3/2}$	7.1	1.66e+04
Fe XXII *	9.0837	$1s^2\ 2s\ 2p^2\ ^4P_{5/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^4F_{7/2}$	7.1	4.12e+03
Fe XXII *	9.0890	$1s^2\ 2s\ 2p^2\ ^4P_{5/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^4P_{5/2}$	7.1	1.72e+03
Ni XXVI *	9.1038	$1s^2\ 2s\ ^2S_{1/2} - 1s^2\ 3p\ ^2P_{1/2}$	7.4	1.30e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XX	9.1100	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 5d \ ^4F_{5/2}$	7.1	1.30e+04
Fe XX	9.1100	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 5d \ ^2P_{3/2}$	7.1	3.06e+03
Fe XXII *	9.1197	$1s^2 2p^3 \ ^2D_{3/2} - 1s^2 2p^2 \ (^1D) 4d \ ^2D_{5/2}$	7.2	9.47e+03
Ni XIX	9.1391	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 \ 5d \ ^3D_1$	7.0	5.51e+03
Fe XXI	9.1400	$2s^2 2p^2 \ ^1S_0 - 2s \ 2p^2 \ 4p \ ^3P_1$	7.1	1.73e+03
Fe XXII *	9.1462	$1s^2 2p^3 \ ^2D_{5/2} - 1s^2 2p^2 \ (^1D) 4d \ ^2D_{5/2}$	7.2	1.63e+04
Fe XXII *	9.1466	$1s^2 2s \ 2p^2 \ ^4P_{3/2} - 1s^2 2s \ 2p \ (^3P) 4s \ ^2P_{1/2}$	7.1	1.30e+03
Fe XXII	9.1477	$1s^2 2s^2 \ 2p \ ^2P_{3/2} - 1s^2 2s \ 2s \ 4s \ ^2S_{1/2}$	7.1	2.61e+03
Ni XIX	9.1533	$2s^2 2p^6 \ ^1S_0 - 2s \ 2p^6 \ 4p \ ^3P_1$	7.0	1.23e+03
Fe XXI *	9.1590	$2s^2 2p^2 \ ^3P_0 - 2s \ 2p^2 \ 4p \ ^3D_1$	7.1	3.29e+04
Fe XXII	9.1628	$1s^2 2s \ 2p^2 \ ^2P_{3/2} - 1s^2 2s \ 2p \ (^1P) 4d \ ^2D_{5/2}$	7.2	3.07e+03
Fe XX	9.1630	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 5d \ ^4D_{5/2}$	7.1	5.41e+03
Mg XI	9.1687	$1s^2 \ ^1S_0 - 1s \ 2p \ ^1P_1$	7.0	3.34e+05
Mg X *	9.1775	$1s^2 3d \ ^2D_{3/2} - 1s \ 2p \ (^1P) 3d \ ^2F_{5/2}$	6.9	1.46e+03
Mg X *	9.1776	$1s^2 4d \ ^2D_{5/2} - 1s \ 2p \ (^1P) 4d \ ^2F_{7/2}$	6.9	1.35e+03
Mg X *	9.1787	$1s^2 3d \ ^2D_{5/2} - 1s \ 2p \ (^1P) 3d \ ^2F_{7/2}$	6.9	2.19e+03
Mg X *	9.1816	$1s^2 4p \ ^2P_{3/2} - 1s \ 2p \ (^1P) 4p \ ^2D_{5/2}$	6.9	1.54e+03
Fe XXII *	9.1886	$1s^2 2s \ 2p^2 \ ^4P_{3/2} - 1s^2 2s \ 2p \ (^3P) 4s \ ^4P_{1/2}$	7.1	2.28e+03
Mg X *	9.1915	$1s^2 3p \ ^2P_{1/2} - 1s \ 2p \ (^1P) 3p \ ^2D_{3/2}$	6.9	1.87e+03
Mg X *	9.1924	$1s^2 3p \ ^2P_{3/2} - 1s \ 2p \ (^1P) 3p \ ^2D_{5/2}$	6.9	2.89e+03
Fe XX *	9.2111	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 5d \ ^2F_{7/2}$	7.1	1.36e+03
Fe XX	9.2160	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 5d \ ^4P_{3/2}$	7.1	1.28e+03
Fe XX	9.2160	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 5d \ ^4P_{5/2}$	7.1	1.63e+03
Fe XX	9.2200	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 5d \ ^2F_{5/2}$	7.1	3.65e+03
Mg XI	9.2282	$1s^2 \ ^1S_0 - 1s \ 2p \ ^3P_2$	6.9	4.88e+03
Mg XI	9.2312	$1s^2 \ ^1S_0 - 1s \ 2p \ ^3P_1$	6.9	4.53e+04
Fe XXII	9.2407	$1s^2 2s \ 2p^2 \ ^2D_{3/2} - 1s^2 2s \ 2p \ (^3P) 4d \ ^2F_{5/2}$	7.2	2.26e+04
Fe XXI *	9.2460	$2s^2 2p^2 \ ^3P_1 - 2s \ 2p^2 \ 4p \ ^5D_1$	7.1	1.22e+03
Ni XIX	9.2541	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 \ 5d \ ^1P_1$	7.0	7.81e+03
Fe XXII *	9.2578	$1s^2 2s \ 2p^2 \ ^2D_{3/2} - 1s^2 2s \ 2p \ (^3P) 4d \ ^2D_{3/2}$	7.2	3.96e+03
Fe XX	9.2809	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 5d \ ^4D_{5/2}$	7.1	5.35e+03
Mg X	9.2840	$1s^2 2s \ ^2S_{1/2} - 1s \ 2s \ (^1S) 2p \ ^2P_{1/2}$	6.9	1.38e+03
Mg X *	9.2855	$1s^2 2s \ ^2S_{1/2} - 1s \ 2s \ (^3S) 2p \ ^2P_{3/2}$	6.9	2.61e+03
Mg XI	9.3143	$1s^2 \ ^1S_0 - 1s \ 2s \ ^3S_1$	6.9	1.54e+05
Mg X	9.3162	$1s^2 2p \ ^2P_{1/2} - 1s \ 2p^2 \ (^1D) \ ^2D_{3/2}$	6.9	2.26e+03
Mg X	9.3197	$1s^2 2p \ ^2P_{3/2} - 1s \ 2p^2 \ (^1D) \ ^2D_{5/2}$	6.9	3.57e+03
Fe XX	9.3246	$2s^2 2p^3 \ ^2P_{1/2} - 2s^2 2p^2 \ (^3P) 5d \ ^4D_{3/2}$	7.1	1.62e+03
Ni XXV	9.3300	$2s^2 \ ^1S_0 - 2s \ 3p \ ^1P_1$	7.3	1.89e+04
Ni XXV	9.3550	$2s^2 \ ^1S_0 - 2s \ 3p \ ^3P_1$	7.3	1.13e+04
Fe XXII *	9.3577	$1s^2 2s \ 2p^2 \ ^2P_{1/2} - 1s^2 2s \ 2p \ (^3P) 4d \ ^2D_{3/2}$	7.2	1.29e+04
Ne X	9.3616	$1s \ ^2S_{1/2} - 6p \ ^2P_{3/2}$	7.1	7.84e+03
Ne X	9.3617	$1s \ ^2S_{1/2} - 6p \ ^2P_{1/2}$	7.1	3.91e+03
Ni XX	9.3769	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 4d \ ^2P_{3/2}$	7.1	3.34e+03
Ni XXVI *	9.3817	$1s^2 2p \ ^2P_{1/2} - 1s^2 3d \ ^2D_{3/2}$	7.4	1.59e+04
Fe XXII *	9.3833	$1s^2 2s \ 2p^2 \ ^2D_{3/2} - 1s^2 2s \ 2p \ (^3P) 4s \ ^2P_{1/2}$	7.1	1.53e+04
Ni XX	9.3850	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 4d \ ^2F_{5/2}$	7.1	4.37e+03
Ni XX	9.3850	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 4d \ ^2S_{1/2}$	7.1	2.35e+03
Fe XXIII	9.4150	$2p^2 \ ^1S_0 - 2s \ 4p \ ^1P_1$	7.2	1.72e+03
Fe XXI	9.4170	$2s \ 2p^3 \ ^3D_1 - 2s \ 2p^2 \ 4d \ ^3F_2$	7.1	3.19e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Ni XX	9.4550	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^2D_{5/2}$	7.1	5.86e+03
Fe XXI	9.4750	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 4d {}^3D_1$	7.1	1.60e+05
Ne X	9.4807	$1s {}^2S_{1/2} - 5p {}^2P_{3/2}$	7.1	1.44e+04
Ne X	9.4809	$1s {}^2S_{1/2} - 5p {}^2P_{1/2}$	7.1	7.17e+03
Fe XXII *	9.4859	$1s^2 2s 2p^2 {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 4s {}^2P_{1/2}$	7.1	6.54e+03
Cr XXII	9.4884	$1s^2 2s {}^2S_{1/2} - 1s^2 4p {}^2P_{3/2}$	7.2	1.18e+03
Fe XXI *	9.5190	$2s 2p^3 {}^5S_2 - 2s 2p^2 4d {}^5P_3$	7.1	4.62e+03
Fe XIX	9.5238	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^2P) 5d {}^3D_3$	7.0	1.16e+03
Ni XXVI *	9.5242	$1s^2 2p {}^2P_{3/2} - 1s^2 3d {}^2D_{5/2}$	7.4	2.81e+04
Fe XXI *	9.5260	$2s 2p^3 {}^3D_1 - 2s 2p^2 4s {}^3P_0$	7.1	1.18e+03
Fe XXI *	9.5270	$2s 2p^3 {}^5S_2 - 2s 2p^2 4d {}^5F_2$	7.1	1.62e+03
Ni XXVI *	9.5405	$1s^2 2p {}^2P_{3/2} - 1s^2 3d {}^2D_{3/2}$	7.4	2.97e+03
Fe XXI	9.5420	$2s^2 2p^2 {}^3P_1 - 2s^2 2p 4d {}^3D_1$	7.1	2.42e+04
Fe XXI	9.5480	$2s^2 2p^2 {}^3P_1 - 2s^2 2p 4d {}^3D_2$	7.1	1.31e+04
Ni XX	9.5580	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^2F_{5/2}$	7.1	6.93e+03
Ni XX	9.5588	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^2D_{3/2}$	7.1	3.69e+03
Fe XXI *	9.5620	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 4d {}^3F_2$	7.1	2.87e+03
Ni XXVI *	9.5764	$1s^2 2p {}^2P_{1/2} - 1s^2 3s {}^2S_{1/2}$	7.4	6.99e+03
Fe XXI	9.5820	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 4d {}^3D_1$	7.1	3.02e+03
Fe XXI	9.5870	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 4d {}^3F_3$	7.1	9.61e+03
Fe XXI *	9.6010	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 4s {}^3P_1$	7.1	1.81e+03
Ni XXV	9.6270	$2s 2p {}^3P_1 - 2s 3d {}^3D_2$	7.2	2.12e+03
Fe XIX	9.6388	$1s^2 2s^2 2p^4 {}^3P_0 - 1s^2 2s^2 2p^3 ({}^2P) 5d {}^3D_1$	7.0	3.35e+03
Ni XXIV *	9.6764	$2s^2 2p {}^2P_{1/2} - 2s 2p 3p {}^2D_{3/2}$	7.2	6.41e+03
Fe XXI	9.6900	$2s^2 2p^2 {}^1S_0 - 2s^2 2p 4d {}^1P_1$	7.1	5.97e+03
Fe XXI	9.6900	$2s 2p^3 {}^3S_1 - 2s 2p^2 4d {}^3P_2$	7.1	6.15e+03
Fe XIX *	9.6905	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^3P_2$	7.0	1.99e+04
Fe XIX	9.6910	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^3D_3$	7.0	1.45e+04
Fe XIX	9.6910	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^3S_1$	7.0	7.40e+03
Fe XXVII *	9.6921	$2s^2 2p^6 {}^1S_0 - 2s 2p^6 6p {}^1P_1$	6.9	1.96e+03
Fe XXI	9.7050	$2s^2 2p^2 {}^1D_2 - 2s^2 2p 4d {}^3F_3$	7.1	1.30e+03
Ne X	9.7080	$1s {}^2S_{1/2} - 4p {}^2P_{3/2}$	7.1	3.11e+04
Ne X	9.7085	$1s {}^2S_{1/2} - 4p {}^2P_{1/2}$	7.1	1.56e+04
Fe XXI *	9.7120	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 4s {}^3P_1$	7.1	3.80e+03
Ni XXIV *	9.7190	$2s^2 2p {}^2P_{1/2} - 2s 2p 3p {}^2P_{1/2}$	7.2	3.90e+03
Fe XIX	9.7260	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^3F_3$	7.0	1.12e+04
Fe XIX *	9.7280	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^3F_2$	7.0	1.50e+03
Ni XXIV *	9.7350	$2s^2 2p {}^2P_{1/2} - 2s 2p 3p {}^2P_{3/2}$	7.2	2.52e+03
Ni XXVI *	9.7419	$1s^2 2p {}^2P_{3/2} - 1s^2 3s {}^2S_{1/2}$	7.4	1.31e+04
Ni XXV	9.7550	$2s 2p {}^3P_2 - 2s 3d {}^3D_3$	7.2	3.34e+03
Co XXV *	9.7908	$2s {}^2S_{1/2} - 3p {}^2P_{3/2}$	7.3	1.30e+03
Fe XIX *	9.8031	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^3D_2$	7.0	3.67e+03
Fe XXI	9.8060	$2s 2p^3 {}^3D_1 - 2s 2p^2 4d {}^3P_2$	7.1	3.73e+04
Fe XIX *	9.8134	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^3F_2$	7.0	1.26e+03
Fe XXI	9.8210	$2s^2 2p^2 {}^1S_0 - 2s^2 2p 4d {}^3D_1$	7.1	7.68e+03
Fe XXI *	9.8310	$2s 2p^3 {}^3S_1 - 2s 2p^2 4s {}^3P_0$	7.1	2.66e+03
Fe XIX *	9.8452	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s^2 2p^3 ({}^2D) 5d {}^1F_3$	7.0	1.42e+03
Fe XIX	9.8480	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^4S) 5d {}^3D_3$	7.0	3.98e+04
Fe XIX *	9.8509	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 ({}^4S) 5d {}^3D_2$	7.0	3.83e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX	9.8522	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 \ (^2D) 5d \ ^3S_1$	7.0	2.28e+03
Fe XIX	9.8884	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 \ (^2D) 5d \ ^3F_3$	7.0	1.88e+03
Fe XIX *	9.9193	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 \ (^4S) 5d \ ^3D_1$	7.0	2.84e+03
Fe XX *	9.9209	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 4f \ ^4F_{5/2}$	7.1	1.18e+03
Fe XIX *	9.9342	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 \ (^4S) 5d \ ^3D_1$	7.0	1.25e+03
Fe XIX *	9.9385	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 \ (^4S) 5d \ ^3D_2$	7.0	4.50e+03
Ni XXIV *	9.9469	$2s^2 2p \ ^2P_{1/2} - 2s^2 3d \ ^2D_{3/2}$	7.2	3.11e+04
Fe XXI	9.9510	$2s 2p^3 \ ^3P_1 - 2s 2p^2 4d \ ^3P_2$	7.1	3.93e+03
Ni XXV	9.9670	$2s 2p \ ^1P_1 - 2s 3d \ ^1D_2$	7.3	3.59e+04
Fe XXI	9.9730	$2s 2p^3 \ ^3D_1 - 2s 2p^2 4s \ ^3P_0$	7.1	2.19e+04
Ni XIX	9.9771	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 4d \ ^3D_1$	7.0	1.81e+04
Ni XXIV *	9.9789	$2s 2p^2 \ ^4P_{3/2} - 2s 2p 3d \ ^2D_{5/2}$	7.2	2.58e+03
Fe XX	9.9980	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4P_{3/2}$	7.1	1.67e+03
Fe XX	9.9980	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4D_{5/2}$	7.1	2.01e+03
Fe XXV	10.0023	$1s 2s \ ^3S_1 - 1s 3p \ ^3P_2$	7.8	7.11e+03
Fe XX *	10.0115	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4D_{3/2}$	7.1	1.56e+03
Na XI	10.0232	$1s \ ^2S_{1/2} - 2p \ ^2P_{3/2}$	7.1	2.07e+04
Fe XX *	10.0235	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4F_{5/2}$	7.1	5.73e+03
Na XI	10.0286	$1s \ ^2S_{1/2} - 2p \ ^2P_{1/2}$	7.1	1.04e+04
Fe XXV	10.0373	$1s 2s \ ^3S_1 - 1s 3p \ ^3P_1$	7.8	2.27e+03
Fe XXV	10.0418	$1s 2s \ ^3S_1 - 1s 3p \ ^3P_0$	7.8	1.32e+03
Ni XXIV *	10.0554	$2s 2p^2 \ ^4P_{3/2} - 2s 2p 3d \ ^4P_{5/2}$	7.2	2.03e+03
Ni XXIII *	10.0720	$2s^2 2p^2 \ ^3P_0 - 2s 2p^2 3p \ ^5P_1$	7.2	5.05e+03
Fe XIX *	10.0747	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 \ (^4P) 4p \ ^5D_2$	7.1	1.62e+03
Fe XIX *	10.0755	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 \ (^4P) 4p \ ^5D_3$	7.1	1.25e+03
Ni XXV	10.0840	$2s 2p \ ^3P_2 - 2s 3s \ ^3S_1$	7.2	1.23e+03
Fe XIX *	10.0860	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 \ (^4P) 4p \ ^5P_1$	7.1	1.24e+03
Ni XXIV *	10.0940	$2s^2 2p \ ^2P_{3/2} - 2s^2 3d \ ^2D_{5/2}$	7.2	3.57e+03
Fe XIX *	10.1058	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s 2p^4 \ (^4P) 4p \ ^3P_1$	7.0	1.26e+03
Ni XXIV *	10.1089	$2s^2 2p \ ^2P_{3/2} - 2s^2 3d \ ^2D_{3/2}$	7.2	5.86e+03
Ni XIX	10.1102	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 4d \ ^1P_1$	7.0	1.88e+04
Fe XIX *	10.1138	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 \ (^4P) 4p \ ^3P_2$	7.1	4.47e+03
Fe XVII	10.1150	$2s^2 2p^6 \ ^1S_0 - 2s 2p^6 5p \ ^1P_1$	6.9	4.84e+03
Fe XXI	10.1230	$2s 2p^3 \ ^3P_1 - 2s 2p^2 4s \ ^3P_0$	7.1	2.57e+03
Fe XIX *	10.1259	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 \ (^4P) 4p \ ^3S_1$	7.1	2.91e+03
Fe XIX *	10.1373	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 \ (^4P) 4p \ ^3D_3$	7.1	7.64e+03
Ni XXIII *	10.1380	$2s^2 2p^2 \ ^3P_1 - 2s 2p^2 3p \ ^3D_1$	7.2	1.28e+03
Fe XX *	10.1514	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 4d \ ^2P_{1/2}$	7.1	1.42e+03
Fe XX *	10.1559	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4D_{3/2}$	7.1	1.40e+03
Fe XVIII *	10.1637	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1S) 5d \ ^2D_{5/2}$	6.9	1.18e+03
Fe XX *	10.1683	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4F_{5/2}$	7.1	6.08e+03
Fe XX *	10.1737	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4D_{7/2}$	7.1	2.13e+03
Fe XX *	10.2116	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4F_{5/2}$	7.1	2.32e+03
Fe XXV	10.2205	$1s 2s \ ^1S_0 - 1s 3p \ ^1P_1$	7.8	1.30e+03
Fe XXV *	10.2210	$1s 2p \ ^3P_1 - 1s 3d \ ^3D_2$	7.8	1.30e+03
Ne X	10.2385	$1s \ ^2S_{1/2} - 3p \ ^2P_{3/2}$	7.1	9.16e+04
Ne X	10.2396	$1s \ ^2S_{1/2} - 3p \ ^2P_{1/2}$	7.1	4.57e+04
Ni XXIV *	10.2440	$2s 2p^2 \ ^2D_{5/2} - 2s 2p 3d \ ^2F_{5/2}$	7.2	1.17e+03
Ni XXV	10.2880	$2s 2p \ ^1P_1 - 2s 3s \ ^1S_0$	7.3	1.93e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Co XXV *	10.2943	$2p^2 P_{3/2} - 3d^2 D_{5/2}$	7.3	1.52e+03
Ni XXIV *	10.3007	$2s 2p^2^2 D_{3/2} - 2s 2p 3d^2 D_{5/2}$	7.2	6.20e+03
Ni XXIII *	10.3110	$2s^2 2p^2^3 P_0 - 2s^2 2p 3d^3 D_1$	7.2	5.89e+04
Ni XXIV *	10.3191	$2s 2p^2^2 D_{3/2} - 2s 2p 3d^2 D_{3/2}$	7.2	2.12e+03
Fe XXV *	10.3343	$1s 2p^3 P_2 - 1s 3d^3 D_3$	7.8	2.11e+03
Mn XX *	10.3430	$2s^2 2p^2^3 P_0 - 2s^2 2p 4d^3 D_1$	7.1	1.21e+03
Fe XVIII *	10.3437	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (1D) 5d^2 D_{3/2}$	7.0	1.58e+03
Fe XVIII *	10.3504	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (1D) 5d^2 F_{5/2}$	7.0	1.85e+04
Fe XVIII *	10.3530	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (1D) 5d^2 P_{3/2}$	7.0	1.62e+04
Fe XVIII *	10.3545	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (1D) 5d^2 S_{1/2}$	7.0	1.13e+04
Fe XXV	10.3700	$1s 2p^3 P_1 - 1s 3s^3 S_1$	7.8	1.50e+03
Fe XVII	10.3930	$2s^2 2p^6^1 S_0 - 2s^2 2p^5 7d^3 D_1$	6.9	1.29e+04
Ni XXIII *	10.4260	$2s^2 2p^2^3 P_1 - 2s^2 2p 3d^3 D_1$	7.2	9.45e+03
Fe XXI *	10.4270	$2s 2p^3^3 P_1 - 2s^2 2p 4p^3 P_0$	7.1	1.94e+03
Ni XIX	10.4330	$2s^2 2p^6^1 S_0 - 2s^2 2p^5 4s^1 P_1$	7.0	1.21e+03
Fe XVIII *	10.4338	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (3P) 5d^2 F_{5/2}$	7.0	3.40e+04
Zn XXI	10.4341	$2s^2 2p^6^1 S_0 - 2s^2 2p^5 3d^1 P_1$	7.1	4.79e+03
Ni XXIV *	10.4408	$2s 2p^2^2 P_{1/2} - 2s 2p 3d^2 D_{3/2}$	7.2	2.56e+03
Fe XVIII *	10.4413	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (3P) 5d^4 D_{3/2}$	6.9	2.85e+03
Ni XXIII *	10.4450	$2s^2 2p^2^3 P_1 - 2s^2 2p 3d^3 D_2$	7.2	2.76e+03
Fe XVIII *	10.4550	$2s^2 2p^5^2 P_{1/2} - 2s^2 2p^4 (1D) 5d^2 P_{1/2}$	6.9	3.30e+03
Fe XVIII *	10.4571	$2s^2 2p^5^2 P_{1/2} - 2s^2 2p^4 (1D) 5d^2 D_{3/2}$	7.0	5.73e+03
Fe XVIII *	10.4666	$2s^2 2p^5^2 P_{1/2} - 2s^2 2p^4 (1D) 5d^2 P_{3/2}$	7.0	4.85e+03
Fe XVIII *	10.4681	$2s^2 2p^5^2 P_{1/2} - 2s^2 2p^4 (1D) 5d^2 S_{1/2}$	7.0	1.85e+03
Fe XIX *	10.4844	$1s^2 2s 2p^5^3 P_2 - 1s^2 2s 2p^4 (2P) 4d^3 D_3$	7.0	1.47e+03
Fe XVIII *	10.4884	$2s^2 2p^5^2 P_{3/2} - 2s 2p^5 (3P) 4p^4 D_{5/2}$	7.0	1.74e+03
Fe XXV *	10.4888	$1s 2p^1 P_1 - 1s 3d^1 D_2$	7.8	1.74e+03
Ni XXIII *	10.4960	$2s 2p^3^5 S_2 - 2s 2p^2 3d^5 F_3$	7.2	1.36e+03
Fe XVIII *	10.4989	$2s^2 2p^5^2 P_{3/2} - 2s 2p^5 (3P) 4p^4 D_{3/2}$	7.0	1.36e+03
Fe XXV	10.5020	$1s 2p^3 P_2 - 1s 3s^3 S_1$	7.8	2.57e+03
Fe XVII	10.5040	$2s^2 2p^6^1 S_0 - 2s^2 2p^5 7d^1 P_1$	6.9	2.46e+04
Fe XXIII	10.5060	$2s^2^1 S_0 - 2p 3s^1 P_1$	7.2	2.12e+03
Ni XXIII *	10.5130	$2s^2 2p^2^3 P_2 - 2s^2 2p 3d^3 F_3$	7.2	3.31e+03
Fe XVIII *	10.5229	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (3P) 5d^2 D_{5/2}$	7.0	4.06e+04
Fe XVIII	10.5261	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (3P) 5d^2 D_{3/2}$	7.0	2.02e+04
Fe XVIII *	10.5305	$2s^2 2p^5^2 P_{3/2} - 2s 2p^5 (3P) 4p^2 P_{1/2}$	7.0	1.72e+03
Fe XVIII *	10.5333	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (3P) 5d^2 P_{1/2}$	7.0	5.86e+03
Fe XVIII *	10.5436	$2s^2 2p^5^2 P_{1/2} - 2s^2 2p^4 (3P) 5d^2 P_{3/2}$	6.9	1.99e+03
Cr XXI *	10.5480	$2s 2p^1 P_1 - 2s 4d^1 D_2$	7.1	1.18e+03
Fe XVIII *	10.5506	$2s^2 2p^5^2 P_{3/2} - 2s 2p^5 (3P) 4p^4 P_{5/2}$	7.0	3.89e+03
Fe XVIII *	10.5525	$2s^2 2p^5^2 P_{3/2} - 2s 2p^5 (3P) 4p^2 P_{3/2}$	7.0	4.29e+03
Ni XXIV *	10.5637	$2s^2 2p^2 P_{3/2} - 2s^2 3s^2 S_{1/2}$	7.2	1.64e+03
Ni XXIII *	10.5640	$2s^2 2p^2^1 S_0 - 2s 2p^2 3p^5 P_1$	7.2	2.29e+03
Fe XVIII *	10.5654	$2s^2 2p^5^2 P_{3/2} - 2s 2p^5 (3P) 4p^2 D_{5/2}$	7.0	2.29e+03
Ni XXIII *	10.5680	$2s^2 2p^2^3 P_2 - 2s^2 2p 3d^3 F_2$	7.2	1.48e+03
Fe XVIII	10.5800	$2s^2 2p^5^2 P_{3/2} - 2s^2 2p^4 (3P) 5s^4 P_{1/2}$	6.9	2.28e+03
Fe XXV	10.5878	$1s 2p^1 P_1 - 1s 3s^1 S_0$	7.8	4.41e+03
Fe XIX *	10.6111	$1s^2 2s^2 2p^4^3 P_2 - 1s^2 2s^2 2p^3 4d^1 P_1$	7.0	2.75e+03
Fe XXIV	10.6190	$1s^2 2s^2 S_{1/2} - 1s^2 3p^2 P_{3/2}$	7.3	5.02e+05

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX *	10.6230	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3G_5$	7.0	2.83e+03
Fe XIX	10.6320	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 4d \ ^3D_1$	7.0	9.25e+03
Fe XIX	10.6323	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3S_1$	7.0	1.68e+04
Fe XIX	10.6326	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3P_2$	7.0	4.13e+04
Ni XXIII *	10.6360	$2s 2p^3 \ ^3S_1 - 2s 2p^2 3d \ ^3D_2$	7.2	1.84e+03
Fe XVIII	10.6410	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 5d \ ^2D_{3/2}$	7.0	3.00e+03
Fe XIX *	10.6478	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^3D_3$	7.0	1.87e+03
Fe XIX *	10.6506	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^1F_3$	7.0	1.22e+03
Fe XIX	10.6550	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3D_3$	7.0	2.64e+04
Fe XVII	10.6570	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^6 6d \ ^3D_1$	6.9	2.20e+04
Fe XIX	10.6574	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3D_2$	7.0	1.72e+03
Zn XXI	10.6630	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3d \ ^3D_1$	7.1	2.34e+03
Fe XXIV	10.6630	$1s^2 2s \ ^2S_{1/2} - 1s^2 3p \ ^2P_{1/2}$	7.3	2.62e+05
Fe XIX *	10.6682	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3D_1$	7.0	1.39e+03
Fe XVIII *	10.6692	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 5s \ ^2P_{3/2}$	7.0	1.45e+03
Fe XIX	10.6840	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3F_3$	7.0	2.69e+04
Fe XIX	10.7016	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3F_2$	7.0	4.53e+03
Fe XIX *	10.7128	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 4d \ ^1P_1$	7.0	4.00e+03
Fe XIX *	10.7248	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^3F_3$	7.0	2.17e+03
Fe XIX *	10.7263	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 \ (^2P) 4s \ ^3P_2$	7.0	8.59e+03
Fe XIX	10.7344	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 4d \ ^3S_1$	7.0	1.33e+03
Fe XIX	10.7347	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 4d \ ^3P_2$	7.0	1.41e+03
Fe XIX	10.7436	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 4d \ ^3P_1$	7.0	1.45e+03
Ni XXIII *	10.7520	$2s 2p^3 \ ^3D_1 - 2s 2p^2 3d \ ^3P_2$	7.2	1.06e+04
Fe XIX *	10.7536	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 4d \ ^3D_1$	7.0	2.02e+03
Fe XIX	10.7575	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 4d \ ^3D_3$	7.0	1.82e+04
Fe XIX	10.7600	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 4d \ ^3P_1$	7.0	2.66e+03
Fe XIX	10.7600	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 4d \ ^3D_2$	7.0	7.78e+03
Ne IX	10.7643	$1s^2 \ ^1S_0 - 1s 5p \ ^1P_1$	6.9	4.78e+03
Ni XXIV *	10.7684	$2s 2p^2 \ ^2D_{3/2} - 2s 2p 3s \ ^2P_{1/2}$	7.2	9.38e+03
Fe XVII	10.7700	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^6 6d \ ^1P_1$	6.9	3.87e+04
Co XXIII *	10.7945	$2s^2 2p \ ^2P_{1/2} - 2s^2 3d \ ^2D_{3/2}$	7.2	1.75e+03
Fe XIX *	10.7946	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^1D_2$	7.0	2.29e+03
Fe XIX *	10.7989	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4f \ ^3F_4$	7.0	1.93e+03
Fe XIX *	10.7993	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 \ (^2P) 4s \ ^3P_2$	7.0	2.21e+03
Co XXIV	10.8000	$2s 2p \ ^1P_1 - 2s 3d \ ^1D_2$	7.2	2.01e+03
Fe XIX	10.8050	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^1F_3$	7.0	5.25e+03
Fe XIX	10.8050	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 4d \ ^3F_2$	7.0	2.78e+03
Fe XIX *	10.8104	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^1P_1$	7.0	1.50e+03
Fe XXIII	10.8130	$2s 2p \ ^3P_2 - 2p 3d \ ^3F_4$	7.2	1.66e+03
Fe XIX	10.8160	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3D_3$	7.0	7.94e+04
Fe XIX	10.8267	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^3S_1$	7.0	5.71e+03
Fe XIX	10.8271	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4d \ ^3D_2$	7.0	7.24e+03
Fe XIX *	10.8278	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s^2 2p^3 \ (^2D) 5p \ ^3D_2$	7.0	2.55e+03
Fe XX *	10.8313	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 4d \ ^2F_{5/2}$	7.1	1.55e+03
Fe XX *	10.8475	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 4d \ ^4F_{5/2}$	7.1	1.63e+03
Fe XIX *	10.8712	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 4s \ ^3D_3$	7.0	2.73e+03
Fe XIX	10.8803	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 4d \ ^3F_3$	7.0	2.00e+03
Fe XXIII	10.8960	$2s 2p \ ^3P_0 - 2p 3p \ ^1P_1$	7.2	1.90e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXIII *	10.8980	$2s\ 2p\ ^3P_2 - 2p\ 3p\ ^3S_1$	7.2	1.65e+03
Ni XXIV *	10.9009	$2s\ 2p^2\ ^2P_{1/2} - 2s\ 2p\ 3s\ ^2P_{1/2}$	7.2	3.69e+03
Fe XXIII	10.9030	$2s\ 2p\ ^3P_2 - 2p\ 3p\ ^3P_2$	7.2	1.93e+03
Ni XXIII *	10.9060	$2s^2\ 2p^2\ ^3P_0 - 2s^2\ 2p\ 3s\ ^3P_1$	7.2	1.61e+03
Fe XIX	10.9161	$1s^2\ 2s^2\ 2p^4\ ^3P_0 - 1s^2\ 2s^2\ 2p^3\ 4d\ ^3D_1$	7.0	5.12e+03
Fe XIX *	10.9169	$1s^2\ 2s^2\ 2p^4\ ^3P_2 - 1s^2\ 2s^2\ 2p^3\ 4s\ ^3D_2$	7.0	1.62e+03
Fe XX *	10.9256	$2s\ 2p^4\ ^4P_{5/2} - 2s^2\ 2p^2\ (^3P)\ 4d\ ^4P_{5/2}$	7.1	2.57e+03
Fe XXIII	10.9270	$2s\ 2p\ ^3P_2 - 2p\ 3p\ ^3D_3$	7.2	2.58e+03
Fe XXII *	10.9319	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^1P)\ 3p\ ^2S_{1/2}$	7.1	2.74e+03
Fe XIX	10.9329	$1s^2\ 2s^2\ 2p^4\ ^3P_1 - 1s^2\ 2s^2\ 2p^3\ 4d\ ^3D_2$	7.0	9.22e+03
Fe XIX	10.9330	$1s^2\ 2s^2\ 2p^4\ ^3P_1 - 1s^2\ 2s^2\ 2p^3\ 4d\ ^3D_1$	7.0	2.01e+03
Fe XXIII	10.9350	$2s\ 2p\ ^3P_1 - 2p\ 3p\ ^3D_2$	7.2	4.11e+03
Fe XX *	10.9555	$2s\ 2p^4\ ^4P_{5/2} - 2s^2\ 2p^2\ (^3P)\ 4p\ ^4P_{1/2}$	7.1	1.89e+03
Ni XIX *	10.9754	$2s^2\ 2p^6\ ^1S_0 - 2s\ 2p^6\ 3d\ ^1D_2$	7.0	2.53e+03
Fe XIX *	10.9771	$1s^2\ 2s\ 2p^5\ ^3P_1 - 1s^2\ 2s^2\ 2p^3\ (^4S)\ 5p\ ^3P_2$	7.0	6.99e+03
Fe XXIII	10.9800	$2s^2\ ^1S_0 - 2s\ 3p\ ^1P_1$	7.2	3.67e+05
Fe XIX	10.9810	$1s^2\ 2s\ 2p^5\ ^3P_2 - 1s^2\ 2s\ 2p^4\ (^4P)\ 4d\ ^5F_3$	7.0	1.74e+03
Fe XIX	10.9810	$1s^2\ 2s\ 2p^5\ ^3P_2 - 1s^2\ 2s\ 2p^4\ (^4P)\ 4d\ ^5P_2$	7.0	1.65e+03
Fe XX *	10.9839	$2s\ 2p^4\ ^4P_{5/2} - 2s^2\ 2p^2\ (^3P)\ 4p\ ^2S_{1/2}$	7.1	2.27e+03
Fe XX *	10.9866	$2s\ 2p^4\ ^4P_{3/2} - 2s^2\ 2p^2\ (^3P)\ 4p\ ^4S_{3/2}$	7.1	2.20e+04
Fe XXII *	10.9902	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^1P)\ 3p\ ^2P_{3/2}$	7.1	1.52e+03
Fe XIX *	10.9982	$1s^2\ 2s\ 2p^5\ ^3P_1 - 1s^2\ 2s^2\ 2p^3\ (^4S)\ 5p\ ^5P_2$	7.0	3.29e+03
Ne IX	11.0003	$1s^2\ ^1S_0 - 1s\ 4p\ ^1P_1$	6.9	9.17e+03
Fe XIX *	11.0020	$1s^2\ 2s\ 2p^5\ ^3P_1 - 1s^2\ 2s\ 2p^4\ (^4P)\ 4d\ ^3P_2$	7.0	1.58e+03
Na X	11.0027	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	6.9	5.98e+03
Fe XX *	11.0065	$2s\ 2p^4\ ^4P_{3/2} - 2s^2\ 2p^2\ (^3P)\ 4d\ ^4P_{5/2}$	7.1	1.91e+04
Fe XXIII	11.0180	$2s\ 2p\ ^3P_1 - 2p\ 3p\ ^3D_1$	7.2	1.57e+03
Fe XXIII	11.0180	$2s^2\ ^1S_0 - 2s\ 3p\ ^3P_1$	7.2	2.36e+05
Fe XX *	11.0208	$2s\ 2p^4\ ^4P_{3/2} - 2s^2\ 2p^2\ (^3P)\ 4d\ ^4F_{3/2}$	7.1	3.07e+03
Fe XVII	11.0230	$2s^2\ 2p^6\ ^1S_0 - 2s\ 2p^6\ 4p\ ^1P_1$	6.9	1.46e+04
Fe XXIV	11.0290	$1s^2\ 2p\ ^2P_{1/2} - 1s^2\ 3d\ ^2D_{3/2}$	7.2	3.32e+05
Fe XIX *	11.0295	$1s^2\ 2s\ 2p^5\ ^3P_2 - 1s^2\ 2s\ 2p^4\ (^4P)\ 4d\ ^3D_2$	7.0	3.57e+03
Fe XX *	11.0299	$2s\ 2p^4\ ^4P_{5/2} - 2s^2\ 2p^2\ (^3P)\ 4s\ ^4P_{5/2}$	7.1	4.37e+03
Fe XX *	11.0302	$2s\ 2p^4\ ^4P_{3/2} - 2s^2\ 2p^2\ (^3P)\ 4p\ ^2D_{3/2}$	7.1	3.37e+03
Fe XX *	11.0320	$2s\ 2p^4\ ^4P_{1/2} - 2s^2\ 2p^2\ (^3P)\ 4p\ ^4P_{5/2}$	7.1	2.74e+03
Fe XX *	11.0332	$2s\ 2p^4\ ^4P_{1/2} - 2s^2\ 2p^2\ (^3P)\ 4d\ ^4P_{5/2}$	7.1	1.13e+04
Fe XIX *	11.0340	$1s^2\ 2s\ 2p^5\ ^3P_2 - 1s^2\ 2s\ 2p^4\ (^4P)\ 4d\ ^3D_3$	7.0	6.43e+03
Fe XXII *	11.0378	$1s^2\ 2s^2\ 2p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^1P)\ 3p\ ^2P_{1/2}$	7.1	1.74e+03
Fe XVII	11.0430	$2s^2\ 2p^6\ ^1S_0 - 2s\ 2p^6\ 4p\ ^3P_1$	6.9	1.53e+03
Fe XX *	11.0474	$2s\ 2p^4\ ^4P_{3/2} - 2s^2\ 2p^2\ (^3P)\ 4p\ ^4D_{5/2}$	7.1	2.07e+03
Fe XXIII *	11.0680	$2s\ 2p\ ^1P_1 - 2p\ 3p\ ^1S_0$	7.2	2.82e+03
Fe XIX *	11.0722	$1s^2\ 2s^2\ 2p^4\ ^3P_2 - 1s^2\ 2s^2\ 2p^3\ 4s\ ^3S_1$	7.0	2.26e+03
Ni XXIII *	11.1040	$2s^2\ 2p^2\ ^3P_2 - 2s^2\ 2p\ 3s\ ^3P_1$	7.2	3.01e+03
Ni XXIV *	11.1266	$2s\ 2p^2\ ^2D_{5/2} - 2s^2\ 3p\ ^2P_{3/2}$	7.2	1.45e+03
Fe XVIII *	11.1288	$2s^2\ 2p^5\ ^2P_{3/2} - 2s^2\ 2p^4\ (^1S)\ 4d\ ^2D_{5/2}$	6.9	3.23e+03
Fe XVII	11.1290	$2s^2\ 2p^6\ ^1S_0 - 2s^2\ 2p^5\ 5d\ ^3D_1$	6.9	5.03e+04
Ni XXIV *	11.1326	$2s\ 2p^2\ ^2D_{3/2} - 2s^2\ 3p\ ^2P_{1/2}$	7.2	4.58e+03
Fe XXII *	11.1349	$1s^2\ 2s^2\ 2p\ ^2P_{3/2} - 1s^2\ 2s\ 2p\ (^1P)\ 3p\ ^2P_{3/2}$	7.1	5.97e+03
Ni XX	11.1380	$2s^2\ 2p^5\ ^2P_{3/2} - 2s\ 2p^5\ (^3P)\ 3p\ ^4P_{5/2}$	7.1	1.65e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXII *	11.1471	$1s^2 2s^2 2p^2 P_{3/2} - 1s^2 2s 2p ({}^1P) 3p {}^2D_{5/2}$	7.1	4.13e+03
Ni XX	11.1580	$2s^2 2p^5 {}^2P_{3/2} - 2s 2p^5 ({}^3P) 3p {}^2P_{3/2}$	7.1	1.63e+03
Fe XX	11.1614	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^4P_{1/2}$	7.1	1.26e+04
Fe XXIII	11.1660	$2s 2p {}^1P_1 - 2p 3p {}^1D_2$	7.2	3.57e+03
Fe XXIV	11.1709	$1s^2 2p {}^2P_{3/2} - 1s^2 3d {}^2D_{5/2}$	7.2	5.80e+05
Fe XXII *	11.1736	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^1P) 3p {}^2D_{3/2}$	7.1	4.22e+03
Fe XXII *	11.1838	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^1P) 3p {}^2P_{1/2}$	7.1	4.34e+03
Fe XX *	11.1838	$2s 2p^4 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 4d {}^4F_{9/2}$	7.1	2.10e+03
Fe XXIV	11.1879	$1s^2 2p {}^2P_{3/2} - 1s^2 3d {}^2D_{3/2}$	7.2	6.49e+04
Na X	11.1915	$1s^2 {}^1S_0 - 1s 2s {}^3S_1$	6.8	2.34e+03
Co XXII *	11.2070	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 3d {}^3D_1$	7.2	3.19e+03
Fe XX *	11.2171	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^2P_{3/2}$	7.1	2.88e+03
Ni XX	11.2260	$2s^2 2p^5 {}^2P_{3/2} - 2s 2p^5 ({}^3P) 3p {}^2D_{5/2}$	7.1	2.19e+03
Ni XX	11.2260	$2s^2 2p^5 {}^2P_{3/2} - 2s 2p^5 ({}^3P) 3p {}^4D_{3/2}$	7.1	1.23e+03
Fe XX *	11.2266	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 4f {}^4G_{7/2}$	7.1	4.81e+03
Ni XXI	11.2269	$2s^2 2p^4 {}^3P_0 - 2s^2 2p^3 ({}^2P) 3d {}^3P_1$	7.1	1.37e+03
Ni XXI *	11.2305	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^3S_1$	7.1	8.18e+03
Fe XX *	11.2399	$2s 2p^4 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 4d {}^2P_{3/2}$	7.1	1.17e+04
Ni XXIII *	11.2400	$2s 2p^3 {}^3S_1 - 2s 2p^2 3s {}^3P_0$	7.2	1.56e+03
Ni XXI	11.2410	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^1F_3$	7.1	3.50e+03
Ni XXI	11.2423	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2P) 3d {}^3F_3$	7.1	1.33e+03
Fe XXIII	11.2440	$2s 2p {}^3P_1 - 2s 3d {}^1D_2$	7.2	4.70e+03
Fe XIX *	11.2482	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s 2p^4 ({}^4P) 4s {}^5P_2$	7.0	1.83e+03
Fe XVII	11.2500	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 5d {}^1P_1$	6.9	6.92e+04
Fe XVIII	11.2530	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1S) 4d {}^2D_{3/2}$	6.9	1.26e+03
Fe XXII *	11.2558	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^2S_{1/2}$	7.2	2.56e+03
Fe XXIV	11.2606	$1s^2 2p {}^2P_{1/2} - 1s^2 3s {}^2S_{1/2}$	7.2	1.31e+05
Fe XIX *	11.2699	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 ({}^4P) 4s {}^3P_0$	7.0	1.31e+03
Fe XX *	11.2714	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 4p {}^4S_{3/2}$	7.1	4.32e+03
Ni XX	11.2820	$2s^2 2p^5 {}^2P_{3/2} - 2s 2p^5 ({}^3P) 3p {}^4D_{5/2}$	7.1	1.24e+03
Ni XXIII *	11.2860	$2s 2p^3 {}^3D_1 - 2s 2p^2 3s {}^3P_0$	7.2	8.69e+03
Fe XVII	11.2870	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 5s {}^3P_1$	6.9	2.06e+03
Fe XIX	11.2920	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s 2p^4 ({}^4P) 4s {}^3P_2$	7.0	1.02e+04
Fe XXIII	11.2990	$2s 2p {}^3P_0 - 2s 3d {}^3D_1$	7.2	2.59e+04
Ni XXI	11.3020	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^3P_2$	7.1	2.00e+04
Fe XX *	11.3074	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^4F_{3/2}$	7.1	2.76e+03
Fe XVIII	11.3093	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 4d {}^2D_{3/2}$	6.9	2.70e+03
Fe XXII *	11.3093	$1s^2 2s 2p^2 {}^4P_{1/2} - 1s^2 2p^2 ({}^3P) 3p {}^4D_{1/2}$	7.1	5.43e+03
Fe XVIII *	11.3106	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 4d {}^2S_{1/2}$	6.9	2.67e+04
Ni XXI *	11.3118	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^3D_2$	7.1	1.96e+03
Fe XX *	11.3173	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 4p {}^2D_{3/2}$	7.1	1.69e+03
Ni XXI	11.3186	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^3D_3$	7.1	3.60e+04
Fe XXII *	11.3210	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2p^2 ({}^1D) 3p {}^2D_{5/2}$	7.2	1.18e+03
Fe XVIII	11.3261	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 4d {}^2P_{3/2}$	6.9	4.09e+04
Fe XVIII	11.3261	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 4d {}^2F_{5/2}$	6.9	4.19e+03
Fe XVIII	11.3261	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 4d {}^2D_{5/2}$	6.9	4.72e+04
Fe XXIII	11.3370	$2s 2p {}^3P_1 - 2s 3d {}^3D_2$	7.2	4.47e+04
Fe XXIII	11.3390	$2s 2p {}^3P_1 - 2s 3d {}^3D_1$	7.2	1.88e+04
Fe XXI *	11.3460	$2s^2 2p^2 {}^3P_0 - 2s 2p^2 3p {}^3P_1$	7.1	1.19e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Ni XXIII *	11.3530	$2s 2p^3 {}^3D_1 - 2s^2 2p 3p {}^1S_0$	7.2	4.26e+03
Fe XX	11.3549	$2s 2p^4 {}^2S_{1/2} - 2s^2 2p^2 ({}^3P) 4d {}^4P_{1/2}$	7.1	5.63e+03
Fe XXII *	11.3566	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^4S_{3/2}$	7.2	4.68e+03
Fe XXII *	11.3678	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2p^2 ({}^1D) 3p {}^2F_{7/2}$	7.1	5.35e+03
Fe XIX	11.3714	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 ({}^4P) 4s {}^3P_2$	7.0	2.17e+03
Fe XXII *	11.3806	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^4P_{3/2}$	7.2	2.35e+04
Ni XXI *	11.3819	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^3G_3$	7.1	1.27e+03
Ni XXI *	11.3860	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^3F_3$	7.1	5.28e+03
Cr XIX *	11.3870	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 4d {}^3D_1$	7.0	1.52e+03
Ni XXI *	11.4041	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^2D) 3d {}^3F_2$	7.1	2.01e+03
Fe XXII *	11.4076	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^2S_{1/2}$	7.2	1.31e+04
Fe XX	11.4161	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^4P_{1/2}$	7.1	1.37e+04
Fe XVIII *	11.4181	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^4P_{5/2}$	6.9	1.26e+03
Fe XVIII	11.4200	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^2D_{5/2}$	6.9	7.53e+04
Fe XVII	11.4200	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 5s {}^1P_1$	6.9	2.53e+03
Fe XX *	11.4215	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^4F_{9/2}$	7.1	1.61e+03
Fe XVIII *	11.4238	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^2D_{3/2}$	6.9	6.20e+03
Fe XXIV	11.4263	$1s^2 2p {}^2P_{3/2} - 1s^2 3s {}^2S_{1/2}$	7.2	2.83e+05
Ni XXI *	11.4284	$2s^2 2p^4 {}^3P_1 - 2s^2 2p^3 ({}^2D) 3d {}^1P_1$	7.1	1.61e+03
Fe XXI *	11.4400	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3P_1$	7.1	7.07e+03
Fe XXII	11.4416	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^2D_{3/2}$	7.1	3.15e+04
Fe XVIII	11.4420	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 4d {}^2D_{3/2}$	6.9	1.15e+04
Fe XXIII	11.4420	$2s 2p {}^3P_2 - 2s 3d {}^3D_3$	7.2	7.34e+04
Fe XVIII	11.4420	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 4d {}^2P_{1/2}$	6.9	6.14e+03
Fe XVIII *	11.4425	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^4F_{5/2}$	6.9	2.17e+03
Fe XXI *	11.4440	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3D_2$	7.1	3.73e+03
Fe XVIII *	11.4462	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^4F_{3/2}$	6.9	1.58e+03
Fe XVIII *	11.4463	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 4d {}^2S_{1/2}$	6.9	1.53e+03
Fe XXIII	11.4570	$2s 2p {}^3P_2 - 2s 3d {}^3D_2$	7.2	1.44e+04
Fe XXII *	11.4574	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^4P_{1/2}$	7.1	3.19e+03
Fe XXII	11.4590	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^2D_{5/2}$	7.2	2.68e+03
Fe XXIII	11.4590	$2s 2p {}^3P_2 - 2s 3d {}^3D_1$	7.2	1.23e+03
Fe XVIII	11.4592	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 4d {}^2P_{3/2}$	6.9	9.80e+03
Ni XXI	11.4683	$2s^2 2p^4 {}^3P_1 - 2s^2 2p^3 ({}^2D) 3d {}^3P_2$	7.1	3.25e+03
Fe XXI *	11.4700	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3D_1$	7.1	1.79e+03
Ni XXI *	11.4789	$2s^2 2p^4 {}^3P_1 - 2s^2 2p^3 ({}^2D) 3d {}^3D_2$	7.1	3.68e+03
Fe XXIII	11.4850	$2p^2 {}^3P_0 - 2p 3d {}^3D_1$	7.2	8.81e+03
Fe XXII *	11.4993	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^2P_{1/2}$	7.2	6.92e+04
Fe XXI *	11.5050	$2s^2 2p^2 {}^3P_2 - 2s 2p^2 3p {}^3D_2$	7.1	1.24e+03
Fe XXII *	11.5099	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^4P_{5/2}$	7.1	2.33e+03
Ni XXI *	11.5100	$2s^2 2p^4 {}^1D_2 - 2s^2 2p^3 ({}^2D) 3d {}^3S_1$	7.1	3.20e+03
Fe XXII	11.5101	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^2P_{3/2}$	7.1	4.28e+04
Fe XXII *	11.5111	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^4S_{3/2}$	7.2	1.71e+04
Ni XXI	11.5158	$2s^2 2p^4 {}^1D_2 - 2s^2 2p^3 ({}^2D) 3d {}^1F_3$	7.1	5.34e+03
Zn XXI	11.5160	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^3P_1$	7.1	2.40e+03
Fe XXIII	11.5190	$2p^2 {}^3P_2 - 2p 3d {}^3D_3$	7.2	1.60e+03
Fe XVIII *	11.5225	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^2P_{1/2}$	6.9	7.66e+03
Fe XVIII	11.5250	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^2F_{5/2}$	6.9	7.11e+04
Fe XVIII	11.5250	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 4d {}^4P_{3/2}$	6.9	3.83e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXI *	11.5280	$2s^2 2p^2 {}^3P_0 - 2s 2p^2 3p {}^3D_1$	7.1	2.27e+03
Fe XXII *	11.5358	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^4P_{3/2}$	7.2	8.58e+04
Fe XX *	11.5369	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4p {}^4S_{3/2}$	7.1	1.10e+04
Ni XIX	11.5389	$2s^2 2p^6 {}^1S_0 - 2s 2p^6 3p {}^1P_1$	7.0	1.29e+04
Ni XXI	11.5393	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^4S) 3d {}^3D_3$	7.1	1.49e+04
Fe XXI *	11.5420	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3P_1$	7.1	1.52e+03
Fe XX	11.5447	$2s 2p^4 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 4d {}^4P_{1/2}$	7.1	2.15e+03
Fe XX *	11.5459	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4p {}^4D_{7/2}$	7.1	2.74e+03
Ne IX	11.5466	$1s^2 {}^1S_0 - 1s 3p {}^1P_1$	6.9	2.45e+04
Mn XXIII *	11.5488	$2s {}^2S_{1/2} - 3p {}^2P_{3/2}$	7.2	4.34e+03
Ni XX *	11.5491	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1S) 3d {}^2D_{5/2}$	7.1	3.39e+03
Fe XVIII	11.5511	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^3P) 4d {}^2P_{3/2}$	6.9	5.48e+03
Ni XXI *	11.5549	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^4S) 3d {}^3D_2$	7.1	3.11e+03
Fe XX *	11.5588	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^4P_{5/2}$	7.1	4.38e+03
Fe XVIII *	11.5622	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^3P) 4d {}^2D_{3/2}$	6.9	1.89e+03
Fe XXII *	11.5661	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^4D_{3/2}$	7.1	1.42e+04
Fe XVIII *	11.5714	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^1P) 4s {}^2P_{3/2}$	6.9	2.15e+03
Fe XX *	11.5746	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^4F_{3/2}$	7.1	2.89e+03
Fe XXIII *	11.5790	$2p^2 {}^1D_2 - 2p 3d {}^1P_1$	7.2	1.27e+03
Fe XXIII	11.5800	$2p^2 {}^3P_1 - 2p 3d {}^3D_1$	7.2	1.84e+03
Fe XX *	11.5849	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4p {}^2D_{3/2}$	7.1	2.26e+03
Mn XXIII *	11.5905	$2s {}^2S_{1/2} - 3p {}^2P_{1/2}$	7.2	2.23e+03
Fe XXIII	11.5940	$2p^2 {}^1D_2 - 2p 3d {}^1F_3$	7.2	3.33e+03
Ni XIX	11.5990	$2s^2 2p^6 {}^1S_0 - 2s 2p^6 3p {}^3P_1$	7.0	2.93e+03
Fe XX *	11.6039	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4p {}^4D_{5/2}$	7.1	1.17e+03
Fe XXII *	11.6050	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3p {}^4D_{1/2}$	7.1	2.27e+04
Ni XXI *	11.6111	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^4S) 3d {}^5D_4$	7.1	1.16e+03
Fe XXIII	11.6140	$2p^2 {}^3P_1 - 2p 3d {}^3D_2$	7.2	3.55e+03
Fe XXII *	11.6147	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^4P_{1/2}$	7.1	3.26e+03
Fe XXIII *	11.6210	$2s 2p {}^3P_2 - 2s 3p {}^3P_0$	7.2	1.39e+03
Ni XXI *	11.6211	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^4S) 3d {}^5D_3$	7.1	1.50e+03
Fe XVIII *	11.6214	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 4s {}^2D_{5/2}$	6.9	3.87e+03
Ni XXI *	11.6219	$2s^2 2p^4 {}^3P_2 - 2s^2 2p^3 ({}^4S) 3d {}^5D_2$	7.1	1.24e+03
Fe XXI *	11.6250	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3D_1$	7.1	2.32e+03
Fe XXIII	11.6330	$2s 2p {}^3P_1 - 2s 3s {}^1S_0$	7.2	4.09e+03
Fe XX *	11.6482	$2s 2p^4 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 4p {}^2D_{5/2}$	7.1	1.21e+03
Fe XVIII *	11.6491	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 4d {}^4D_{1/2}$	7.0	1.77e+03
Fe XXII *	11.6536	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^4D_{5/2}$	7.1	1.04e+04
Fe XXII *	11.6578	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^2P_{1/2}$	7.2	6.09e+03
Fe XVIII *	11.6586	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 4d {}^4D_{3/2}$	7.0	1.55e+03
Fe XVIII	11.6629	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^3P) 4d {}^4P_{3/2}$	6.9	3.06e+03
Fe XXII	11.6690	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3p {}^2P_{3/2}$	7.1	1.55e+04
Fe XXIII	11.6750	$2s 2p {}^3P_0 - 2s 3s {}^3S_1$	7.2	5.44e+03
Fe XXI *	11.6830	$2s^2 2p^2 {}^1S_0 - 2s 2p^2 3p {}^3P_1$	7.1	1.81e+03
Fe XXI *	11.6880	$2s^2 2p^2 {}^3P_2 - 2s 2p^2 3p {}^3D_1$	7.1	3.81e+03
Fe XXIII	11.6920	$2p^2 {}^3P_2 - 2p 3d {}^3F_3$	7.2	3.11e+03
Ni XXIII *	11.6930	$2s 2p^3 {}^3D_1 - 2s^2 2p 3p {}^3P_0$	7.2	8.50e+03
Fe XVIII *	11.6999	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 4d {}^2P_{1/2}$	6.9	1.89e+03
Fe XXI *	11.7030	$2s^2 2p^2 {}^1D_2 - 2s 2p^2 3p {}^3D_1$	7.1	3.09e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XX *	11.7070	$2s^2 2p^3 \ ^4S_{3/2} - 2s 2p^3 \ (^3S) 3p \ ^2P_{3/2}$	7.1	1.43e+03
Fe XXIII	11.7180	$2s 2p \ ^3P_1 - 2s 3s \ ^3S_1$	7.2	1.61e+04
Fe XVIII *	11.7193	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 4d \ ^2D_{3/2}$	6.9	3.23e+03
Ni XXIII *	11.7240	$2s 2p^3 \ ^3D_2 - 2s^2 2p 3p \ ^1P_1$	7.2	1.27e+03
Fe XXI *	11.7250	$2s^2 2p^2 \ ^1S_0 - 2s 2p^2 3p \ ^1P_1$	7.1	1.60e+03
Fe XXII *	11.7264	$1s^2 2s^2 2p \ ^2P_{3/2} - 1s^2 2s 2p \ (^3P) 3p \ ^4D_{3/2}$	7.1	1.57e+04
Ni XXI *	11.7293	$2s^2 2p^4 \ ^3P_1 - 2s^2 2p^3 \ (^4S) 3d \ ^3D_2$	7.1	1.18e+03
Fe XVIII *	11.7350	$2s 2p^6 \ ^2S_{1/2} - 2s^2 2p^4 \ (^1D) 5p \ ^2D_{3/2}$	6.9	1.26e+04
Fe XX *	11.7370	$2s 2p^4 \ ^2P_{3/2} - 2s^2 2p^2 \ (^3P) 4s \ ^4P_{3/2}$	7.1	3.89e+03
Fe XXIII	11.7370	$2s 2p \ ^1P_1 - 2s 3d \ ^1D_2$	7.2	7.31e+05
Fe XXII *	11.7380	$1s^2 2s 2p^2 \ ^4P_{1/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{3/2}$	7.1	1.38e+04
Fe XX	11.7390	$2s^2 2p^3 \ ^4S_{3/2} - 2s 2p^3 \ (^3S) 3p \ ^4P_{5/2}$	7.1	1.48e+04
Fe XXII	11.7416	$1s^2 2s 2p^2 \ ^4P_{5/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2F_{5/2}$	7.1	2.22e+03
Fe XXII	11.7470	$1s^2 2s 2p^2 \ ^4P_{3/2} - 1s^2 2s 2p \ (^3P) 3d \ ^4D_{5/2}$	7.1	4.02e+03
Fe XXII	11.7472	$1s^2 2s 2p^2 \ ^2D_{3/2} - 1s^2 2s 2p \ (^1P) 3d \ ^2F_{5/2}$	7.1	1.99e+04
Fe XXIII *	11.7520	$2p^2 \ ^3P_2 - 2p 3d \ ^3F_2$	7.2	2.37e+03
Fe XX *	11.7623	$2s^2 2p^3 \ ^4S_{3/2} - 2s 2p^3 \ (^3S) 3p \ ^4P_{3/2}$	7.1	4.68e+03
Fe XVIII *	11.7631	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^1D) 4s \ ^2D_{3/2}$	6.9	1.67e+03
Fe XX *	11.7633	$2s 2p^4 \ ^2S_{1/2} - 2s^2 2p^2 \ (^3P) 4s \ ^4P_{1/2}$	7.1	2.81e+03
Fe XXII *	11.7664	$1s^2 2s^2 2p \ ^2P_{3/2} - 1s^2 2s 2p \ (^3P) 3p \ ^4D_{1/2}$	7.1	3.16e+03
Fe XXII	11.7675	$1s^2 2s^2 2p \ ^2P_{1/2} - 1s^2 2s^2 3d \ ^2D_{3/2}$	7.1	6.11e+05
Zn XXI	11.7690	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3s \ ^1P_1$	7.1	3.54e+03
Fe XXI *	11.7740	$2s^2 2p^2 \ ^3P_0 - 2s 2p^2 3p \ ^3P_1$	7.1	1.58e+03
Fe XXII *	11.7743	$1s^2 2s 2p^2 \ ^4P_{1/2} - 1s^2 2s 2p \ (^1P) 3s \ ^2P_{1/2}$	7.1	5.09e+03
Fe XXI *	11.7780	$2s^2 2p^2 \ ^1D_2 - 2s 2p^2 3p \ ^3P_1$	7.1	1.70e+03
Fe XXII	11.7789	$1s^2 2s 2p^2 \ ^2D_{5/2} - 1s^2 2s 2p \ (^1P) 3d \ ^2F_{5/2}$	7.1	1.56e+03
Ni XX	11.7873	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2D_{3/2}$	7.1	1.56e+03
Fe XXII	11.7877	$1s^2 2s 2p^2 \ ^4P_{1/2} - 1s^2 2s 2p \ (^3P) 3d \ ^4D_{1/2}$	7.1	1.65e+04
Zn XXI *	11.7883	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3s \ ^3P_2$	7.1	2.39e+03
Fe XXII	11.7886	$1s^2 2s 2p^2 \ ^2D_{5/2} - 1s^2 2s 2p \ (^1P) 3d \ ^2F_{7/2}$	7.1	5.77e+03
Fe XXII	11.7955	$1s^2 2s 2p^2 \ ^4P_{3/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{5/2}$	7.1	4.79e+04
Fe XXII	11.7960	$1s^2 2s 2p^2 \ ^4P_{1/2} - 1s^2 2s 2p \ (^3P) 3d \ ^4D_{3/2}$	7.1	1.39e+04
Fe XXI *	11.8060	$2s^2 2p^2 \ ^1D_2 - 2s 2p^2 3p \ ^1P_1$	7.1	1.94e+03
Fe XXII *	11.8162	$1s^2 2s 2p^2 \ ^4P_{3/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{3/2}$	7.1	5.64e+03
Fe XXII	11.8207	$1s^2 2s 2p^2 \ ^4P_{5/2} - 1s^2 2s 2p \ (^3P) 3d \ ^4D_{5/2}$	7.1	1.55e+04
Ni XX	11.8320	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2D_{5/2}$	7.1	5.43e+04
Fe XXII	11.8361	$1s^2 2s 2p^2 \ ^4P_{5/2} - 1s^2 2s 2p \ (^3P) 3d \ ^4D_{7/2}$	7.1	2.42e+03
Ni XX	11.8414	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2P_{3/2}$	7.1	3.11e+04
Fe XXI *	11.8450	$2s^2 2p^2 \ ^1S_0 - 2s 2p^2 3p \ ^3P_1$	7.1	6.41e+03
Fe XXII *	11.8456	$1s^2 2s 2p^2 \ ^2P_{1/2} - 1s^2 2s 2p \ (^1P) 3d \ ^2P_{1/2}$	7.1	5.64e+03
Fe XXIII	11.8460	$2s 2p \ ^3P_2 - 2s 3s \ ^3S_1$	7.2	2.71e+04
Fe XVIII *	11.8465	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 4s \ ^2P_{3/2}$	6.9	7.49e+03
Fe XX *	11.8534	$2s 2p^4 \ ^2P_{1/2} - 2s^2 2p^2 \ (^3P) 4p \ ^4D_{1/2}$	7.1	2.44e+03
Ni XX	11.8650	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2F_{5/2}$	7.1	4.11e+03
Fe XXI *	11.8650	$2s^2 2p^2 \ ^1D_2 - 2s 2p^2 3p \ ^3D_1$	7.1	4.99e+03
Fe XXII	11.8698	$1s^2 2s 2p^2 \ ^4P_{5/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{5/2}$	7.1	2.38e+03
Fe XVIII *	11.8723	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 4s \ ^2P_{1/2}$	6.9	1.59e+03
Fe XXII	11.8739	$1s^2 2s 2p^2 \ ^4P_{3/2} - 1s^2 2s 2p \ (^3P) 3d \ ^4D_{3/2}$	7.1	4.37e+03
Ni XX	11.8740	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2S_{1/2}$	7.1	1.25e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXI *	11.8760	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3P_1$	7.1	2.42e+03
Fe XXI *	11.8770	$2s^2 2p^2 {}^1S_0 - 2s 2p^2 3p {}^3D_1$	7.1	1.55e+03
Fe XXIII *	11.8840	$2p^2 {}^1S_0 - 2p 3d {}^1P_1$	7.2	2.41e+04
Fe XXII	11.8852	$1s^2 2s 2p^2 {}^4P_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^4P_{5/2}$	7.1	3.86e+04
Fe XXIII *	11.8880	$2p^2 {}^3P_0 - 2p 3s {}^3P_1$	7.2	3.91e+03
Fe XXII *	11.8931	$1s^2 2s 2p^2 {}^2P_{1/2} - 1s^2 2s 2p ({}^1P) 3d {}^2D_{3/2}$	7.1	2.16e+03
Fe XXII *	11.9011	$1s^2 2s 2p^2 {}^4P_{1/2} - 1s^2 2s 2p ({}^3P) 3d {}^4F_{3/2}$	7.2	1.04e+04
Fe XXII *	11.9122	$1s^2 2s 2p^2 {}^2P_{1/2} - 1s^2 2p^2 ({}^3P) 3p {}^4D_{1/2}$	7.1	7.25e+03
Fe XXII	11.9207	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s^2 3d {}^2D_{5/2}$	7.1	7.69e+04
Fe XX	11.9331	$2s^2 2p^3 {}^2D_{3/2} - 2s 2p^3 ({}^3S) 3p {}^4P_{5/2}$	7.1	1.74e+03
Fe XXII	11.9336	$1s^2 2s^2 2p {}^2P_{3/2} - 1s^2 2s^2 3d {}^2D_{3/2}$	7.1	1.12e+05
Fe XXI	11.9380	$2s^2 2p^2 {}^3P_0 - 2s 2p^2 3p {}^3D_1$	7.1	2.62e+04
Fe XXI *	11.9420	$2s^2 2p^2 {}^3P_2 - 2s 2p^2 3p {}^3P_1$	7.1	1.20e+04
Fe XXII *	11.9506	$1s^2 2s 2p^2 {}^4P_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^4F_{5/2}$	7.1	1.79e+04
Fe XXI *	11.9580	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3D_2$	7.1	1.42e+03
Fe XXII	11.9607	$1s^2 2s 2p^2 {}^4P_{5/2} - 1s^2 2s 2p ({}^3P) 3d {}^4P_{5/2}$	7.1	3.30e+03
Ni XX	11.9610	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3d {}^2D_{5/2}$	7.1	2.07e+04
Fe XX *	11.9644	$2s^2 2p^3 {}^2D_{5/2} - 2s 2p^3 ({}^3S) 3p {}^2P_{3/2}$	7.1	1.69e+03
Fe XXI *	11.9680	$2s^2 2p^2 {}^3P_2 - 2s 2p^2 3p {}^5S_2$	7.1	1.26e+03
Mn XXII	11.9700	$2s^2 {}^1S_0 - 2s 3p {}^1P_1$	7.1	3.14e+03
Fe XXI	11.9750	$2s^2 2p^2 {}^3P_0 - 2s 2p^2 3p {}^5P_1$	7.1	7.70e+04
Fe XXII	11.9750	$1s^2 2s 2p^2 {}^4P_{5/2} - 1s^2 2s 2p ({}^3P) 3d {}^4F_{7/2}$	7.1	2.41e+04
Ni XX	11.9781	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3d {}^2P_{1/2}$	7.1	3.56e+03
Fe XVIII *	11.9802	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 4s {}^4P_{3/2}$	6.9	1.83e+03
Fe XXII *	11.9815	$1s^2 2s 2p^2 {}^4P_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^4F_{3/2}$	7.2	1.05e+04
Ni XX	11.9907	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3d {}^2D_{3/2}$	7.1	5.94e+03
Ni XX	11.9910	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3d {}^4P_{5/2}$	7.1	3.85e+03
Fe XXIII *	11.9910	$2p^2 {}^3P_1 - 2p 3s {}^3P_1$	7.2	2.10e+03
Mn XXII	11.9980	$2s^2 {}^1S_0 - 2s 3p {}^3P_1$	7.1	2.13e+03
Fe XXI *	12.0030	$2s^2 2p^2 {}^3P_0 - 2s 2p^2 3p {}^3S_1$	7.1	3.90e+03
Ni XX	12.0060	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3d {}^2D_{3/2}$	7.1	1.57e+03
Fe XXII *	12.0107	$1s^2 2s 2p^2 {}^2S_{1/2} - 1s^2 2s 2p ({}^1P) 3d {}^2P_{3/2}$	7.1	2.07e+03
Mn XXIII *	12.0117	$2p {}^2P_{1/2} - 3d {}^2D_{3/2}$	7.2	2.93e+03
Fe XXIII *	12.0170	$2p^2 {}^3P_1 - 2p 3s {}^3P_0$	7.2	3.31e+03
Fe XX *	12.0222	$2s^2 2p^3 {}^2D_{5/2} - 2s 2p^3 ({}^3S) 3p {}^4P_{3/2}$	7.1	1.31e+03
Fe XXII *	12.0263	$1s^2 2s 2p^2 {}^4P_{5/2} - 1s^2 2s 2p ({}^3P) 3d {}^4F_{5/2}$	7.1	5.16e+03
Fe XXII *	12.0268	$1s^2 2s 2p^2 {}^2P_{3/2} - 1s^2 2s 2p ({}^1P) 3d {}^2P_{3/2}$	7.1	1.65e+03
Fe XXIII	12.0270	$2p^2 {}^1D_2 - 2p 3s {}^1P_1$	7.2	1.08e+04
Ni XX *	12.0298	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3d {}^4F_{3/2}$	7.1	3.16e+03
Fe XXI	12.0440	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^3D_1$	7.1	4.09e+04
Fe XXII	12.0441	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2s 2p ({}^3P) 3d {}^2F_{7/2}$	7.1	2.62e+03
Fe XXI *	12.0450	$2s^2 2p^2 {}^3P_1 - 2s 2p^2 3p {}^5P_2$	7.1	4.75e+03
Ni XX	12.0468	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3d {}^2P_{3/2}$	7.1	4.65e+03
Fe XXII *	12.0477	$1s^2 2s 2p^2 {}^2P_{3/2} - 1s^2 2s 2p ({}^1P) 3d {}^2P_{1/2}$	7.1	1.41e+03
Fe XVIII *	12.0543	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 4s {}^2P_{3/2}$	6.9	8.11e+03
Fe XXI *	12.0560	$2s^2 2p^2 {}^3P_0 - 2s 2p^2 3p {}^5D_1$	7.1	4.61e+03
Fe XXII	12.0574	$1s^2 2s 2p^2 {}^2D_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^2F_{5/2}$	7.1	3.13e+04
Fe XXII *	12.0587	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2s 2p ({}^3P) 3d {}^2P_{3/2}$	7.1	2.79e+03
Fe XXIII *	12.0620	$2p^2 {}^3P_2 - 2p 3s {}^3P_1$	7.2	5.42e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XX *	12.0673	$2s^2 2p^3 \ ^4S_{3/2} - 2s 2p^3 \ (^3D) 3p \ ^4P_{5/2}$	7.1	1.47e+03
Fe XXII	12.0778	$1s^2 2s 2p^2 \ ^2P_{3/2} - 1s^2 2s 2p \ (^1P) 3d \ ^2D_{5/2}$	7.1	1.75e+04
Ni XX	12.0790	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4F_{5/2}$	7.1	3.03e+03
Ni XX	12.0805	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2S_{1/2}$	7.1	1.80e+03
Fe XXII *	12.0805	$1s^2 2s 2p^2 \ ^2S_{1/2} - 1s^2 2s 2p \ (^1P) 3d \ ^2D_{3/2}$	7.1	2.94e+03
Fe XXI	12.0820	$2s^2 2p^2 \ ^3P_1 - 2s 2p^2 3p \ ^5P_1$	7.1	1.56e+03
Fe XXII	12.0907	$1s^2 2s 2p^2 \ ^2D_{5/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2F_{5/2}$	7.1	3.69e+04
Ne IX *	12.1003	$1s 3d \ ^1D_2 - 2p 3d \ ^1F_3$	6.9	1.19e+03
Fe XXI	12.1070	$2s^2 2p^2 \ ^3P_2 - 2s 2p^2 3p \ ^3D_1$	7.1	1.44e+03
Fe XXI *	12.1080	$2s^2 2p^2 \ ^3P_1 - 2s 2p^2 3p \ ^3S_1$	7.1	7.54e+03
Ni XX	12.1120	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2F_{5/2}$	7.1	1.98e+04
Fe XXI *	12.1130	$2s^2 2p^2 \ ^3P_1 - 2s 2p^2 3p \ ^5D_2$	7.1	4.19e+03
Fe XVII	12.1241	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 4d \ ^1P_1$	6.9	1.63e+05
Ni XX	12.1300	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4P_{3/2}$	7.1	1.00e+04
Ne X	12.1321	$1s \ ^2S_{1/2} - 2p \ ^2P_{3/2}$	7.1	5.63e+05
Fe XXI *	12.1370	$2s 2p^3 \ ^3D_2 - 2s 2p^2 3d \ ^3F_3$	7.1	5.81e+03
Ne X	12.1375	$1s \ ^2S_{1/2} - 2p \ ^2P_{1/2}$	7.1	2.82e+05
Fe XXI	12.1460	$2s^2 2p^2 \ ^3P_2 - 2s 2p^2 3p \ ^5P_1$	7.1	4.18e+03
Mn XXIII *	12.1534	$2p \ ^2P_{3/2} - 3d \ ^2D_{5/2}$	7.2	5.18e+03
Ni XX	12.1570	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4P_{1/2}$	7.1	4.41e+03
Fe XXI *	12.1580	$2s 2p^3 \ ^3P_1 - 2s 2p^2 3d \ ^1D_2$	7.1	1.51e+03
Fe XXIII	12.1610	$2s 2p \ ^1P_1 - 2s 3s \ ^1S_0$	7.2	4.04e+05
Fe XXI *	12.1660	$2s^2 2p^2 \ ^3P_1 - 2s 2p^2 3p \ ^5D_0$	7.1	4.19e+03
Fe XXI *	12.1770	$2s^2 2p^2 \ ^3P_2 - 2s 2p^2 3p \ ^3S_1$	7.1	5.54e+03
Fe XX *	12.1782	$2s^2 2p^3 \ ^2P_{3/2} - 2s 2p^3 \ (^3S) 3p \ ^4P_{1/2}$	7.1	1.77e+03
Ni XX	12.1810	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2P_{3/2}$	7.1	1.47e+03
Fe XXI *	12.1850	$2s^2 2p^2 \ ^3P_1 - 2s^2 2p 3d \ ^3P_1$	7.1	5.17e+03
Fe XXI *	12.1850	$2s^2 2p^2 \ ^3P_1 - 2s^2 2p 3d \ ^3P_0$	7.1	1.54e+03
Fe XXII	12.1926	$1s^2 2s 2p^2 \ ^2D_{3/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{5/2}$	7.1	7.74e+04
Fe XXII *	12.1932	$1s^2 2s 2p^2 \ ^2P_{1/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2P_{3/2}$	7.1	1.93e+04
Fe XXI	12.2040	$2s 2p^3 \ ^3D_1 - 2s 2p^2 3d \ ^3F_2$	7.1	3.03e+04
Ni XXI	12.2085	$2s^2 2p^4 \ ^3P_2 - 2s^2 2p^3 \ (^2D) 3s \ ^3D_3$	7.1	2.00e+03
Fe XIX *	12.2120	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 3p \ ^3D_3$	7.0	1.08e+04
Fe XXII *	12.2143	$1s^2 2s 2p^2 \ ^2D_{3/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{3/2}$	7.1	3.64e+04
Ni XX *	12.2202	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^2P_{1/2}$	7.1	1.96e+03
Fe XXI *	12.2230	$2s 2p^3 \ ^5S_2 - 2s 2p^2 3d \ ^5P_2$	7.1	1.95e+03
Fe XXII	12.2267	$1s^2 2s 2p^2 \ ^2D_{5/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{5/2}$	7.1	1.16e+04
Fe XXI *	12.2310	$2s^2 2p^2 \ ^3P_2 - 2s 2p^2 3p \ ^5D_1$	7.1	1.38e+04
Fe XXII *	12.2311	$1s^2 2s^2 2p \ ^2P_{3/2} - 1s^2 2s^2 3p \ ^2P_{1/2}$	7.1	1.80e+03
Fe XXII *	12.2364	$1s^2 2p^3 \ ^4S_{3/2} - 1s^2 2p^2 \ (^3P) 3d \ ^4F_{3/2}$	7.1	1.20e+03
Fe XXI *	12.2390	$2s^2 2p^2 \ ^3P_1 - 2s^2 2p 3d \ ^1D_2$	7.1	4.68e+03
Fe XXI *	12.2410	$2s 2p^3 \ ^3P_2 - 2s 2p^2 3d \ ^3D_3$	7.1	1.32e+03
Fe XXI *	12.2430	$2s 2p^3 \ ^5S_2 - 2s 2p^2 3d \ ^5P_3$	7.1	1.28e+03
Fe XIX *	12.2481	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 3p \ ^3P_2$	7.0	2.07e+03
Fe XXII *	12.2499	$1s^2 2s 2p^2 \ ^2D_{5/2} - 1s^2 2s 2p \ (^3P) 3d \ ^2D_{3/2}$	7.1	5.38e+03
Fe XXII *	12.2506	$1s^2 2s 2p^2 \ ^2D_{3/2} - 1s^2 2s 2p \ (^1P) 3s \ ^2P_{3/2}$	7.1	2.95e+03
Fe XXII *	12.2536	$1s^2 2s 2p^2 \ ^2D_{3/2} - 1s^2 2s 2p \ (^1P) 3s \ ^2P_{1/2}$	7.1	4.85e+03
Fe XXI *	12.2550	$2s^2 2p^2 \ ^3P_2 - 2s^2 2p 3d \ ^3P_1$	7.1	1.93e+03
Ni XX *	12.2603	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^2D_{3/2}$	7.1	1.79e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XVII	12.2640	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 4d {}^3D_1$	6.9	1.45e+05
Fe XX *	12.2688	$2s^2 2p^3 {}^2D_{3/2} - 2s 2p^3 ({}^3D) 3p {}^2D_{3/2}$	7.1	1.81e+03
Mn XXIII *	12.2716	$2p {}^2P_{1/2} - 3s {}^2S_{1/2}$	7.2	1.18e+03
Fe XXI	12.2820	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 3d {}^3D_1$	7.1	1.07e+06
Fe XXII *	12.2864	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2s 2p ({}^1P) 3s {}^2P_{3/2}$	7.1	1.75e+03
Fe XXII	12.2885	$1s^2 2s 2p^2 {}^2D_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^4P_{5/2}$	7.1	1.40e+03
Ne IX *	12.3071	$1s 2s {}^3S_1 - 2s 2p {}^3P_2$	6.9	1.22e+03
Fe XXII	12.3095	$1s^2 2s 2p^2 {}^4P_{3/2} - 1s^2 2s 2p ({}^3P) 3s {}^2P_{1/2}$	7.1	3.06e+03
Fe XX *	12.3098	$2s^2 2p^3 {}^2P_{1/2} - 2s 2p^3 ({}^3P) 3p {}^2D_{3/2}$	7.1	2.42e+03
Fe XXI	12.3180	$2s 2p^3 {}^5S_2 - 2s 2p^2 3d {}^3F_2$	7.1	1.68e+03
Fe XXI *	12.3230	$2s 2p^3 {}^3D_1 - 2s 2p^2 3d {}^3F_2$	7.1	9.89e+03
Fe XX *	12.3232	$2s^2 2p^3 {}^2P_{1/2} - 2s 2p^3 ({}^3P) 3p {}^4P_{3/2}$	7.1	1.63e+03
Fe XXII	12.3232	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2s 2p ({}^3P) 3d {}^4P_{5/2}$	7.1	3.07e+03
Fe XXII *	12.3247	$1s^2 2s^2 2p {}^2P_{1/2} - 1s^2 2s 2s 3s {}^2S_{1/2}$	7.1	1.90e+04
Fe XXI *	12.3250	$2s 2p^3 {}^3D_2 - 2s 2p^2 3d {}^3F_2$	7.1	2.34e+03
Fe XXI	12.3270	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 3d {}^3P_2$	7.1	2.77e+03
Fe XXI	12.3270	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 3d {}^3D_3$	7.1	8.42e+03
Fe XX *	12.3319	$2s^2 2p^3 {}^2D_{5/2} - 2s 2p^3 ({}^3D) 3p {}^2D_{3/2}$	7.1	1.36e+03
Fe XX *	12.3337	$2s^2 2p^3 {}^2P_{1/2} - 2s 2p^3 ({}^3P) 3p {}^4P_{1/2}$	7.1	1.49e+03
Fe XX *	12.3409	$2s^2 2p^3 {}^2D_{5/2} - 2s 2p^3 ({}^3D) 3p {}^4P_{5/2}$	7.1	2.09e+03
Fe XXI *	12.3420	$2s 2p^3 {}^5S_2 - 2s 2p^2 3d {}^5D_2$	7.1	9.07e+03
Fe XXII *	12.3428	$1s^2 2s 2p^2 {}^4P_{1/2} - 1s^2 2s 2p ({}^3P) 3s {}^4P_{3/2}$	7.1	7.52e+03
Fe XXI *	12.3450	$2s 2p^3 {}^5S_2 - 2s 2p^2 3d {}^5D_1$	7.1	1.24e+03
Fe XXI *	12.3510	$2s^2 2p^2 {}^1D_2 - 2s^2 2p 3d {}^1F_3$	7.1	7.90e+03
Fe XXIII	12.3510	$2p^2 {}^1S_0 - 2p 3s {}^1P_1$	7.2	4.29e+03
Fe XIX *	12.3511	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3p {}^1D_2$	7.0	2.22e+03
Ne IX *	12.3569	$1s 2p {}^1P_1 - 2p^2 {}^1D_2$	6.9	3.15e+03
Fe XXII *	12.3572	$1s^2 2p^3 {}^2P_{1/2} - 1s^2 2p^2 ({}^3P) 3d {}^2D_{3/2}$	7.1	7.65e+03
Fe XXI	12.3630	$2s 2p^3 {}^5S_2 - 2s 2p^2 3d {}^3P_2$	7.1	1.68e+03
Fe XXI *	12.3680	$2s^2 2p^2 {}^1D_2 - 2s 2p^2 3p {}^3S_1$	7.1	1.89e+03
Fe XXIII	12.3690	$2p^2 {}^3P_1 - 2s 3p {}^3P_2$	7.2	1.21e+04
Fe XX *	12.3701	$2s^2 2p^3 {}^2D_{3/2} - 2s 2p^3 ({}^3D) 3p {}^2F_{5/2}$	7.1	3.04e+03
Fe XX *	12.3703	$2s^2 2p^3 {}^2P_{3/2} - 2s 2p^3 ({}^3P) 3p {}^2D_{5/2}$	7.1	2.15e+03
Fe XXI *	12.3730	$2s^2 2p^2 {}^1D_2 - 2s 2p^2 3p {}^5D_2$	7.1	4.74e+03
Ni XVIII *	12.3783	$3s {}^2S_{1/2} - 2p^5 3s 3d {}^2P_{3/2}$	6.9	1.73e+03
Fe XXI	12.3800	$2s 2p^3 {}^5S_2 - 2s 2p^2 3d {}^5D_3$	7.1	7.74e+03
Fe XXI	12.3820	$2s 2p^3 {}^3P_1 - 2s 2p^2 3d {}^3D_2$	7.1	6.11e+03
Fe XXI *	12.3880	$2s 2p^3 {}^3P_2 - 2s 2p^2 3d {}^3F_3$	7.1	3.08e+03
Fe XXII *	12.3888	$1s^2 2s 2p^2 {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3d {}^2D_{3/2}$	7.1	3.00e+04
Fe XXII *	12.3903	$1s^2 2s 2p^2 {}^2S_{1/2} - 1s^2 2s 2p ({}^3P) 3d {}^2P_{3/2}$	7.1	1.03e+04
Fe XXII *	12.3910	$1s^2 2s 2p^2 {}^2D_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^4F_{3/2}$	7.2	7.81e+03
Fe XXII *	12.3914	$1s^2 2s 2p^2 {}^4P_{1/2} - 1s^2 2s 2p ({}^3P) 3s {}^4P_{1/2}$	7.1	3.07e+03
Fe XXII *	12.3944	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2s 2p ({}^3P) 3d {}^4F_{5/2}$	7.1	1.18e+03
Fe XXI	12.3950	$2s^2 2p^2 {}^3P_1 - 2s^2 2p 3d {}^3D_1$	7.1	1.85e+05
Fe XX *	12.4024	$2p^5 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4d {}^2D_{3/2}$	7.1	1.79e+03
Fe XXI *	12.4030	$2s 2p^3 {}^1D_2 - 2s 2p^2 3d {}^1F_3$	7.1	1.40e+03
Ni XX *	12.4050	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3p {}^2F_{7/2}$	7.1	1.61e+03
Fe XXII *	12.4075	$1s^2 2s 2p^2 {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^2P_{3/2}$	7.1	5.57e+03
Fe XXI	12.4080	$2s 2p^3 {}^3P_2 - 2s 2p^2 3d {}^3D_2$	7.1	7.48e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XX *	12.4085	$2p^5 \ ^2P_{3/2} - 2s^2 \ 2p^2 \ (^3P) \ 4f \ ^4D_{5/2}$	7.1	1.16e+03
Fe XXI *	12.4160	$2s \ 2p^3 \ ^3S_1 - 2s \ 2p^2 \ 3d \ ^3P_2$	7.1	1.69e+03
Fe XX *	12.4178	$2p^5 \ ^2P_{3/2} - 2s^2 \ 2p^2 \ (^3P) \ 4f \ ^4D_{7/2}$	7.1	2.51e+03
Fe XX *	12.4202	$2p^5 \ ^2P_{3/2} - 2s^2 \ 2p^2 \ (^3P) \ 4f \ ^4G_{5/2}$	7.1	2.29e+03
Fe XXI	12.4220	$2s^2 \ 2p^2 \ ^3P_1 - 2s^2 \ 2p \ 3d \ ^3D_2$	7.1	4.77e+04
Fe XXI *	12.4240	$2s^2 \ 2p^2 \ ^1D_2 - 2s \ 2p^2 \ 3p \ ^5D_1$	7.1	2.60e+03
Fe XXI *	12.4240	$2s \ 2p^3 \ ^3S_1 - 2s \ 2p^2 \ 3d \ ^1D_2$	7.1	3.60e+03
Fe XXII *	12.4261	$1s^2 \ 2s \ 2p^2 \ ^2P_{1/2} - 1s^2 \ 2s \ 2p \ (^1P) \ 3s \ ^2P_{3/2}$	7.1	5.96e+03
Fe XX	12.4263	$2p^5 \ ^2P_{3/2} - 2s^2 \ 2p^2 \ (^3P) \ 4d \ ^4D_{5/2}$	7.1	4.05e+04
Fe XX	12.4263	$2p^5 \ ^2P_{3/2} - 2s^2 \ 2p^2 \ (^3P) \ 4d \ ^4P_{3/2}$	7.1	4.62e+04
Ni XX *	12.4268	$2s^2 \ 2p^5 \ ^2P_{1/2} - 2s^2 \ 2p^4 \ (^3P) \ 3d \ ^4D_{3/2}$	7.1	1.91e+03
Fe XXIII *	12.4270	$2p^2 \ ^3P_1 - 2s \ 3p \ ^3P_0$	7.2	1.01e+04
Fe XXI	12.4290	$2s \ 2p^3 \ ^3P_1 - 2s \ 2p^2 \ 3d \ ^3F_2$	7.1	1.45e+03
Fe XXII *	12.4293	$1s^2 \ 2s \ 2p^2 \ ^4P_{3/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 3s \ ^4P_{3/2}$	7.1	1.86e+03
Ni XIX	12.4350	$2s^2 \ 2p^6 \ ^1S_0 - 2s^2 \ 2p^5 \ 3d \ ^1P_1$	7.0	1.35e+05
Mn XXIII *	12.4351	$2p \ ^2P_{3/2} - 3s \ ^2S_{1/2}$	7.2	2.53e+03
Fe XXIII	12.4370	$2p^2 \ ^3P_2 - 2s \ 3p \ ^3P_2$	7.2	1.67e+04
Fe XXII	12.4414	$1s^2 \ 2s \ 2p^2 \ ^2P_{3/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 3d \ ^2F_{5/2}$	7.1	4.96e+03
Fe XXIII	12.4440	$2p^2 \ ^3P_2 - 2s \ 3p \ ^1P_1$	7.2	2.24e+03
Fe XX *	12.4455	$2s^2 \ 2p^3 \ ^2D_{3/2} - 2s \ 2p^3 \ (^3D) \ 3p \ ^4F_{5/2}$	7.1	1.25e+03
Fe XXI *	12.4550	$2s \ 2p^3 \ ^5S_2 - 2s \ 2p^2 \ 3d \ ^5F_1$	7.1	3.06e+03
Fe XXI	12.4560	$2s \ 2p^3 \ ^3P_2 - 2s \ 2p^2 \ 3d \ ^3F_2$	7.1	3.26e+03
Ni XVIII *	12.4590	$3s \ ^2S_{1/2} - 2p^5 \ 3s \ 3d \ ^2P_{1/2}$	6.9	5.86e+03
Fe XIX *	12.4609	$1s^2 \ 2s^2 \ 2p^4 \ ^1D_2 - 1s^2 \ 2s \ 2p^4 \ 3p \ ^3P_1$	7.0	1.23e+03
Fe XXI	12.4620	$2s \ 2p^3 \ ^5S_2 - 2s \ 2p^2 \ 3d \ ^5F_3$	7.1	2.28e+04
Fe XXI	12.4620	$2s^2 \ 2p^2 \ ^3P_2 - 2s^2 \ 2p \ 3d \ ^3D_1$	7.1	1.19e+04
Fe XX *	12.4751	$2s \ 2p^4 \ ^4P_{5/2} - 2s \ 2p^3 \ (^3S) \ 3d \ ^4D_{7/2}$	7.1	1.39e+04
Fe XIX *	12.4767	$1s^2 \ 2s^2 \ 2p^4 \ ^1D_2 - 1s^2 \ 2s \ 2p^4 \ 3p \ ^3D_3$	7.0	4.64e+03
Fe XXII *	12.4786	$1s^2 \ 2s \ 2p^2 \ ^4P_{3/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 3s \ ^4P_{1/2}$	7.1	1.36e+04
Fe XXI	12.4900	$2s^2 \ 2p^2 \ ^3P_2 - 2s^2 \ 2p \ 3d \ ^3D_2$	7.1	6.99e+03
Fe XXI	12.4920	$2s^2 \ 2p^2 \ ^1S_0 - 2s \ 2p^2 \ 3p \ ^3D_1$	7.1	1.23e+03
Fe XXIII	12.4930	$2p^2 \ ^3P_2 - 2s \ 3p \ ^3P_1$	7.2	3.87e+03
Fe XX	12.4931	$2s \ 2p^4 \ ^4P_{5/2} - 2s \ 2p^3 \ (^3S) \ 3d \ ^4D_{5/2}$	7.1	3.49e+03
Fe XXI	12.4990	$2s^2 \ 2p^2 \ ^3P_2 - 2s^2 \ 2p \ 3d \ ^3F_3$	7.1	5.84e+04
Fe XIX *	12.4993	$1s^2 \ 2s^2 \ 2p^4 \ ^3P_2 - 1s^2 \ 2s \ 2p^4 \ 3p \ ^3D_2$	7.0	2.23e+03
Fe XXI	12.5000	$2s^2 \ 2p^2 \ ^3P_1 - 2s^2 \ 2p \ 3d \ ^3F_2$	7.1	2.46e+03
Fe XXI	12.5010	$2s \ 2p^3 \ ^5S_2 - 2s \ 2p^2 \ 3d \ ^5F_2$	7.1	1.65e+04
Fe XXI *	12.5050	$2s^2 \ 2p^2 \ ^1D_2 - 2s^2 \ 2p \ 3d \ ^1D_2$	7.1	1.41e+03
Fe XXII *	12.5069	$1s^2 \ 2s^2 \ 2p \ ^2P_{3/2} - 1s^2 \ 2s \ 2s \ 3s \ ^2S_{1/2}$	7.1	3.61e+04
Ni XVIII *	12.5103	$3p \ ^2P_{1/2} - 2p^5 \ 3p \ 3d \ ^2D_{3/2}$	6.9	1.36e+03
Fe XXII *	12.5113	$1s^2 \ 2s \ 2p^2 \ ^4P_{5/2} - 1s^2 \ 2s \ 2p \ (^3P) \ 3s \ ^4P_{3/2}$	7.1	7.53e+03
Fe XIX *	12.5144	$1s^2 \ 2s^2 \ 2p^4 \ ^1D_2 - 1s^2 \ 2s \ 2p^4 \ 3p \ ^3P_2$	7.0	1.89e+03
Fe XX *	12.5157	$2p^5 \ ^2P_{1/2} - 2s^2 \ 2p^2 \ (^3P) \ 4f \ ^4D_{3/2}$	7.1	2.37e+03
Fe XX *	12.5165	$2p^5 \ ^2P_{1/2} - 2s^2 \ 2p^2 \ (^3P) \ 4f \ ^4D_{1/2}$	7.1	1.78e+03
Ni XVIII *	12.5169	$3s \ ^2S_{1/2} - 2p^5 \ 3s \ 3d \ ^2P_{3/2}$	6.9	3.68e+03
Fe XIX *	12.5197	$1s^2 \ 2s^2 \ 2p^4 \ ^3P_2 - 1s^2 \ 2s \ 2p^4 \ 3d \ ^5F_4$	7.0	3.57e+03
Fe XVII	12.5210	$2s^2 \ 2p^6 \ ^1S_0 - 2s^2 \ 2p^5 \ 4s \ ^3P_1$	6.9	5.69e+03
Fe XXI	12.5230	$2s^2 \ 2p^2 \ ^1D_2 - 2s^2 \ 2p \ 3d \ ^3P_2$	7.1	1.48e+03
Fe XXI	12.5330	$2s^2 \ 2p^2 \ ^1S_0 - 2s \ 2p^2 \ 3p \ ^5P_1$	7.1	1.55e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXI *	12.5370	$2s 2p^3 {}^3D_1 - 2s 2p^2 3d {}^3D_2$	7.1	1.04e+04
Fe XXI *	12.5530	$2s 2p^3 {}^3P_1 - 2s 2p^2 3d {}^3F_2$	7.1	1.88e+03
Fe XXI *	12.5630	$2s^2 2p^2 {}^1S_0 - 2s 2p^2 3p {}^3S_1$	7.1	4.68e+03
Fe XIX *	12.5637	$1s^2 2s^2 2p^4 {}^1S_0 - 1s^2 2s 2p^4 3d {}^3F_3$	7.0	1.62e+03
Fe XX	12.5660	$2s^2 2p^3 {}^4S_{3/2} - 2s 2p^3 ({}^5S) 3p {}^4P_{1/2}$	7.1	1.92e+04
Fe XIX *	12.5671	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3d {}^5F_5$	7.0	1.46e+03
Fe XXI	12.5680	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 3d {}^3F_2$	7.1	2.48e+04
Fe XIX *	12.5729	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3d {}^5P_3$	7.0	7.92e+03
Fe XX *	12.5749	$2p^5 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 4d {}^2D_{5/2}$	7.1	1.92e+03
Fe XX	12.5810	$2s^2 2p^3 {}^4S_{3/2} - 2s 2p^3 ({}^5S) 3p {}^4P_{5/2}$	7.1	5.66e+04
Fe XX	12.5810	$2s^2 2p^3 {}^4S_{3/2} - 2s 2p^3 ({}^5S) 3p {}^4P_{3/2}$	7.1	4.31e+04
Fe XXI *	12.5840	$2s 2p^3 {}^3D_3 - 2s 2p^2 3d {}^3D_2$	7.1	6.12e+03
Fe XXII	12.5855	$1s^2 2s 2p^2 {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^2D_{5/2}$	7.1	5.31e+03
Fe XXII *	12.5923	$1s^2 2s 2p^2 {}^2S_{1/2} - 1s^2 2s 2p ({}^3P) 3d {}^2D_{3/2}$	7.1	2.54e+03
Fe XX	12.5947	$2p^5 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 4d {}^4P_{3/2}$	7.1	6.11e+03
Fe XX	12.6000	$2s 2p^4 {}^4P_{3/2} - 2s 2p^3 ({}^3S) 3d {}^4D_{3/2}$	7.1	3.60e+03
Fe XX	12.6000	$2s 2p^4 {}^4P_{3/2} - 2s 2p^3 ({}^3S) 3d {}^4D_{5/2}$	7.1	1.82e+04
Fe XX *	12.6095	$2s 2p^4 {}^4P_{1/2} - 2s 2p^3 ({}^3S) 3d {}^4D_{1/2}$	7.1	4.97e+03
Fe XXII *	12.6101	$1s^2 2s 2p^2 {}^2P_{3/2} - 1s^2 2s 2p ({}^3P) 3d {}^2D_{3/2}$	7.1	5.58e+03
Cr XXII	12.6125	$1s^2 2s {}^2S_{1/2} - 1s^2 3p {}^2P_{3/2}$	7.2	6.89e+03
Fe XXI	12.6230	$2s^2 2p^2 {}^1S_0 - 2s^2 2p 3d {}^1P_1$	7.1	8.13e+03
Fe XXII *	12.6341	$1s^2 2s 2p^2 {}^2S_{1/2} - 1s^2 2s 2p ({}^1P) 3s {}^2P_{1/2}$	7.1	6.71e+03
Fe XX	12.6348	$2s 2p^4 {}^4P_{1/2} - 2s 2p^3 ({}^3S) 3d {}^4D_{3/2}$	7.1	4.59e+03
Ca XVIII	12.6360	$1s^2 2s {}^2S_{1/2} - 1s^2 5p {}^2P_{1/2}$	7.1	1.37e+03
Fe XXIII	12.6460	$2p^2 {}^1D_2 - 2s 3p {}^3P_2$	7.2	3.64e+03
Fe XXII *	12.6487	$1s^2 2s 2p^2 {}^2P_{3/2} - 1s^2 2s 2p ({}^1P) 3s {}^2P_{3/2}$	7.1	2.44e+03
Fe XXI	12.6490	$2s 2p^3 {}^3S_1 - 2s 2p^2 3d {}^3D_2$	7.1	3.73e+04
Fe XXII *	12.6518	$1s^2 2s 2p^2 {}^2D_{5/2} - 1s^2 2s 2p ({}^3P) 3s {}^2P_{3/2}$	7.1	2.08e+03
Fe XXII *	12.6519	$1s^2 2s 2p^2 {}^2P_{3/2} - 1s^2 2s 2p ({}^1P) 3s {}^2P_{1/2}$	7.1	3.63e+03
Fe XXIII	12.6530	$2p^2 {}^1D_2 - 2s 3p {}^1P_1$	7.2	8.39e+03
Cr XXII	12.6555	$1s^2 2s {}^2S_{1/2} - 1s^2 3p {}^2P_{1/2}$	7.2	3.57e+03
Ni XIX	12.6560	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3d {}^3D_1$	7.0	5.07e+04
Fe XXI	12.6630	$2s^2 2p^2 {}^1D_2 - 2s^2 2p 3d {}^3D_1$	7.1	1.31e+03
Fe XXI *	12.6640	$2s 2p^3 {}^3D_2 - 2s 2p^2 3d {}^3F_3$	7.1	2.30e+03
Fe XXII *	12.6689	$1s^2 2p^3 {}^4S_{3/2} - 1s^2 2s 2p ({}^1P) 3p {}^2S_{1/2}$	7.1	1.84e+03
Fe XX *	12.6783	$2p^5 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 4d {}^4F_{5/2}$	7.1	1.09e+04
Fe XVII	12.6800	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 4s {}^1P_1$	6.9	1.05e+04
Fe XXI	12.6910	$2s^2 2p^2 {}^1D_2 - 2s^2 2p 3d {}^3D_2$	7.1	5.95e+03
Fe XXI	12.7010	$2s^2 2p^2 {}^1D_2 - 2s^2 2p 3d {}^3F_3$	7.1	2.28e+03
Fe XXIII	12.7030	$2p^2 {}^1D_2 - 2s 3p {}^3P_1$	7.2	2.19e+03
Fe XX *	12.7043	$2p^5 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 4f {}^2D_{5/2}$	7.1	1.18e+03
Fe XXII *	12.7144	$1s^2 2p^3 {}^2D_{5/2} - 1s^2 2p^2 ({}^3P) 3s {}^2P_{3/2}$	7.1	2.30e+03
Fe XIX *	12.7153	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s 2p^4 3p {}^3P_2$	7.0	1.41e+03
Fe XIX *	12.7184	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s 2p^4 3p {}^3P_1$	7.0	1.62e+03
Fe XX *	12.7306	$2p^5 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 4s {}^2P_{3/2}$	7.1	1.47e+03
Fe XIX *	12.7364	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s 2p^4 3p {}^1D_2$	7.0	3.16e+03
Fe XXI *	12.7370	$2s 2p^3 {}^5S_2 - 2s 2p^2 3p {}^5D_2$	7.1	1.33e+03
Ni XX *	12.7387	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p {}^2D_{5/2}$	7.1	3.05e+03
Ni XVIII *	12.7393	$3s {}^2S_{1/2} - 2p^5 3s 3d {}^2D_{3/2}$	6.9	1.47e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXII	12.7426	$1s^2 2s 2p^2 \ ^2D_{3/2} - 1s^2 2s 2p \ (^3P) 3s \ ^2P_{1/2}$	7.1	1.94e+05
Fe XVIII *	12.7434	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3d \ ^4D_{7/2}$	6.9	3.37e+03
Fe XIX *	12.7435	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s 2p^4 3p \ ^3D_3$	7.0	1.33e+03
Fe XVIII *	12.7452	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3d \ ^2D_{5/2}$	6.9	2.28e+03
Fe XXI *	12.7460	$2s 2p^3 \ ^1D_2 - 2s 2p^2 3d \ ^1D_2$	7.1	1.70e+03
Fe XXI	12.7490	$2s 2p^3 \ ^1D_2 - 2s 2p^2 3d \ ^3F_2$	7.1	3.06e+03
Fe XX	12.7526	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^2D_{5/2}$	7.1	3.07e+03
Fe XX *	12.7646	$2p^5 \ ^2P_{3/2} - 2s^2 2p^2 \ (^3P) 4p \ ^4P_{3/2}$	7.1	5.45e+03
Fe XXII *	12.7651	$1s^2 2s 2p^2 \ ^4P_{3/2} - 1s^2 2s^2 3p \ ^2P_{1/2}$	7.1	2.03e+03
Fe XX *	12.7664	$2s 2p^4 \ ^4P_{5/2} - 2s 2p^3 \ (^3P) 3d \ ^4F_{7/2}$	7.1	2.29e+03
Fe XXI	12.7720	$2s^2 2p^2 \ ^1D_2 - 2s^2 2p 3d \ ^3F_2$	7.1	1.34e+04
Fe XX *	12.7724	$2s 2p^4 \ ^2D_{3/2} - 2s 2p^3 \ (^1D) 3d \ ^2D_{5/2}$	7.1	1.33e+03
Fe XXI	12.7730	$2s 2p^3 \ ^3D_1 - 2s 2p^2 3d \ ^3F_2$	7.1	1.85e+04
Fe XVIII *	12.7742	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^1P) 3p \ ^2P_{3/2}$	6.9	2.03e+03
Fe XXI	12.7750	$2s 2p^3 \ ^3D_2 - 2s 2p^2 3d \ ^3F_2$	7.1	1.68e+04
Fe XXI *	12.7750	$2s 2p^3 \ ^3P_1 - 2s 2p^2 3d \ ^3D_2$	7.1	1.12e+04
Fe XIX *	12.7839	$1s^2 2s^2 2p^4 \ ^1S_0 - 1s^2 2s 2p^4 3p \ ^1P_1$	7.0	1.42e+03
Fe XXI *	12.7860	$2p^4 \ ^3P_0 - 2p^3 3d \ ^3D_1$	7.1	1.27e+03
Fe XIX *	12.7926	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s 2p^4 3p \ ^1F_3$	7.0	4.05e+03
Fe XXII *	12.7930	$1s^2 2s 2p^2 \ ^4P_{5/2} - 1s^2 2s^2 3p \ ^2P_{3/2}$	7.1	6.12e+03
Fe XXI *	12.7970	$2s 2p^3 \ ^3D_1 - 2s 2p^2 3s \ ^3P_0$	7.1	1.49e+04
Fe XX	12.8043	$2s^2 2p^3 \ ^2D_{3/2} - 2s 2p^3 \ (^5S) 3p \ ^4P_{5/2}$	7.1	9.09e+03
Fe XXI *	12.8060	$2s 2p^3 \ ^3P_2 - 2s 2p^2 3d \ ^3D_2$	7.1	1.66e+04
Fe XX *	12.8061	$2p^5 \ ^2P_{3/2} - 2s^2 2p^2 \ (^3P) 4s \ ^2P_{1/2}$	7.1	1.28e+03
Ni XIX	12.8079	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3d \ ^3P_1$	7.0	5.88e+03
Fe XX	12.8120	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4P_{1/2}$	7.1	1.72e+05
Fe XX *	12.8137	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^3P) 3d \ ^4D_{3/2}$	7.1	1.76e+03
Mn XXII	12.8150	$2s 2p \ ^1P_1 - 2s 3d \ ^1D_2$	7.1	6.48e+03
Ni XX *	12.8159	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^1P) 3s \ ^2P_{3/2}$	7.1	1.67e+03
Fe XVIII	12.8180	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^1P) 3p \ ^2D_{5/2}$	6.9	1.20e+04
Fe XVIII *	12.8182	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3d \ ^2F_{7/2}$	6.9	3.69e+03
Fe XXI	12.8220	$2s 2p^3 \ ^3D_1 - 2s 2p^2 3d \ ^3P_2$	7.1	1.26e+05
Fe XXI	12.8230	$2s 2p^3 \ ^3D_2 - 2s 2p^2 3d \ ^3P_2$	7.1	2.38e+04
Fe XX	12.8242	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^2P_{1/2}$	7.1	1.98e+04
Fe XX *	12.8253	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^1D) 3d \ ^2D_{5/2}$	7.1	2.45e+03
Fe XX	12.8270	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4P_{3/2}$	7.1	4.02e+05
Fe XIX *	12.8308	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s 2p^4 3p \ ^3F_3$	7.0	1.37e+03
Fe XX *	12.8337	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^1D) 3d \ ^2D_{3/2}$	7.1	2.81e+03
Mn XXI *	12.8440	$2s^2 2p \ ^2P_{1/2} - 2s^2 3d \ ^2D_{3/2}$	7.1	5.19e+03
Fe XX	12.8454	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4P_{5/2}$	7.1	3.61e+05
Fe XX *	12.8462	$2p^5 \ ^2P_{1/2} - 2s^2 2p^2 \ (^3P) 4p \ ^4D_{3/2}$	7.1	1.02e+04
Fe XIX *	12.8477	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s 2p^4 3d \ ^5F_5$	7.0	8.29e+03
Fe XIX *	12.8481	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s 2p^4 3p \ ^1P_1$	7.0	2.55e+03
Fe XX *	12.8537	$2s 2p^4 \ ^4P_{1/2} - 2s 2p^3 \ (^3P) 3d \ ^4D_{1/2}$	7.1	1.49e+03
Fe XX *	12.8569	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^1D) 3d \ ^2F_{7/2}$	7.1	5.87e+03
Fe XXI	12.8660	$2s 2p^3 \ ^3D_3 - 2s 2p^2 3d \ ^3P_2$	7.1	6.85e+03
Fe XXI	12.8700	$2s^2 2p^2 \ ^1S_0 - 2s^2 2p 3d \ ^3D_1$	7.1	7.05e+03
Fe XX *	12.8743	$2s 2p^4 \ ^4P_{1/2} - 2s 2p^3 \ (^3D) 3d \ ^2P_{3/2}$	7.1	2.32e+03
Fe XX *	12.8749	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4D_{3/2}$	7.1	2.24e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXI *	12.8810	$2s 2p^3 {}^3D_3 - 2s 2p^2 3d {}^5F_4$	7.1	1.19e+03
Fe XX *	12.8943	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^1D) 3d {}^2D_{5/2}$	7.1	2.63e+03
Fe XX *	12.8983	$2s 2p^4 {}^2D_{3/2} - 2s 2p^3 ({}^3S) 3d {}^2D_{5/2}$	7.1	2.52e+03
Fe XX *	12.9042	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^3D) 3d {}^4P_{5/2}$	7.1	2.82e+03
Fe XX	12.9055	$2s^2 2p^3 {}^4S_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^2F_{5/2}$	7.1	9.70e+04
Fe XXI	12.9190	$2s 2p^3 {}^1P_1 - 2s 2p^2 3d {}^3D_2$	7.1	2.36e+03
Fe XX *	12.9196	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^3D) 3d {}^2G_{7/2}$	7.1	1.28e+03
Fe XIX *	12.9212	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^5D_0$	7.0	1.28e+03
Fe XX *	12.9218	$2s^2 2p^3 {}^4S_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4D_{1/2}$	7.1	4.50e+03
Fe XIX	12.9240	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^3D_2$	7.0	2.62e+04
Fe XIX	12.9240	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^3S_1$	7.0	1.64e+04
Fe XIX	12.9240	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^5D_3$	7.0	2.20e+04
Fe XX *	12.9254	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^1S) 3d {}^2D_{5/2}$	7.1	1.17e+03
Fe XXI *	12.9260	$2s^2 2p^2 {}^3P_1 - 2s^2 2p 3s {}^3P_2$	7.1	2.37e+03
Fe XIX *	12.9261	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^5D_1$	7.0	2.18e+03
Ni XX	12.9270	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3s {}^2D_{5/2}$	7.1	1.79e+04
Fe XIX *	12.9271	$1s^2 2s^2 2p^4 {}^3P_0 - 1s^2 2s 2p^4 3p {}^3P_1$	7.0	5.34e+03
Fe XX *	12.9284	$2s 2p^4 {}^2D_{5/2} - 2s 2p^3 ({}^3S) 3d {}^2D_{5/2}$	7.1	2.78e+03
Fe XXI	12.9300	$2s 2p^3 {}^3D_2 - 2s 2p^2 3d {}^5F_3$	7.1	1.96e+03
Fe XXI *	12.9360	$2s 2p^3 {}^3D_1 - 2s 2p^2 3d {}^5F_1$	7.1	9.11e+03
Fe XXII	12.9360	$1s^2 2s 2p^2 {}^2P_{1/2} - 1s^2 2s 2p ({}^3P) 3s {}^2P_{1/2}$	7.1	7.35e+04
Fe XXI *	12.9420	$2s 2p^3 {}^5S_2 - 2s 2p^2 3s {}^5P_3$	7.1	2.20e+03
Fe XX *	12.9471	$2p^5 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 4p {}^4P_{3/2}$	7.1	5.78e+03
Fe XVIII *	12.9475	$2s^2 2p^5 {}^2P_{1/2} - 2s 2p^5 ({}^1P) 3p {}^2P_{3/2}$	6.9	3.04e+03
Fe XIX *	12.9493	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^5D_2$	7.0	3.06e+03
Fe XXI *	12.9500	$2p^4 {}^3P_0 - 2p^3 3d {}^3D_1$	7.1	1.74e+03
Fe XX	12.9510	$2s^2 2p^3 {}^4S_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4D_{5/2}$	7.1	1.14e+05
Fe XIX *	12.9523	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3p {}^3P_1$	7.0	1.41e+03
Fe XX *	12.9526	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^1D) 3d {}^2G_{7/2}$	7.1	2.37e+03
Fe XX	12.9623	$2s 2p^4 {}^2D_{3/2} - 2s 2p^3 ({}^3S) 3d {}^4D_{5/2}$	7.1	7.36e+03
Fe XX	12.9623	$2s 2p^4 {}^2D_{3/2} - 2s 2p^3 ({}^3S) 3d {}^4D_{3/2}$	7.1	2.14e+03
Fe XVIII *	12.9648	$2s^2 2p^5 {}^2P_{1/2} - 2s 2p^5 ({}^1P) 3p {}^2P_{1/2}$	6.9	1.33e+03
Fe XX	12.9660	$2s^2 2p^3 {}^4S_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^2P_{3/2}$	7.1	3.12e+04
Fe XX	12.9660	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^3D) 3d {}^4D_{7/2}$	7.1	9.78e+03
Fe XX	12.9660	$2s^2 2p^3 {}^2D_{3/2} - 2s 2p^3 ({}^5S) 3p {}^6P_{5/2}$	7.1	7.60e+03
Fe XXI	12.9720	$2s 2p^3 {}^3D_2 - 2s 2p^2 3d {}^5F_2$	7.1	6.71e+03
Fe XX *	12.9785	$2s^2 2p^3 {}^2D_{5/2} - 2s 2p^3 ({}^5S) 3p {}^6P_{7/2}$	7.1	1.95e+04
Fe XIX *	12.9789	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3p {}^3P_2$	7.0	4.11e+03
Fe XX	12.9820	$2s^2 2p^3 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^2D_{5/2}$	7.1	3.10e+04
Fe XIX *	12.9847	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3p {}^3D_1$	7.0	1.52e+03
Fe XX *	12.9860	$2s 2p^4 {}^2D_{5/2} - 2s 2p^3 ({}^3S) 3d {}^4D_{7/2}$	7.1	2.64e+04
Fe XXI *	13.0040	$2s^2 2p^2 {}^3P_2 - 2s^2 2p 3s {}^3P_2$	7.1	5.21e+03
Fe XX *	13.0085	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^3D) 3d {}^4G_{7/2}$	7.1	1.38e+03
Fe XIX *	13.0103	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^5P_1$	7.0	4.32e+03
Fe XVIII *	13.0166	$2s^2 2p^5 {}^2P_{1/2} - 2s 2p^5 ({}^1P) 3p {}^2D_{3/2}$	6.9	3.38e+03
Fe XIX	13.0180	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^3D_3$	7.0	4.07e+04
Fe XIX *	13.0184	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3p {}^5S_2$	7.0	1.65e+03
Fe XXI	13.0200	$2s 2p^3 {}^3P_1 - 2s 2p^2 3d {}^3F_2$	7.1	6.94e+03
Fe XXI *	13.0260	$2s 2p^3 {}^5S_2 - 2s 2p^2 3s {}^5P_2$	7.1	3.81e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Ni XX	13.0324	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s {}^2P_{1/2}$	7.1	2.25e+03
Fe XX *	13.0338	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^3D) 3d {}^4F_{7/2}$	7.1	2.08e+03
Fe XXII *	13.0340	$1s^2 2p^3 {}^2D_{5/2} - 1s^2 2s 2p ({}^1P) 3p {}^2P_{3/2}$	7.1	1.28e+03
Fe XIX	13.0386	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3s {}^1D_2$	7.0	9.79e+03
Fe XX	13.0455	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 3d {}^2D_{5/2}$	7.1	1.04e+04
Fe XXI *	13.0460	$2s 2p^3 {}^3P_1 - 2s 2p^2 3s {}^3P_0$	7.1	3.70e+03
Fe XXI	13.0500	$2s 2p^3 {}^3P_2 - 2s 2p^2 3d {}^3F_2$	7.1	1.30e+03
Fe XXI	13.0520	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 3s {}^3P_1$	7.1	3.22e+04
Fe XX	13.0520	$2s^2 2p^3 {}^4S_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4F_{5/2}$	7.1	8.94e+04
Fe XX *	13.0533	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^3D) 3d {}^4F_{5/2}$	7.1	2.91e+03
Fe XX *	13.0539	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^1D) 3d {}^2F_{5/2}$	7.1	4.39e+03
Fe XX *	13.0548	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^1D) 3d {}^2P_{3/2}$	7.1	2.98e+03
Fe XX *	13.0568	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^1D) 3d {}^2S_{1/2}$	7.1	1.48e+03
Fe XXI *	13.0690	$2s 2p^3 {}^3S_1 - 2s 2p^2 3d {}^3D_2$	7.1	1.30e+03
Fe XXI	13.0700	$2s 2p^3 {}^3P_1 - 2s 2p^2 3d {}^3P_2$	7.1	2.81e+04
Cr XXI *	13.0720	$2s^2 {}^1S_0 - 2s 3p {}^1P_1$	7.1	4.53e+03
Ni XX	13.0750	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s {}^4P_{3/2}$	7.1	1.08e+04
Fe XVIII *	13.0814	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^1D) 4p {}^2P_{3/2}$	6.9	3.64e+03
Fe XX	13.0910	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 3d {}^2F_{7/2}$	7.1	1.42e+04
Fe XX	13.0910	$2s 2p^4 {}^4P_{3/2} - 2s 2p^3 ({}^3D) 3d {}^4D_{5/2}$	7.1	5.34e+03
Fe XIX	13.0910	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^5P_2$	7.0	5.78e+03
Fe XX	13.0910	$2s^2 2p^3 {}^4S_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4F_{3/2}$	7.1	1.88e+04
Fe XIX	13.0910	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3p {}^5P_3$	7.0	5.17e+03
Fe XVIII *	13.0934	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^1D) 4p {}^2D_{3/2}$	6.9	5.55e+03
Fe XVIII *	13.0943	$2s 2p^6 {}^2S_{1/2} - 2p^6 3p {}^2P_{3/2}$	6.9	2.22e+03
Fe XXI *	13.0990	$2s 2p^3 {}^3P_2 - 2s 2p^2 3s {}^3P_1$	7.1	1.28e+03
Fe XXI	13.1000	$2s 2p^3 {}^3P_2 - 2s 2p^2 3d {}^3P_2$	7.1	2.42e+04
Fe XIX *	13.1011	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s 2p^4 3p {}^5D_2$	7.0	3.05e+03
Fe XXI *	13.1080	$2s 2p^3 {}^5S_2 - 2s 2p^2 3s {}^5P_1$	7.1	1.65e+04
Fe XXI *	13.1120	$2s^2 2p^2 {}^3P_1 - 2s^2 2p 3s {}^3P_0$	7.1	1.66e+04
Fe XX *	13.1147	$2s^2 2p^3 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4D_{3/2}$	7.1	1.79e+04
Ca XVIII	13.1179	$1s^2 2p {}^2P_{1/2} - 1s^2 5d {}^2D_{3/2}$	7.1	1.32e+03
Cr XXI	13.1230	$2s^2 {}^1S_0 - 2s 3p {}^3P_1$	7.1	3.29e+03
Fe XX	13.1234	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 3d {}^4P_{3/2}$	7.1	1.67e+04
Fe XX *	13.1286	$2s 2p^4 {}^4P_{1/2} - 2s 2p^3 ({}^3D) 3d {}^4D_{3/2}$	7.1	1.34e+03
Ni XX	13.1350	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s {}^4P_{1/2}$	7.1	4.88e+03
Fe XX	13.1405	$2s^2 2p^3 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^2F_{5/2}$	7.1	5.74e+04
Cr XXII	13.1426	$1s^2 2p {}^2P_{1/2} - 1s^2 3d {}^2D_{3/2}$	7.2	4.73e+03
Fe XX	13.1427	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 3d {}^4P_{5/2}$	7.1	5.37e+04
Fe XX *	13.1459	$2s 2p^4 {}^2D_{5/2} - 2s 2p^3 ({}^3P) 3d {}^2F_{7/2}$	7.1	5.70e+03
Fe XXII	13.1481	$1s^2 2s 2p^2 {}^2S_{1/2} - 1s^2 2s 2p ({}^3P) 3s {}^2P_{1/2}$	7.1	4.42e+03
Fe XX *	13.1565	$2s^2 2p^3 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 3d {}^2D_{3/2}$	7.1	7.68e+03
Fe XX *	13.1588	$2s^2 2p^3 {}^2P_{1/2} - 2s 2p^3 ({}^5S) 3p {}^6P_{3/2}$	7.1	4.07e+03
Fe XVII	13.1594	$2s^2 2p^6 {}^1S_0 - 2s 2p^6 3d {}^1D_2$	6.9	1.46e+04
Ni XX	13.1610	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3s {}^2D_{3/2}$	7.1	6.55e+03
Fe XX *	13.1634	$2s^2 2p^3 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4D_{1/2}$	7.1	1.71e+03
Fe XXII *	13.1689	$1s^2 2s 2p^2 {}^2D_{3/2} - 1s^2 2s^2 3p {}^2P_{3/2}$	7.1	2.10e+03
Fe XX *	13.1690	$2s 2p^4 {}^4P_{3/2} - 2s 2p^3 ({}^3D) 3d {}^4F_{5/2}$	7.1	3.39e+03
Fe XIX *	13.1770	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3P_2$	7.0	1.44e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXI *	13.1770	$2s^2 2p^2 \ ^1D_2 - 2s^2 2p 3s \ ^1P_1$	7.1	8.43e+03
Fe XXI	13.1790	$2s^2 2p^2 \ ^3P_1 - 2s^2 2p 3s \ ^3P_1$	7.1	1.85e+04
Fe XX *	13.1798	$2s 2p^4 \ ^2S_{1/2} - 2s 2p^3 \ (^3S) 3d \ ^2D_{3/2}$	7.1	3.62e+03
Ni XIX	13.1800	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3p \ ^1D_2$	7.0	2.29e+03
Fe XX *	13.1835	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^3D) 3d \ ^4F_{3/2}$	7.1	2.21e+03
Fe XX	13.1877	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4D_{5/2}$	7.1	6.95e+03
Fe XX	13.2033	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^2P_{3/2}$	7.1	6.78e+03
Fe XX	13.2056	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 3d \ ^2F_{5/2}$	7.1	1.06e+04
Fe XXII *	13.2103	$1s^2 2s 2p^2 \ ^2D_{5/2} - 1s^2 2s^2 3p \ ^2P_{3/2}$	7.1	3.32e+04
Fe XX *	13.2118	$2s 2p^4 \ ^2S_{1/2} - 2s 2p^3 \ (^3S) 3d \ ^4D_{1/2}$	7.1	3.41e+03
Fe XX *	13.2218	$2s 2p^4 \ ^4P_{1/2} - 2s 2p^3 \ (^3D) 3d \ ^4F_{3/2}$	7.1	1.54e+03
Fe XXI *	13.2230	$2s^2 2p^2 \ ^1D_2 - 2s^2 2p 3s \ ^3P_2$	7.1	1.53e+03
Fe XX	13.2240	$2s 2p^4 \ ^2S_{1/2} - 2s 2p^3 \ (^3S) 3d \ ^4D_{3/2}$	7.1	2.99e+03
Fe XXII *	13.2310	$1s^2 2s 2p^2 \ ^2D_{3/2} - 1s^2 2s^2 3p \ ^2P_{1/2}$	7.1	8.80e+04
Fe XX	13.2533	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4D_{5/2}$	7.1	1.43e+03
Fe XX	13.2540	$2s^2 2p^3 \ ^2P_{1/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4P_{1/2}$	7.1	1.78e+04
Fe XIX	13.2540	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_3$	7.0	2.25e+04
Fe XXI	13.2550	$2s^2 2p^2 \ ^3P_2 - 2s^2 2p 3s \ ^3P_1$	7.1	5.70e+04
Ni XX	13.2560	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3s \ ^2P_{3/2}$	7.1	2.11e+04
Fe XX	13.2670	$2s^2 2p^3 \ ^2P_{1/2} - 2s^2 2p^2 \ (^3P) 3d \ ^2P_{1/2}$	7.1	2.58e+04
Fe XX	13.2670	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4F_{7/2}$	7.1	2.48e+04
Fe XIX *	13.2677	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3D_2$	7.0	4.17e+03
Fe XX *	13.2684	$2s 2p^4 \ ^2P_{3/2} - 2s 2p^3 \ (^3S) 3d \ ^2D_{3/2}$	7.1	1.27e+03
Fe XX	13.2690	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 3d \ ^2P_{3/2}$	7.1	9.52e+03
Fe XX *	13.2756	$2s 2p^4 \ ^4P_{5/2} - 2s 2p^3 \ (^3S) 3s \ ^4S_{3/2}$	7.1	9.39e+03
Fe XX *	13.2781	$2s 2p^4 \ ^2S_{1/2} - 2s 2p^3 \ (^3P) 3d \ ^2P_{3/2}$	7.1	2.95e+03
Ni XX	13.2816	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3s \ ^2P_{1/2}$	7.1	2.65e+03
Cr XXII	13.2866	$1s^2 2p \ ^2P_{3/2} - 1s^2 3d \ ^2D_{5/2}$	7.2	8.36e+03
Fe XVIII *	13.2875	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3p \ ^4P_{3/2}$	6.9	3.85e+03
Mn XXII *	13.2880	$2s 2p \ ^1P_1 - 2s 3s \ ^1S_0$	7.1	3.58e+03
Fe XX	13.2924	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4F_{5/2}$	7.1	1.89e+04
Ni XX	13.3090	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3s \ ^4P_{5/2}$	7.1	2.92e+04
Fe XIX	13.3110	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3D_3$	7.0	6.69e+03
Fe XIX *	13.3172	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3d \ ^3P_0$	7.0	2.31e+03
Fe XVIII	13.3189	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3p \ ^4P_{5/2}$	6.9	2.63e+04
Fe XVIII	13.3189	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3p \ ^2P_{1/2}$	6.9	1.29e+04
Fe XX *	13.3200	$2s 2p^4 \ ^2D_{5/2} - 2s 2p^3 \ (^3D) 3d \ ^2F_{5/2}$	7.1	1.21e+03
Fe XX	13.3267	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4D_{7/2}$	7.1	1.02e+04
Fe XXI *	13.3280	$2s 2p^3 \ ^3D_3 - 2s 2p^2 3s \ ^3P_2$	7.1	1.29e+03
Fe XX *	13.3290	$2s^2 2p^3 \ ^2P_{1/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4D_{3/2}$	7.1	2.54e+03
Fe XIX *	13.3314	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_2$	7.0	2.58e+03
Fe XX	13.3329	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4F_{3/2}$	7.1	1.75e+04
Fe XX *	13.3347	$2s 2p^4 \ ^2S_{1/2} - 2s 2p^3 \ (^3P) 3d \ ^2P_{1/2}$	7.1	1.41e+03
Fe XIX	13.3362	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s 2p^4 3s \ ^3P_2$	7.0	1.89e+03
Fe XIX *	13.3425	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^1D_2$	7.0	1.29e+03
Fe XIX *	13.3472	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3d \ ^3D_1$	7.0	3.91e+03
Fe XXI *	13.3530	$2s 2p^3 \ ^3S_1 - 2s 2p^2 3s \ ^3P_0$	7.1	3.07e+04
Fe XVIII *	13.3531	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3p \ ^4D_{1/2}$	6.9	2.72e+03
Fe XVIII	13.3551	$2s^2 2p^5 \ ^2P_{3/2} - 2s 2p^5 \ (^3P) 3p \ ^2P_{3/2}$	6.9	2.10e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XX	13.3590	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 3d {}^4F_{5/2}$	7.1	3.60e+03
Ni XX	13.3610	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 3s {}^2P_{3/2}$	7.1	9.32e+03
Fe XX	13.3656	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4P_{1/2}$	7.1	2.19e+03
Fe XIX *	13.3665	$1s^2 2s 2p^5 {}^3P_0 - 1s^2 2s 2p^4 3d {}^3P_1$	7.0	1.37e+03
Fe XXI	13.3690	$2s 2p^3 {}^3S_1 - 2s 2p^2 3d {}^3P_2$	7.1	7.97e+03
Fe XXI *	13.3700	$2s 2p^3 {}^3D_2 - 2s 2p^2 3s {}^3P_1$	7.1	1.78e+03
Fe XXII *	13.3720	$1s^2 2s 2p^2 {}^2P_{1/2} - 1s^2 2s^2 3p {}^2P_{3/2}$	7.1	4.87e+03
Fe XVIII	13.3740	$2s^2 2p^5 {}^2P_{1/2} - 2s 2p^5 ({}^3P) 3p {}^2S_{1/2}$	6.9	3.42e+03
Fe XX	13.3789	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^2P_{1/2}$	7.1	6.93e+03
Fe XX *	13.3793	$2s^2 2p^3 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 3d {}^4D_{1/2}$	7.1	3.63e+03
Fe XIX *	13.3796	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3D_2$	7.0	6.10e+03
Mn XX *	13.3800	$2s^2 2p^2 {}^3P_0 - 2s^2 2p 3d {}^3D_1$	7.1	8.22e+03
Fe XX	13.3822	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^5S) 3d {}^4D_{3/2}$	7.1	2.92e+03
Fe XX	13.3936	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^5S) 3d {}^4D_{5/2}$	7.1	2.44e+04
Fe XX *	13.3953	$2s 2p^4 {}^4P_{3/2} - 2s 2p^3 ({}^3S) 3s {}^4S_{3/2}$	7.1	1.42e+04
Fe XVIII	13.3969	$2s^2 2p^5 {}^2P_{3/2} - 2s 2p^5 ({}^3P) 3p {}^2D_{5/2}$	6.9	3.56e+04
Fe XXI *	13.3970	$2s 2p^3 {}^1P_1 - 2s 2p^2 3s {}^1S_0$	7.1	2.35e+03
Fe XXI *	13.3980	$2s^2 2p^2 {}^1S_0 - 2s^2 2p 3s {}^1P_1$	7.1	2.88e+03
Fe XX *	13.4001	$2s 2p^4 {}^2D_{3/2} - 2s 2p^3 ({}^3D) 3d {}^2D_{5/2}$	7.1	3.07e+03
Fe XIX *	13.4014	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3s {}^5P_2$	7.0	1.51e+04
Fe XX	13.4050	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^5S) 3d {}^4D_{7/2}$	7.1	8.36e+04
Fe XX	13.4054	$2s^2 2p^3 {}^4S_{3/2} - 2s^2 2p^2 ({}^3P) 3p {}^4D_{5/2}$	7.1	1.97e+03
Fe XIX *	13.4064	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^1D_2$	7.0	5.17e+03
Ni XIX	13.4080	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3p {}^3P_2$	7.0	1.75e+03
Fe XXI *	13.4120	$2s 2p^3 {}^5S_2 - 2s^2 2p 3p {}^1P_1$	7.1	2.28e+03
Fe XIX *	13.4155	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s^2 2p^3 3d {}^3D_1$	7.0	8.28e+03
Fe XX	13.4188	$2s^2 2p^3 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 3d {}^2P_{3/2}$	7.1	6.59e+03
Fe XIX	13.4215	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3D_3$	7.0	7.69e+03
Fe XIX *	13.4239	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s^2 2p^3 3d {}^3P_2$	7.0	7.53e+03
Fe XVIII	13.4241	$2s^2 2p^5 {}^2P_{3/2} - 2s 2p^5 ({}^3P) 3p {}^4D_{3/2}$	6.9	2.17e+04
Fe XIX	13.4297	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 3d {}^1F_3$	7.0	5.54e+04
Cr XXII	13.4316	$1s^2 2p {}^2P_{1/2} - 1s^2 3s {}^2S_{1/2}$	7.2	2.06e+03
Fe XX *	13.4349	$2s 2p^4 {}^4P_{1/2} - 2s 2p^3 ({}^3S) 3s {}^4S_{3/2}$	7.1	1.02e+04
Fe XXI *	13.4370	$2p^4 {}^3P_2 - 2p^3 3s {}^3S_1$	7.1	1.36e+03
Fe XX *	13.4458	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^4D_{3/2}$	7.1	1.23e+03
Ne IX	13.4473	$1s^2 {}^1S_0 - 1s 2p {}^1P_1$	6.8	1.38e+05
Fe XIX *	13.4520	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 3d {}^1D_2$	7.0	1.71e+04
Fe XIX	13.4557	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 3d {}^3S_1$	7.0	1.33e+05
Fe XIX	13.4620	$1s^2 2s^2 2p^4 {}^3P_0 - 1s^2 2s^2 2p^3 3d {}^1P_1$	7.0	6.73e+04
Fe XVIII	13.4640	$2s^2 2p^5 {}^2P_{3/2} - 2s 2p^5 ({}^3P) 3p {}^4D_{5/2}$	6.9	1.92e+04
Fe XIX *	13.4647	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3D_2$	7.0	1.35e+03
Fe XX	13.4674	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 3d {}^2F_{5/2}$	7.1	2.18e+03
Fe XIX	13.4714	$1s^2 2s^2 2p^4 {}^3P_0 - 1s^2 2s 2p^4 3s {}^3P_2$	7.0	1.43e+05
Fe XVIII *	13.4752	$2s^2 2p^5 {}^2P_{1/2} - 2s 2p^5 ({}^3P) 3p {}^4P_{3/2}$	6.9	5.81e+03
Fe XXI	13.4820	$2s^2 2p^2 {}^1D_2 - 2s^2 2p 3s {}^3P_1$	7.1	3.98e+03
Ni XX	13.4830	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 3s {}^4P_{3/2}$	7.1	4.35e+03
Mn XX *	13.4850	$2s^2 2p^2 {}^3P_1 - 2s^2 2p 3d {}^3D_1$	7.1	1.49e+03
Fe XX *	13.4851	$2s 2p^4 {}^4P_{3/2} - 2s 2p^3 ({}^5S) 3d {}^4D_{1/2}$	7.1	3.46e+03
Fe XIX *	13.4886	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s 2p^4 3s {}^5P_3$	7.0	1.33e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX *	13.4923	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3D_2$	7.0	1.62e+04
Fe XIX *	13.4935	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^1F_3$	7.0	6.18e+03
Fe XIX *	13.4943	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^1D_2$	7.0	3.15e+03
Ni XIX	13.4954	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3p \ ^3D_2$	7.0	2.90e+03
Fe XIX *	13.4965	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^1F_3$	7.0	7.85e+03
Fe XX *	13.4970	$2s^2 2p^3 \ ^2P_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^4D_{1/2}$	7.1	1.46e+03
Fe XX	13.5050	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^5S) 3d \ ^4D_{3/2}$	7.1	2.14e+04
Fe XIX	13.5064	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_2$	7.0	2.39e+05
Fe XIX	13.5068	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	3.39e+03
Fe XXI	13.5070	$2s 2p^3 \ ^3D_1 - 2s 2p^2 3s \ ^3P_0$	7.1	2.08e+05
Fe XX	13.5166	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^5S) 3d \ ^4D_{5/2}$	7.1	3.70e+04
Fe XIX	13.5249	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_3$	7.0	3.76e+05
Fe XX *	13.5252	$2s 2p^4 \ ^4P_{1/2} - 2s 2p^3 \ (^5S) 3d \ ^4D_{1/2}$	7.1	1.71e+04
Fe XX	13.5265	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4D_{3/2}$	7.1	1.45e+03
Fe XX	13.5333	$2s^2 2p^3 \ ^2P_{3/2} - 2s^2 2p^2 \ (^3P) 3d \ ^2P_{3/2}$	7.1	6.79e+03
Fe XIX *	13.5354	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3F_2$	7.0	1.70e+03
Fe XVIII	13.5406	$2s^2 2p^5 \ ^2P_{1/2} - 2s 2p^5 \ (^3P) 3p \ ^2P_{3/2}$	6.9	2.37e+03
Fe XVIII *	13.5426	$2s^2 2p^5 \ ^2P_{1/2} - 2s 2p^5 \ (^3P) 3p \ ^4D_{1/2}$	6.9	1.80e+03
Fe XX	13.5450	$2s 2p^4 \ ^4P_{1/2} - 2s 2p^3 \ (^5S) 3d \ ^4D_{3/2}$	7.1	1.63e+04
Fe XIX *	13.5509	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3P_2$	7.0	1.52e+03
Fe XIX *	13.5511	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3D_3$	7.0	2.38e+03
Ne IX	13.5531	$1s^2 \ ^1S_0 - 1s 2p \ ^3P_1$	6.8	1.80e+04
Fe XIX	13.5540	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	1.76e+04
Fe XIX	13.5548	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3P_2$	7.0	2.76e+04
Fe XIX	13.5574	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3D_3$	7.0	1.45e+03
Fe XXI	13.5740	$2s 2p^3 \ ^3D_1 - 2s^2 2p 3p \ ^1S_0$	7.1	2.95e+04
Fe XX *	13.5778	$2s 2p^4 \ ^4P_{5/2} - 2s 2p^3 \ (^5S) 3d \ ^6D_{7/2}$	7.1	9.31e+03
Fe XX *	13.5813	$2s 2p^4 \ ^4P_{5/2} - 2s 2p^3 \ (^5S) 3d \ ^6D_{5/2}$	7.1	7.52e+03
Fe XX *	13.5837	$2s 2p^4 \ ^4P_{5/2} - 2s 2p^3 \ (^5S) 3d \ ^6D_{3/2}$	7.1	3.49e+03
Fe XIX *	13.5838	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3F_4$	7.0	3.59e+03
Fe XIX *	13.5861	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3D_1$	7.0	2.04e+03
Cr XXII	13.5977	$1s^2 2p \ ^2P_{3/2} - 1s^2 3s \ ^2S_{1/2}$	7.2	3.90e+03
Fe XIX *	13.5981	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3S_1$	7.0	1.16e+03
Fe XIX *	13.6158	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^1D_2$	7.0	4.13e+03
Fe XIX	13.6196	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3S_1$	7.0	3.06e+03
Fe XIX	13.6209	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_1$	7.0	7.72e+03
Fe XXII *	13.6301	$1s^2 2s 2p^2 \ ^2P_{3/2} - 1s^2 2s^2 3p \ ^2P_{3/2}$	7.1	5.69e+03
Fe XIX	13.6338	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^1P_1$	7.0	3.34e+03
Co XVIII	13.6340	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3d \ ^1P_1$	6.9	5.11e+03
Fe XIX	13.6357	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3G_3$	7.0	2.46e+04
Fe XIX *	13.6405	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3P_0$	7.0	7.09e+03
Fe XIX	13.6434	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s 2p^4 3s \ ^3P_2$	7.0	7.03e+03
Fe XIX	13.6455	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	2.82e+03
Fe XX	13.6470	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4D_{7/2}$	7.1	1.57e+03
Fe XIX *	13.6476	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3D_2$	7.0	1.04e+04
Fe XIX	13.6480	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3F_3$	7.0	7.47e+04
Fe XIX *	13.6704	$1s^2 2s^2 2p^4 \ ^1S_0 - 1s^2 2s^2 2p^3 3d \ ^1P_1$	7.0	1.82e+03
Fe XIX	13.6716	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3D_2$	7.0	2.80e+04
Fe XIX	13.6720	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	1.99e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX	13.6733	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3F_2$	7.0	2.65e+04
Fe XXII *	13.6757	$1s^2 2s 2p^2 \ ^2S_{1/2} - 1s^2 2s^2 3p \ ^2P_{1/2}$	7.1	1.46e+04
Fe XIX *	13.6833	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3d \ ^3D_2$	7.0	5.77e+03
Fe XIX	13.6905	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3D_3$	7.0	1.28e+05
Fe XIX *	13.6916	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3F_2$	7.0	3.13e+03
Fe XIX	13.6937	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	1.04e+04
Fe XIX *	13.6951	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3d \ ^3P_0$	7.0	2.51e+03
Ne IX	13.6990	$1s^2 \ ^1S_0 - 1s 2s \ ^3S_1$	6.8	6.37e+04
Fe XXI *	13.7020	$2s 2p^3 \ ^3D_3 - 2s^2 2p 3p \ ^1D_2$	7.1	2.27e+03
Fe XX *	13.7107	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^5S) 3d \ ^6D_{1/2}$	7.1	2.31e+03
Fe XIX *	13.7157	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3d \ ^3S_1$	7.0	1.79e+03
Fe XXI	13.7170	$2s^2 2p^2 \ ^1S_0 - 2s^2 2p 3s \ ^3P_1$	7.1	1.22e+03
Fe XIX	13.7203	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	3.48e+03
Fe XIX *	13.7209	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s 2p^4 3s \ ^5P_2$	7.0	1.93e+04
Fe XIX	13.7210	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3F_3$	7.0	1.08e+04
Fe XIX	13.7212	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3P_2$	7.0	6.25e+04
Fe XX *	13.7373	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^1D) 3s \ ^2D_{5/2}$	7.1	1.99e+03
Fe XIX	13.7413	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^1F_3$	7.0	7.68e+04
Fe XIX	13.7536	$1s^2 2p^6 \ ^1S_0 - 1s^2 2s^2 2p^3 4d \ ^3P_2$	7.0	6.83e+03
Fe XIX	13.7620	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3d \ ^3D_1$	7.0	2.01e+04
Fe XX *	13.7634	$2s 2p^4 \ ^4P_{1/2} - 2s 2p^3 \ (^3P) 3s \ ^4P_{3/2}$	7.1	2.27e+03
Fe XIX	13.7686	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3S_1$	7.0	4.07e+04
Fe XIX *	13.7740	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^1D_2$	7.0	3.21e+04
Ni XIX	13.7777	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3s \ ^3P_1$	7.0	6.81e+04
Fe XIX *	13.7797	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^1S_0$	7.0	1.89e+03
Fe XX	13.7806	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3s \ ^4P_{5/2}$	7.1	5.49e+04
Fe XXI	13.7830	$2s 2p^3 \ ^3P_1 - 2s 2p^2 3s \ ^3P_0$	7.1	2.62e+04
Fe XIX *	13.7871	$1s^2 2s 2p^5 \ ^3P_0 - 1s^2 2s 2p^4 3d \ ^3F_4$	7.0	1.51e+03
Fe XIX	13.7916	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_1$	7.0	1.55e+03
Fe XIX	13.7990	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_3$	7.0	1.91e+05
Fe XIX *	13.8118	$1s^2 2s 2p^5 \ ^1P_1 - 1s^2 2s 2p^4 3d \ ^3F_2$	7.0	2.63e+03
Fe XX *	13.8166	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^1D) 3s \ ^2D_{5/2}$	7.1	4.96e+03
Fe XXI *	13.8170	$2s 2p^3 \ ^3D_1 - 2s^2 2p 3p \ ^3P_1$	7.1	1.78e+03
Fe XXI *	13.8190	$2s 2p^3 \ ^3D_2 - 2s^2 2p 3p \ ^3P_1$	7.1	3.91e+03
Fe XIX	13.8221	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	2.24e+03
Fe XXI *	13.8230	$2s 2p^3 \ ^3D_3 - 2s^2 2p 3p \ ^3P_2$	7.1	4.78e+03
Fe XVII	13.8250	$2s^2 2p^6 \ ^1S_0 - 2s 2p^6 3p \ ^1P_1$	6.9	1.11e+05
Fe XX *	13.8254	$2s 2p^4 \ ^4P_{5/2} - 2s 2p^3 \ (^3D) 3s \ ^4D_{7/2}$	7.1	1.77e+03
Fe XIX	13.8410	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3D_3$	7.0	7.17e+03
Fe XIX	13.8426	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3F_2$	7.0	9.21e+03
Fe XIX	13.8437	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^3D_2$	7.0	3.70e+04
Fe XX	13.8440	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3s \ ^4P_{3/2}$	7.1	3.34e+04
Fe XXI	13.8530	$2s 2p^3 \ ^3P_1 - 2s^2 2p 3p \ ^1S_0$	7.1	3.89e+03
Fe XX *	13.8557	$2s 2p^4 \ ^2D_{5/2} - 2s 2p^3 \ (^3S) 3s \ ^4S_{3/2}$	7.1	3.04e+03
Fe XXI *	13.8570	$2s 2p^3 \ ^3D_3 - 2s^2 2p 3p \ ^3D_3$	7.1	2.83e+03
Co XVIII	13.8681	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3d \ ^3D_1$	6.9	1.67e+03
Fe XIX	13.8715	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3P_1$	7.0	1.21e+04
Fe XIX	13.8723	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3P_2$	7.0	2.11e+03
Fe XVII	13.8900	$2s^2 2p^6 \ ^1S_0 - 2s 2p^6 3p \ ^3P_1$	6.9	1.98e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX *	13.9099	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^5D_0$	7.0	2.54e+03
Fe XX *	13.9316	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 3s \ ^2P_{3/2}$	7.1	2.07e+03
Fe XIX	13.9362	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3d \ ^3D_1$	7.0	2.18e+04
Fe XIX	13.9380	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^5D_2$	7.0	2.56e+04
Fe XIX	13.9380	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^5D_3$	7.0	9.71e+03
Fe XIX	13.9380	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3d \ ^5D_1$	7.0	1.14e+04
Fe XIX	13.9380	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3D_3$	7.0	1.13e+04
Fe XIX	13.9416	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3D_1$	7.0	7.89e+03
Fe XIX	13.9571	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3G_3$	7.0	1.07e+04
Fe XIX	13.9620	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3F_2$	7.0	6.74e+03
Fe XVIII	13.9620	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1S) 3d \ ^2D_{5/2}$	6.9	3.75e+04
Fe XIX	13.9638	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3D_1$	7.0	9.85e+03
Fe XXI *	13.9670	$2s 2p^3 \ ^3D_2 - 2s^2 2p 3p \ ^3D_2$	7.1	7.13e+03
Fe XIX	13.9699	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3d \ ^3F_3$	7.0	1.47e+03
Fe XX	13.9723	$2s^2 2p^3 \ ^4S_{3/2} - 2s^2 2p^2 \ (^3P) 3s \ ^4P_{1/2}$	7.1	2.56e+04
Fe XXI *	13.9730	$2s 2p^3 \ ^3D_2 - 2s^2 2p 3p \ ^1P_1$	7.1	2.24e+04
Fe XXI	14.0080	$2s 2p^3 \ ^3D_1 - 2s^2 2p 3p \ ^3P_0$	7.1	1.58e+05
Fe XX *	14.0097	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^3D) 3s \ ^4D_{3/2}$	7.1	2.29e+03
Fe XX *	14.0131	$2s^2 2p^3 \ ^2D_{5/2} - 2s^2 2p^2 \ (^3P) 3s \ ^2P_{3/2}$	7.1	1.06e+04
Fe XIX	14.0170	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3d \ ^3P_2$	7.0	8.33e+03
Fe XIX	14.0173	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^3D_2$	7.0	2.62e+04
Fe XIX *	14.0179	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3D_2$	7.0	2.14e+04
Fe XX *	14.0207	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 3s \ ^2P_{1/2}$	7.1	9.65e+03
Fe XIX *	14.0236	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3P_1$	7.0	8.39e+03
Fe XXI *	14.0240	$2s 2p^3 \ ^3D_3 - 2s^2 2p 3p \ ^3D_2$	7.1	2.03e+04
Cr XXI *	14.0330	$2s 2p \ ^1P_1 - 2s 3d \ ^1D_2$	7.1	9.68e+03
Mn XXI *	14.0350	$2s 2p^2 \ ^2D_{3/2} - 2s 2p 3s \ ^2P_{1/2}$	7.1	1.60e+03
Ni XIX	14.0398	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3s \ ^1P_1$	7.0	9.15e+04
Fe XIX	14.0420	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^3F_3$	7.0	2.70e+04
Ca XVIII	14.0487	$1s^2 2s \ ^2S_{1/2} - 1s^2 4p \ ^2P_{3/2}$	7.1	2.31e+03
Fe XIX *	14.0527	$1s^2 2p^6 \ ^1S_0 - 1s^2 2s^2 2p^3 4p \ ^3P_0$	7.0	1.16e+03
Fe XX *	14.0586	$2s 2p^4 \ ^2D_{5/2} - 2s 2p^3 \ (^3P) 3s \ ^2P_{3/2}$	7.1	2.17e+03
Ca XVIII	14.0594	$1s^2 2s \ ^2S_{1/2} - 1s^2 4p \ ^2P_{1/2}$	7.1	4.50e+03
Fe XIX *	14.0610	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3d \ ^5P_3$	7.0	4.49e+03
Fe XXI *	14.0660	$2s 2p^3 \ ^3P_1 - 2s^2 2p 3p \ ^3S_1$	7.1	1.81e+03
Fe XIX	14.0714	$1s^2 2s^2 2p^4 \ ^1S_0 - 1s^2 2s^2 2p^3 3d \ ^3S_1$	7.0	1.96e+03
Ni XIX	14.0741	$2s^2 2p^6 \ ^1S_0 - 2s^2 2p^5 3s \ ^3P_2$	7.0	6.54e+04
Fe XX *	14.0810	$2s^2 2p^3 \ ^2P_{3/2} - 2s^2 2p^2 \ (^1D) 3s \ ^2D_{3/2}$	7.1	4.83e+03
Fe XXI *	14.0830	$2s 2p^3 \ ^3D_1 - 2s^2 2p 3p \ ^3D_1$	7.1	9.14e+03
Fe XIX *	14.0851	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^5D_0$	7.0	8.85e+03
Fe XIX	14.0857	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3d \ ^5D_3$	7.0	1.17e+04
Fe XIX	14.0857	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3d \ ^5D_1$	7.0	2.21e+03
Fe XIX *	14.0898	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3p \ ^3F_4$	7.0	8.26e+03
Cr XX *	14.0916	$2s^2 2p \ ^2P_{1/2} - 2s^2 3d \ ^2D_{3/2}$	7.1	7.07e+03
Fe XX *	14.1010	$2s^2 2p^3 \ ^2P_{3/2} - 2s^2 2p^2 \ (^1D) 3s \ ^2D_{5/2}$	7.1	1.20e+03
Fe XIX	14.1139	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^5D_3$	7.0	1.15e+04
Fe XIX	14.1139	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^5D_1$	7.0	1.97e+03
Fe XIX	14.1139	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3d \ ^5D_2$	7.0	3.07e+03
Fe XX	14.1148	$2s^2 2p^3 \ ^2D_{3/2} - 2s^2 2p^2 \ (^3P) 3s \ ^4P_{3/2}$	7.1	3.36e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX *	14.1161	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s 2p^4 3d {}^5P_2$	7.0	3.40e+03
Fe XX *	14.1207	$2s 2p^4 {}^2S_{1/2} - 2s 2p^3 ({}^3S) 3s {}^4S_{3/2}$	7.1	4.43e+03
Fe XX	14.1233	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 3s {}^4P_{5/2}$	7.1	1.38e+04
Fe XVIII	14.1241	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1S) 3d {}^2D_{3/2}$	6.9	6.19e+03
Fe XXI *	14.1260	$2s 2p^3 {}^3P_2 - 2s^2 2p 3p {}^3D_3$	7.1	5.48e+03
Fe XIX *	14.1272	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s 2p^4 3d {}^5F_3$	7.0	8.80e+03
Fe XIX	14.1282	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s^2 2p^3 3d {}^3D_3$	7.0	2.38e+03
Fe XVIII *	14.1335	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^1P) 3d {}^2D_{3/2}$	6.9	6.81e+03
Fe XVIII	14.1361	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3d {}^2P_{1/2}$	6.9	8.43e+03
Fe XIX *	14.1429	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3D_2$	7.0	9.70e+03
Fe XVIII	14.1443	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3d {}^2D_{3/2}$	6.9	2.11e+04
Fe XVIII *	14.1476	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^1P) 3d {}^2P_{1/2}$	6.9	2.89e+03
Fe XIX *	14.1487	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3P_1$	7.0	1.01e+04
Fe XIX *	14.1499	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s 2p^4 3d {}^5P_1$	7.0	2.12e+03
Fe XIX *	14.1569	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3P_0$	7.0	5.52e+03
Fe XVIII *	14.1639	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^1P) 3d {}^2P_{3/2}$	6.9	3.54e+03
Fe XIX *	14.1706	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3F_3$	7.0	8.93e+03
Fe XX *	14.1737	$2s^2 2p^3 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 3s {}^2P_{3/2}$	7.1	3.70e+03
Fe XIX	14.1751	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s^2 2p^3 3d {}^3D_2$	7.0	1.75e+03
Fe XX *	14.1860	$2s 2p^4 {}^4P_{5/2} - 2s^2 2p^2 ({}^1S) 3p {}^2P_{3/2}$	7.1	2.49e+03
Fe XXI	14.1880	$2s 2p^3 {}^3S_1 - 2s^2 2p 3p {}^1S_0$	7.1	3.23e+03
Fe XX	14.1899	$2s^2 2p^3 {}^2D_{5/2} - 2s^2 2p^2 ({}^3P) 3s {}^4P_{3/2}$	7.1	2.77e+03
Fe XIX	14.2026	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3d {}^3F_4$	7.0	2.31e+04
Fe XVIII	14.2039	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3d {}^2D_{5/2}$	6.9	6.01e+05
Fe XVIII	14.2088	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3d {}^2P_{3/2}$	6.9	3.39e+05
Fe XIX *	14.2142	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3F_2$	7.0	1.56e+03
Fe XX *	14.2224	$2s 2p^4 {}^2P_{3/2} - 2s 2p^3 ({}^3S) 3s {}^4S_{3/2}$	7.1	3.97e+03
Fe XX	14.2482	$2s^2 2p^3 {}^2D_{3/2} - 2s^2 2p^2 ({}^3P) 3s {}^4P_{1/2}$	7.1	3.77e+03
Fe XIX	14.2521	$1s^2 2s^2 2p^4 {}^1S_0 - 1s^2 2s^2 2p^3 3d {}^3D_1$	7.0	2.20e+03
Fe XVIII	14.2580	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3d {}^2S_{1/2}$	6.9	1.35e+05
Fe XVIII	14.2580	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3d {}^2F_{5/2}$	6.9	4.85e+04
Cr XX *	14.2583	$2s^2 2p {}^2P_{3/2} - 2s^2 3d {}^2D_{3/2}$	7.1	1.36e+03
Fe XXI *	14.2620	$2s 2p^3 {}^3P_1 - 2s^2 2p 3p {}^3D_2$	7.1	1.28e+04
Fe XX	14.2634	$2s 2p^4 {}^4P_{5/2} - 2s 2p^3 ({}^5S) 3s {}^4S_{3/2}$	7.1	9.93e+04
Fe XX *	14.2659	$2s^2 2p^3 {}^2P_{1/2} - 2s^2 2p^2 ({}^3P) 3s {}^2P_{1/2}$	7.1	2.83e+03
Fe XIX *	14.2808	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s 2p^4 3s {}^3P_2$	7.0	1.35e+04
Fe XIX	14.2946	$1s^2 2s 2p^5 {}^3P_0 - 1s^2 2s 2p^4 3d {}^3F_4$	7.0	1.40e+04
Fe XXI *	14.3000	$2s 2p^3 {}^3P_2 - 2s^2 2p 3p {}^3D_2$	7.1	9.23e+03
Fe XIX *	14.3037	$1s^2 2s 2p^5 {}^3P_0 - 1s^2 2s 2p^4 3d {}^5F_2$	7.0	1.22e+03
Fe XX *	14.3058	$2s^2 2p^3 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 3s {}^2P_{3/2}$	7.1	1.65e+03
Fe XXI *	14.3060	$2s 2p^3 {}^3P_2 - 2s^2 2p 3p {}^1P_1$	7.1	2.63e+03
Fe XX	14.3125	$2s 2p^4 {}^4P_{5/2} - 2s^2 2p^2 ({}^1D) 3p {}^2P_{3/2}$	7.1	4.10e+04
Fe XX *	14.3228	$2s 2p^4 {}^4P_{3/2} - 2s^2 2p^2 ({}^1S) 3p {}^2P_{3/2}$	7.1	1.32e+03
Fe XX *	14.3259	$2s 2p^4 {}^2D_{3/2} - 2s 2p^3 ({}^3D) 3s {}^2D_{3/2}$	7.1	9.10e+03
Fe XIX	14.3295	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^1F_3$	7.0	2.32e+03
Fe XVIII	14.3441	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3d {}^2P_{1/2}$	6.9	4.14e+04
Fe XXI *	14.3470	$2s 2p^3 {}^1D_2 - 2s^2 2p 3p {}^1D_2$	7.1	2.19e+03
Fe XVIII	14.3525	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3d {}^2D_{3/2}$	6.9	6.84e+04
Fe XIX *	14.3525	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3F_3$	7.0	1.49e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX *	14.3599	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3p \ ^3P_0$	7.0	3.39e+03
Fe XXI *	14.3640	$2s 2p^3 \ ^3P_0 - 2s^2 2p 3p \ ^3D_1$	7.1	6.22e+03
Fe XVIII	14.3730	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2D_{5/2}$	6.9	2.32e+05
Fe XIX *	14.3775	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3p \ ^3P_2$	7.0	8.25e+03
Fe XXI *	14.3850	$2s 2p^3 \ ^3P_1 - 2s^2 2p 3p \ ^3D_1$	7.1	6.96e+03
Fe XVIII	14.3947	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2P_{3/2}$	6.9	4.33e+03
Fe XIX *	14.3973	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3p \ ^3F_2$	7.0	4.09e+03
Fe XIX *	14.4023	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3d \ ^5D_2$	7.0	1.24e+03
Fe XX	14.4029	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^5S) 3s \ ^4S_{3/2}$	7.1	3.97e+04
Fe XIX *	14.4106	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3s \ ^3P_2$	7.0	1.27e+04
Fe XVIII	14.4189	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2P_{3/2}$	6.9	5.08e+04
Fe XVIII	14.4190	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4P_{5/2}$	6.9	3.90e+04
Fe XIX *	14.4227	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3p \ ^3P_1$	7.0	4.89e+03
Fe XXI *	14.4240	$2s 2p^3 \ ^3P_2 - 2s^2 2p 3p \ ^3D_1$	7.1	2.38e+03
Fe XX	14.4485	$2s 2p^4 \ ^4P_{1/2} - 2s 2p^3 \ (^5S) 3s \ ^4S_{3/2}$	7.1	2.68e+04
Fe XXI	14.4520	$2s 2p^3 \ ^1P_1 - 2s 2p^2 3s \ ^3P_0$	7.1	3.50e+03
Fe XVIII	14.4530	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2D_{3/2}$	6.9	2.04e+04
Fe XX	14.4530	$2s 2p^4 \ ^4P_{3/2} - 2s^2 2p^2 \ (^1D) 3p \ ^2P_{3/2}$	7.1	2.75e+04
Fe XVIII	14.4696	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^1D) 3d \ ^2S_{1/2}$	6.9	2.25e+04
Ni XX	14.4700	$2s 2p^6 \ ^2S_{1/2} - 2s^2 2p^4 \ (^1D) 3p \ ^2P_{3/2}$	7.1	2.29e+04
Fe XVIII *	14.4745	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2P_{1/2}$	6.9	5.43e+03
Fe XVIII	14.4871	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4F_{5/2}$	6.9	1.37e+04
Fe XVIII	14.4871	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4F_{3/2}$	6.9	2.66e+04
Fe XIX *	14.4882	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3p \ ^5P_3$	7.0	1.87e+03
Fe XIX	14.4945	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3p \ ^1F_3$	7.0	6.10e+03
Fe XX	14.4989	$2s 2p^4 \ ^4P_{1/2} - 2s^2 2p^2 \ (^1D) 3p \ ^2P_{3/2}$	7.1	1.16e+04
Fe XX *	14.5207	$2s 2p^4 \ ^4P_{5/2} - 2s 2p^3 \ (^5S) 3s \ ^6S_{5/2}$	7.1	5.40e+03
Fe XIX *	14.5285	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3p \ ^5P_2$	7.0	2.97e+03
Fe XXI	14.5290	$2s 2p^3 \ ^1P_1 - 2s^2 2p 3p \ ^1S_0$	7.1	1.33e+04
Fe XIX *	14.5329	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3p \ ^3P_2$	7.0	4.35e+03
Fe XVIII	14.5370	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2F_{5/2}$	6.9	1.74e+05
Fe XIX	14.5476	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3p \ ^3D_3$	7.0	1.92e+03
Fe XVIII	14.5510	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4P_{3/2}$	6.9	8.41e+04
Fe XIX *	14.5648	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3p \ ^3P_2$	7.0	3.96e+03
Fe XIX	14.5704	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3s \ ^3P_2$	7.0	5.32e+03
Cr XXI *	14.5720	$2s 2p \ ^1P_1 - 2s 3s \ ^1S_0$	7.1	5.37e+03
Fe XVIII	14.5798	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^2P_{3/2}$	6.9	7.42e+03
Fe XVIII	14.5800	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4P_{1/2}$	6.9	3.84e+04
Fe XVIII	14.6104	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2P_{3/2}$	6.9	1.67e+04
Fe XIX	14.6219	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s^2 2p^3 3s \ ^1D_2$	7.0	2.01e+03
Fe XXI *	14.6350	$2s 2p^3 \ ^3S_1 - 2s^2 2p 3p \ ^1P_1$	7.1	1.30e+03
Fe XVIII *	14.6394	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4D_{1/2}$	6.9	1.91e+03
Fe XIX *	14.6528	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s^2 2p^3 3s \ ^3P_0$	7.0	2.77e+03
Ca XVIII	14.6579	$1s^2 2p \ ^2P_{1/2} - 1s^2 4d \ ^2D_{3/2}$	7.1	1.98e+03
Fe XIX *	14.6593	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s^2 2p^3 3s \ ^1P_1$	7.0	3.80e+03
Fe XXI	14.6630	$2s 2p^3 \ ^3S_1 - 2s^2 2p 3p \ ^3P_0$	7.1	4.39e+03
Fe XIX	14.6639	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s^2 2p^3 3s \ ^3P_1$	7.0	6.89e+03
Fe XX *	14.6640	$2s 2p^4 \ ^4P_{3/2} - 2s 2p^3 \ (^5S) 3s \ ^6S_{5/2}$	7.1	1.43e+03
Fe XX *	14.6669	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^2D_{5/2}$	7.1	7.36e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX	14.6690	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s2 2p^3 3s \ ^3D_3$	7.0	1.11e+05
Fe XVIII	14.6705	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2D_{3/2}$	6.9	1.50e+04
Fe XVIII *	14.6710	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4D_{5/2}$	6.9	1.33e+03
Fe XIX *	14.6868	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3s \ ^3D_3$	7.0	1.80e+03
Fe XIX	14.6945	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s2 2p^3 3s \ ^3P_1$	7.0	1.76e+03
Fe XIX *	14.6949	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3p \ ^5D_1$	7.0	2.86e+03
Fe XVIII *	14.6975	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^2P_{1/2}$	6.9	2.82e+03
Fe XVIII	14.7056	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4F_{3/2}$	6.9	2.29e+03
Fe XVIII	14.7058	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^2P_{1/2}$	6.9	2.05e+04
Cr XIX *	14.7080	$2s^2 2p^2 \ ^3P_0 - 2s^2 2p 3d \ ^3D_1$	7.0	1.03e+04
Fe XIX	14.7325	$1s^2 2s 2p^5 \ ^3P_2 - 1s^2 2s 2p^4 3s \ ^3D_2$	7.0	2.52e+03
Mn XX *	14.7380	$2s 2p^3 \ ^3D_1 - 2s 2p^2 3s \ ^3P_0$	7.1	1.70e+03
Ca XVIII	14.7380	$1s^2 2p \ ^2P_{3/2} - 1s^2 4d \ ^2D_{5/2}$	7.1	1.85e+03
Fe XIX	14.7381	$1s^2 2s^2 2p^4 \ ^3P_2 - 1s^2 2s2 2p^3 3s \ ^3D_2$	7.0	5.81e+04
Fe XIX	14.7410	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s2 2p^3 3s \ ^3P_2$	7.0	5.30e+03
Fe XXI *	14.7580	$2s 2p^3 \ ^3S_1 - 2s^2 2p 3p \ ^3D_1$	7.1	2.48e+03
Fe XVIII *	14.7599	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^4D_{3/2}$	6.9	2.31e+03
Fe XX	14.7637	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4S_{3/2}$	7.1	5.59e+04
Fe XVIII	14.7714	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4P_{3/2}$	6.9	1.04e+04
Fe XVIII	14.7718	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^2D_{3/2}$	6.9	2.78e+04
Fe XX *	14.8060	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^2D_{3/2}$	7.1	1.84e+04
Fe XVIII *	14.8068	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^4D_{1/2}$	6.9	2.23e+03
Cr XIX *	14.8100	$2s^2 2p^2 \ ^3P_1 - 2s^2 2p 3d \ ^3D_1$	7.0	1.95e+03
Fe XX	14.8128	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4D_{7/2}$	7.1	1.35e+04
Fe XIX	14.8156	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s2 2p^3 3s \ ^1D_2$	7.0	4.84e+03
O VIII	14.8205	$1s \ ^2S_{1/2} - 5p \ ^2P_{3/2}$	7.1	2.86e+04
O VIII	14.8207	$1s \ ^2S_{1/2} - 5p \ ^2P_{1/2}$	7.1	1.43e+04
Fe XX *	14.8240	$2s 2p^4 \ ^4P_{3/2} - 2s^2 2p^2 \ (^3P) 3p \ ^2P_{3/2}$	7.1	9.62e+03
Fe XX *	14.8304	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4P_{5/2}$	7.1	1.95e+04
Fe XXI *	14.8320	$2s 2p^3 \ ^1D_2 - 2s^2 2p 3p \ ^3D_1$	7.1	3.58e+03
Ca XVII *	14.8320	$2s^2 \ ^1S_0 - 2s 4p \ ^1P_1$	6.9	2.11e+03
Ca XVIII *	14.8406	$1s^2 2p \ ^2P_{3/2} - 1s^2 4s \ ^2S_{1/2}$	7.1	1.73e+03
Fe XX *	14.8504	$2s 2p^4 \ ^2D_{5/2} - 2s^2 2p^2 \ (^1S) 3p \ ^2P_{3/2}$	7.1	3.67e+03
Fe XVIII *	14.8676	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4D_{1/2}$	6.9	7.72e+03
Fe XIX	14.8680	$1s^2 2s^2 2p^4 \ ^1D_2 - 1s^2 2s2 2p^3 3s \ ^3P_1$	7.0	4.98e+03
Fe XIX	14.8680	$1s^2 2s 2p^5 \ ^3P_1 - 1s^2 2s 2p^4 3s \ ^3D_2$	7.0	6.57e+03
Fe XVIII *	14.8718	$2s 2p^6 \ ^2S_{1/2} - 2s 2p^5 \ (^3P) 3d \ ^4F_{3/2}$	6.9	6.65e+03
Fe XX *	14.8725	$2s 2p^4 \ ^4P_{1/2} - 2s^2 2p^2 \ (^3P) 3p \ ^2P_{3/2}$	7.1	4.37e+03
Fe XVIII *	14.8896	$2s^2 2p^5 \ ^2P_{1/2} - 2s^2 2p^4 \ (^3P) 3d \ ^4D_{3/2}$	6.9	2.03e+04
Fe XIX	14.9004	$1s^2 2s^2 2p^4 \ ^3P_0 - 1s^2 2s2 2p^3 3s \ ^3D_1$	7.0	3.54e+03
Fe XVIII *	14.9080	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^4 \ (^1D) 3p \ ^2D_{5/2}$	6.9	2.32e+03
Fe XX	14.9100	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4D_{5/2}$	7.1	4.33e+03
Fe XX	14.9133	$2s 2p^4 \ ^4P_{3/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4S_{3/2}$	7.1	4.41e+04
Fe XX	14.9320	$2s 2p^4 \ ^4P_{5/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4P_{3/2}$	7.1	2.46e+04
Fe XIX	14.9320	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s2 2p^3 3s \ ^3D_1$	7.0	2.20e+04
Fe XVI *	14.9336	$3p \ ^2P_{1/2} - 2p^5 3p 3d \ ^2S_{1/2}$	6.8	1.42e+03
Fe XIX	14.9350	$1s^2 2s^2 2p^4 \ ^3P_1 - 1s^2 2s2 2p^3 3s \ ^3D_2$	7.0	1.54e+04
Fe XX *	14.9550	$2s 2p^4 \ ^4P_{3/2} - 2s^2 2p^2 \ (^3P) 3p \ ^2D_{3/2}$	7.1	1.19e+03
Fe XX	14.9622	$2s 2p^4 \ ^4P_{1/2} - 2s^2 2p^2 \ (^3P) 3p \ ^4S_{3/2}$	7.1	2.95e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XX	14.9670	$2s 2p^4 {}^2D_{5/2} - 2s^2 2p^2 ({}^1D) 3p {}^2P_{3/2}$	7.1	6.04e+03
Fe XVIII *	14.9687	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^1D) 3p {}^2F_{7/2}$	6.9	1.62e+04
Fe XX *	14.9799	$2s 2p^4 {}^4P_{3/2} - 2s^2 2p^2 ({}^3P) 3p {}^4P_{5/2}$	7.1	4.03e+03
Fe XIX	14.9920	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s2 2p^3 3s {}^3S_1$	7.0	7.17e+04
Fe XIX	14.9920	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s2 2p^3 3s {}^1D_2$	7.0	3.54e+04
Fe XIX *	14.9997	$1s^2 2s^2 2p^4 {}^1S_0 - 1s^2 2s2 2p^3 3s {}^1P_1$	7.0	5.26e+03
Fe XVIII *	15.0010	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 3d {}^4P_{3/2}$	6.9	1.26e+03
Fe XX *	15.0011	$2s 2p^4 {}^4P_{3/2} - 2s^2 2p^2 ({}^3P) 3p {}^4P_{1/2}$	7.1	3.25e+03
Fe XVII	15.0130	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3d {}^1P_1$	6.9	1.16e+06
Fe XVI *	15.0189	$3p {}^2P_{3/2} - 2p^5 3p 3d {}^2P_{3/2}$	6.8	2.54e+03
Fe XVI *	15.0233	$3p {}^2P_{3/2} - 2p^5 3p 3d {}^2D_{5/2}$	6.8	1.36e+03
Fe XIX	15.0416	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s2 2p^3 3s {}^3D_3$	7.0	1.13e+04
Fe XVI *	15.0480	$3p {}^2P_{3/2} - 2p^5 3p 3d {}^2P_{1/2}$	6.8	3.11e+03
Fe XX	15.0600	$2s 2p^4 {}^4P_{5/2} - 2s^2 2p^2 ({}^3P) 3p {}^4D_{3/2}$	7.1	2.21e+04
Fe XX	15.0626	$2s 2p^4 {}^4P_{3/2} - 2s^2 2p^2 ({}^3P) 3p {}^4D_{5/2}$	7.1	1.27e+04
Fe XVIII	15.0675	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3p {}^2P_{3/2}$	6.9	2.08e+03
Fe XIX	15.0810	$1s^2 2s^2 2p^4 {}^3P_2 - 1s^2 2s2 2p^3 3s {}^5S_2$	7.0	1.35e+05
Fe XIX *	15.0912	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s 2p^4 3s {}^1S_0$	7.0	1.96e+03
Fe XVIII *	15.0982	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p {}^2D_{3/2}$	6.9	1.61e+03
Fe XVI *	15.1025	$3p {}^2P_{1/2} - 2p^5 3p 3d {}^2P_{1/2}$	6.8	1.71e+03
Fe XVI *	15.1092	$3p {}^2P_{1/2} - 2p^5 3p 3d {}^2D_{3/2}$	6.8	8.06e+03
Fe XX *	15.1106	$2s 2p^4 {}^2D_{5/2} - 2s^2 2p^2 ({}^1D) 3p {}^2D_{5/2}$	7.1	2.97e+03
Fe XIX	15.1112	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s2 2p^3 3s {}^3D_1$	7.0	2.52e+03
Fe XX *	15.1136	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^1D) 3p {}^2D_{3/2}$	7.1	2.48e+03
Fe XIX	15.1142	$1s^2 2s^2 2p^4 {}^1D_2 - 1s^2 2s2 2p^3 3s {}^3D_2$	7.0	6.37e+03
Fe XX *	15.1176	$2s 2p^4 {}^4P_{3/2} - 2s^2 2p^2 ({}^3P) 3p {}^2S_{1/2}$	7.1	7.03e+03
Fe XXI *	15.1310	$2s 2p^3 {}^1P_1 - 2s^2 2p 3p {}^3D_1$	7.1	2.68e+03
Fe XVIII *	15.1447	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3p {}^2D_{5/2}$	6.9	2.52e+03
Fe XVIII *	15.1566	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p {}^4D_{5/2}$	6.9	6.35e+03
Fe XVI *	15.1585	$3p {}^2P_{3/2} - 2p^5 3p 3d {}^2F_{5/2}$	6.8	4.82e+03
Fe XVI	15.1630	$3s {}^2S_{1/2} - 2p^5 3s 3d {}^2P_{3/2}$	6.8	9.39e+03
Fe XIX	15.1631	$1s^2 2s^2 2p^4 {}^3P_0 - 1s^2 2s2 2p^3 3s {}^3S_1$	7.0	1.53e+04
Fe XX *	15.1638	$2s 2p^4 {}^2D_{3/2} - 2s^2 2p^2 ({}^1D) 3p {}^2F_{5/2}$	7.1	1.37e+03
Co XVIII	15.1690	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^3P_1$	6.9	2.56e+03
Fe XIX *	15.1703	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3d {}^3F_4$	7.0	5.40e+03
Fe XX *	15.1743	$2s 2p^4 {}^2D_{5/2} - 2s^2 2p^2 ({}^1D) 3p {}^2F_{7/2}$	7.1	2.93e+03
Ni XX *	15.1756	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^3P) 3p {}^4P_{3/2}$	7.1	1.67e+03
O VIII	15.1760	$1s {}^2S_{1/2} - 4p {}^2P_{3/2}$	7.1	6.22e+04
O VIII	15.1765	$1s {}^2S_{1/2} - 4p {}^2P_{1/2}$	7.1	3.11e+04
Fe XIX	15.1800	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s 2p^4 3s {}^3P_0$	7.0	1.19e+04
Fe XVIII *	15.1928	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p {}^2P_{3/2}$	6.9	9.62e+03
Fe XIX	15.1958	$1s^2 2s^2 2p^4 {}^3P_1 - 1s^2 2s2 2p^3 3s {}^3S_1$	7.0	1.80e+04
Fe XIX	15.2080	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s 2p^4 3s {}^3P_2$	7.0	1.03e+04
Fe XVI	15.2114	$3s {}^2S_{1/2} - 2p^5 3s 3d {}^2P_{1/2}$	6.8	3.05e+04
Fe XX	15.2157	$2s 2p^4 {}^4P_{3/2} - 2s^2 2p^2 ({}^3P) 3p {}^4D_{3/2}$	7.1	2.54e+03
Fe XX	15.2241	$2s 2p^4 {}^2S_{1/2} - 2s 2p^3 ({}^5S) 3s {}^4S_{3/2}$	7.1	1.48e+03
Fe XVIII *	15.2285	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p {}^4D_{3/2}$	6.9	5.01e+03
Fe XVIII *	15.2361	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p {}^4D_{1/2}$	6.9	1.45e+03
Fe XVIII *	15.2545	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^1D) 3p {}^2F_{5/2}$	6.9	1.03e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XX *	15.2599	$2s 2p^4 4P_{3/2} - 2s^2 2p^2 ({}^3P) 3p 4D_{1/2}$	7.1	2.67e+03
Fe XVII	15.2620	$2s^2 2p^6 1S_0 - 2s^2 2p^5 3d 3D_1$	6.9	3.30e+05
Fe XVIII	15.2651	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 (1S) 3s 2S_{1/2}$	6.9	2.80e+03
Fe XX	15.2665	$2s 2p^4 4P_{1/2} - 2s^2 2p^2 ({}^3P) 3p 4D_{3/2}$	7.1	4.81e+03
Fe XIX	15.2872	$1s^2 2s^2 2p^4 3P_1 - 1s^2 2s2 2p^3 3s 5S_2$	7.0	4.97e+03
Mn XX *	15.2980	$2s 2p^3 3D_1 - 2s^2 2p 3p 3P_0$	7.1	1.18e+03
Fe XX *	15.3112	$2s 2p^4 4P_{1/2} - 2s^2 2p^2 ({}^3P) 3p 4D_{1/2}$	7.1	4.46e+03
Cr XX *	15.3136	$2s 2p^2 2D_{3/2} - 2s 2p 3s 2P_{1/2}$	7.1	2.22e+03
Fe XVI	15.3139	$3s 2S_{1/2} - 2p^5 3s 3d 2D_{3/2}$	6.8	3.40e+04
Fe XIX *	15.3168	$1s^2 2s 2p^5 3P_1 - 1s^2 2s^2 2p^3 3d 3F_4$	7.0	1.48e+03
Fe XIX	15.3297	$1s^2 2s 2p^5 3P_2 - 1s^2 2s^2 2p^3 3d 1F_3$	7.0	3.87e+03
Fe XVIII *	15.3410	$2s^2 2p^5 2P_{1/2} - 2s^2 2p^4 ({}^3P) 3p 2D_{3/2}$	6.9	3.27e+03
Fe XX *	15.3472	$2s 2p^4 2D_{3/2} - 2s^2 2p^2 ({}^3P) 3p 2P_{3/2}$	7.1	3.01e+03
Fe XIX	15.3524	$1s^2 2s 2p^5 3P_1 - 1s^2 2s 2p^4 3s 3P_2$	7.0	2.86e+03
Fe XVIII *	15.3680	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p 4P_{1/2}$	6.9	2.05e+03
Fe XX *	15.3899	$2s 2p^4 2D_{5/2} - 2s^2 2p^2 ({}^3P) 3p 2P_{3/2}$	7.1	3.88e+03
Fe XX	15.3910	$2s 2p^4 2P_{3/2} - 2s^2 2p^2 ({}^1D) 3p 2P_{3/2}$	7.1	1.81e+03
Fe XVIII	15.3967	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p 2D_{5/2}$	6.9	2.95e+04
Fe XVIII	15.3981	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p 4D_{7/2}$	6.9	2.90e+03
Fe XIX	15.4050	$1s^2 2s 2p^5 1P_1 - 1s^2 2s 2p^4 3s 1D_2$	7.0	2.20e+03
Co XVIII	15.4371	$2s^2 2p^6 1S_0 - 2s^2 2p^5 3s 1P_1$	6.9	3.36e+03
Fe XVIII *	15.4402	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p 4P_{3/2}$	6.9	2.64e+03
Fe XVIII	15.4497	$2s 2p^6 2S_{1/2} - 2s 2p^5 ({}^1P) 3s 2P_{3/2}$	6.9	2.31e+04
Fe XVII	15.4530	$2s^2 2p^6 1S_0 - 2s^2 2p^5 3d 3P_1$	6.9	5.38e+04
Fe XX	15.4612	$2s 2p^4 2D_{5/2} - 2s^2 2p^2 ({}^3P) 3p 4S_{3/2}$	7.1	2.28e+03
Co XVIII *	15.4671	$2s^2 2p^6 1S_0 - 2s^2 2p^5 3s 3P_2$	6.9	2.45e+03
Fe XVIII	15.4736	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3p 4P_{5/2}$	6.9	4.18e+03
Fe XVIII *	15.4756	$2s^2 2p^5 2P_{1/2} - 2s^2 2p^4 ({}^3P) 3p 4D_{3/2}$	6.9	1.29e+03
Fe XVIII	15.5079	$2s^2 2p^5 2P_{1/2} - 2s^2 2p^4 (1S) 3s 2S_{1/2}$	6.9	1.07e+04
Fe XX	15.5150	$2s 2p^4 2D_{5/2} - 2s^2 2p^2 ({}^3P) 3p 4D_{7/2}$	7.1	2.40e+04
Fe XVI	15.5376	$3s 2S_{1/2} - 2p^5 3s 3d 2P_{3/2}$	6.8	4.51e+03
Fe XVI *	15.5613	$3s 2S_{1/2} - 2p^5 3s 3d 4P_{3/2}$	6.8	1.66e+03
Fe XVIII	15.6221	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^1D) 3s 2D_{5/2}$	6.9	2.35e+05
Fe XX	15.6258	$2s 2p^4 2P_{1/2} - 2s^2 2p^2 ({}^1D) 3p 2P_{3/2}$	7.1	1.66e+03
Fe XIX *	15.6340	$1s^2 2s 2p^5 3P_1 - 1s^2 2s^2 2p^3 3d 3G_5$	7.0	6.48e+03
Fe XVIII	15.6438	$2s^2 2p^5 2P_{1/2} - 2s^2 2p^4 ({}^3P) 3p 2D_{5/2}$	6.9	1.27e+03
Fe XX	15.6458	$2s 2p^4 2D_{5/2} - 2s^2 2p^2 ({}^3P) 3p 4P_{3/2}$	7.1	1.19e+03
Fe XX *	15.6578	$2s 2p^4 2S_{1/2} - 2s^2 2p^2 ({}^3P) 3p 2P_{1/2}$	7.1	1.55e+03
Fe XX *	15.7176	$2s 2p^4 2S_{1/2} - 2s^2 2p^2 ({}^3P) 3p 2P_{3/2}$	7.1	1.33e+03
Fe XVIII	15.7664	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s 2P_{1/2}$	6.9	3.40e+04
Fe XIX *	15.7928	$1s^2 2s 2p^5 3P_2 - 1s^2 2s^2 2p^3 3p 3P_2$	7.0	1.43e+03
Fe XX *	15.8149	$2s 2p^4 2D_{3/2} - 2s^2 2p^2 ({}^3P) 3p 4D_{1/2}$	7.1	2.78e+03
Fe XVIII	15.8280	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s 4P_{3/2}$	6.9	1.47e+05
Fe XX *	15.8437	$2s 2p^4 2P_{3/2} - 2s^2 2p^2 ({}^3P) 3p 2P_{3/2}$	7.1	1.14e+04
Fe XVIII	15.8699	$2s^2 2p^5 2P_{1/2} - 2s^2 2p^4 ({}^1D) 3s 2D_{3/2}$	6.9	8.37e+04
Fe XVIII	15.8700	$2s^2 2p^5 2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s 4P_{1/2}$	6.9	6.22e+04
Fe XIX *	15.8708	$1s^2 2s 2p^5 3P_2 - 1s^2 2s^2 2p^3 3p 3D_3$	7.0	3.68e+03
Ar XVI	15.9326	$1s^2 2s 2S_{1/2} - 1s^2 5p 2P_{3/2}$	7.1	1.27e+03
Ca XVII *	15.9840	$2s 2p 1P_1 - 2s 4d 1D_2$	6.9	2.07e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX *	15.9871	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3D_2$	7.0	1.90e+03
Fe XX	15.9882	$2s 2p^4 {}^2S_{1/2} - 2s^2 2p^2 ({}^3P) 3p {}^4P_{3/2}$	7.1	1.19e+03
Fe XIX *	15.9904	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3S_1$	7.0	1.52e+03
Fe XIX *	16.0008	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^1D_2$	7.0	2.17e+03
Fe XVII	16.0038	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3p {}^1D_2$	6.9	1.58e+04
Fe XVIII	16.0050	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s {}^2P_{3/2}$	6.9	2.60e+05
O VIII	16.0055	$1s {}^2S_{1/2} - 3p {}^2P_{3/2}$	7.1	1.78e+05
O VIII	16.0067	$1s {}^2S_{1/2} - 3p {}^2P_{1/2}$	7.1	8.88e+04
Fe XX *	16.0219	$2s 2p^4 {}^2P_{3/2} - 2s^2 2p^2 ({}^3P) 3p {}^4P_{5/2}$	7.1	2.59e+03
Fe XVIII	16.0256	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^3P) 3s {}^2P_{1/2}$	6.9	3.89e+04
Fe XIX	16.0270	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3P_0$	7.0	1.31e+04
Fe XIX *	16.0345	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3P_1$	7.0	2.13e+03
Ti XX	16.0506	$1s^2 2p {}^2P_{3/2} - 1s^2 3d {}^2D_{5/2}$	7.1	1.53e+03
Fe XVIII	16.0720	$2s^2 2p^5 {}^2P_{3/2} - 2s^2 2p^4 ({}^3P) 3s {}^4P_{5/2}$	6.9	3.64e+05
Fe XIX *	16.0836	$1s^2 2s 2p^5 {}^3P_0 - 1s^2 2s^2 2p^3 3p {}^1P_1$	7.0	1.60e+03
Fe XVIII	16.0893	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^3P) 3s {}^4P_{3/2}$	6.9	1.25e+04
Fe XIX	16.1099	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3P_2$	7.0	1.85e+05
Fe XIX *	16.1223	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3P_1$	7.0	7.67e+03
Fe XVIII	16.1326	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^3P) 3s {}^4P_{1/2}$	6.9	1.75e+03
Fe XIX *	16.1498	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3D_2$	7.0	4.55e+03
Fe XVIII	16.1657	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 3s {}^2P_{3/2}$	6.9	1.14e+05
Fe XVIII *	16.1833	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 3s {}^4P_{1/2}$	6.9	1.30e+03
Fe XX *	16.2084	$2s 2p^4 {}^2S_{1/2} - 2s^2 2p^2 ({}^3P) 3p {}^4D_{1/2}$	7.1	1.35e+03
Fe XVII	16.2379	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3p {}^3P_2$	6.9	1.33e+04
Cr XIX *	16.2430	$2s 2p^3 {}^3D_1 - 2s 2p^2 3s {}^3P_0$	7.0	2.20e+03
Fe XVIII	16.2721	$2s^2 2p^5 {}^2P_{1/2} - 2s^2 2p^4 ({}^3P) 3s {}^2P_{3/2}$	6.9	6.83e+03
Fe XIX	16.2721	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3P_2$	7.0	5.98e+04
Fe XIX	16.2730	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^1F_3$	7.0	7.01e+03
Fe XIX *	16.2935	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3D_1$	7.0	2.95e+03
Fe XVIII	16.3057	$2s 2p^6 {}^2S_{1/2} - 2s 2p^5 ({}^3P) 3s {}^4P_{3/2}$	6.9	3.68e+04
Fe XIX *	16.3247	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3F_3$	7.0	1.20e+04
Fe XVII	16.3356	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3p {}^3D_2$	6.9	2.08e+04
Fe XIX *	16.3356	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3D_2$	7.0	1.03e+04
Fe XIX	16.3400	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3D_3$	7.0	2.49e+04
Fe XIX *	16.3440	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3P_0$	7.0	6.00e+03
Fe XIX *	16.3491	$1s^2 2s 2p^5 {}^3P_0 - 1s^2 2s^2 2p^3 3p {}^3D_1$	7.0	1.56e+03
Fe XIX *	16.3787	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3d {}^3G_5$	7.0	2.06e+04
Fe XIX *	16.3787	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^1S_0$	7.0	3.23e+03
Fe XIX *	16.3827	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3F_2$	7.0	1.85e+03
Fe XIX *	16.4455	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^1P_1$	7.0	5.10e+03
Fe XIX *	16.5056	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3D_2$	7.0	3.44e+03
Mn XVI	16.6160	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3d {}^1P_1$	6.8	5.96e+03
Fe XIX *	16.6178	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^1P_1$	7.0	2.06e+03
Fe XIX *	16.6603	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^3P_1$	7.0	9.48e+03
Fe XIX *	16.7276	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^3P_2$	7.0	2.69e+03
Fe XIX *	16.7477	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^5P_3$	7.0	1.66e+04
Fe XIX *	16.7755	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^3P_2$	7.0	1.34e+04
Fe XVII	16.7756	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^3P_1$	6.9	6.19e+05
Fe XIX	16.7881	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^3P_0$	7.0	2.25e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XIX *	16.8133	$1s^2 2s 2p^5 {}^3P_2 - 1s^2 2s^2 2p^3 3p {}^5P_1$	7.0	5.66e+03
Cr XIX *	16.8780	$2s 2p^3 {}^3D_1 - 2s^2 2p 3p {}^3P_0$	7.0	1.49e+03
Mn XVI	16.8819	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3d {}^3D_1$	6.8	1.42e+03
Fe XIX *	16.9611	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^1D_2$	7.0	9.75e+03
Fe XIX *	16.9814	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^5P_2$	7.0	5.53e+03
Fe XIX *	16.9935	$1s^2 2s 2p^5 {}^3P_1 - 1s^2 2s^2 2p^3 3p {}^5P_1$	7.0	2.33e+03
Fe XVII	17.0510	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^1P_1$	6.9	8.18e+05
Ti XIX	17.0760	$2s 2p {}^1P_1 - 2s 3d {}^1D_2$	7.0	1.38e+03
Fe XVII	17.0960	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^3P_2$	6.9	7.38e+05
Fe XIX *	17.2904	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^3D_1$	7.0	3.35e+03
Fe XVI	17.3220	$3s {}^2S_{1/2} - 2p^5 3s^2 {}^2P_{3/2}$	6.8	1.52e+03
Fe XVIII *	17.3559	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^1S) 3p {}^2P_{3/2}$	6.9	1.12e+04
Fe XIX *	17.3908	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^3F_2$	7.0	4.26e+03
O VII	17.3960	$1s^2 {}^1S_0 - 1s 5p {}^1P_1$	6.8	2.60e+03
Fe XVI	17.4099	$3p {}^2P_{3/2} - 2p^5 3s 3p {}^2S_{1/2}$	6.8	2.17e+03
Fe XVI *	17.4532	$3p {}^2P_{3/2} - 2p^5 3s 3p {}^4D_{7/2}$	6.8	4.38e+03
Fe XIX *	17.4617	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^1P_1$	7.0	2.13e+03
Fe XVI	17.4991	$3d {}^2D_{5/2} - 2p^5 3s 3d {}^4P_{5/2}$	6.8	1.35e+03
Fe XVIII *	17.5488	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^1D) 3p {}^2P_{1/2}$	6.9	6.06e+03
Fe XVI *	17.5580	$3p {}^2P_{3/2} - 2p^5 3s 3p {}^4S_{3/2}$	6.8	2.29e+03
Fe XVI	17.5937	$3p {}^2P_{3/2} - 2p^5 3s 3p {}^4D_{5/2}$	6.8	1.39e+03
Fe XVIII	17.6218	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^1D) 3p {}^2P_{3/2}$	6.9	2.38e+05
Fe XIX *	17.6359	$1s^2 2s 2p^5 {}^1P_1 - 1s^2 2s^2 2p^3 3p {}^3P_2$	7.0	4.71e+03
Ar XVI	17.7371	$1s^2 2s {}^2S_{1/2} - 1s^2 4p {}^2P_{3/2}$	7.1	3.55e+03
Ar XVI	17.7469	$1s^2 2s {}^2S_{1/2} - 1s^2 4p {}^2P_{1/2}$	7.1	1.79e+03
O VII	17.7680	$1s^2 {}^1S_0 - 1s 4p {}^1P_1$	6.8	4.87e+03
Fe XVIII *	17.8033	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^1D) 3p {}^2D_{3/2}$	6.9	1.03e+04
Fe XVIII *	18.0357	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^3P) 3p {}^2D_{3/2}$	6.9	5.53e+03
Fe XVIII *	18.1070	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^3P) 3p {}^4S_{3/2}$	6.9	1.89e+04
Fe XVIII *	18.2205	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^3P) 3p {}^2P_{1/2}$	6.9	6.09e+03
Fe XVIII *	18.4222	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^3P) 3p {}^4P_{1/2}$	6.9	6.89e+03
Cr XV	18.4969	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3d {}^1P_1$	6.8	5.00e+03
Fe XVIII *	18.5259	$2s 2p^6 {}^2S_{1/2} - 2s^2 2p^4 ({}^3P) 3p {}^4P_{3/2}$	6.9	1.52e+04
Ar XVI	18.5463	$1s^2 2p {}^2P_{1/2} - 1s^2 4d {}^2D_{3/2}$	7.1	1.73e+03
O VII	18.6270	$1s^2 {}^1S_0 - 1s 3p {}^1P_1$	6.8	1.28e+04
Ar XVI	18.6324	$1s^2 2p {}^2P_{3/2} - 1s^2 4d {}^2D_{5/2}$	7.1	3.16e+03
Mn XVI	18.6539	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^3P_1$	6.8	3.05e+03
Ca XVIII	18.6909	$1s^2 2s {}^2S_{1/2} - 1s^2 3p {}^2P_{3/2}$	7.1	2.45e+04
Ca XVIII	18.7319	$1s^2 2s {}^2S_{1/2} - 1s^2 3p {}^2P_{1/2}$	7.1	1.28e+04
Ar XVI	18.7861	$1s^2 2p {}^2P_{3/2} - 1s^2 4s {}^2S_{1/2}$	7.1	1.29e+03
Mn XVI	18.9351	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^1P_1$	6.8	3.74e+03
O VIII	18.9671	$1s {}^2S_{1/2} - 2p {}^2P_{3/2}$	7.1	1.02e+06
O VIII	18.9725	$1s {}^2S_{1/2} - 2p {}^2P_{1/2}$	7.1	5.10e+05
Mn XVI	18.9863	$2s^2 2p^6 {}^1S_0 - 2s^2 2p^5 3s {}^3P_2$	6.8	2.91e+03
N VII	19.3612	$1s {}^2S_{1/2} - 5p {}^2P_{3/2}$	7.1	1.88e+03
O VII *	19.3963	$1s 2p {}^1P_1 - 2p^2 {}^1D_2$	6.9	1.32e+03
Ca XVII	19.5580	$2s^2 {}^1S_0 - 2s 3p {}^3P_1$	6.9	5.90e+03
Ca XVII	19.5580	$2s^2 {}^1S_0 - 2s 3p {}^1P_1$	6.9	7.19e+03
Ca XVIII *	19.6420	$1s^2 2p {}^2P_{1/2} - 1s^2 3d {}^2D_{3/2}$	7.1	1.76e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Ca XVIII *	19.7891	$1s^2 2p^2 P_{3/2} - 1s^2 3d^2 D_{5/2}$	7.1	3.17e+04
Ca XVIII *	19.8009	$1s^2 2p^2 P_{3/2} - 1s^2 3d^2 D_{3/2}$	7.1	3.41e+03
N VII	19.8257	$1s^2 S_{1/2} - 4p^2 P_{3/2}$	7.1	4.06e+03
N VII	19.8261	$1s^2 S_{1/2} - 4p^2 P_{1/2}$	7.1	2.03e+03
Ca XVIII *	20.0532	$1s^2 2p^2 P_{1/2} - 1s^2 3s^2 S_{1/2}$	7.1	7.28e+03
Ca XVIII *	20.2188	$1s^2 2p^2 P_{3/2} - 1s^2 3s^2 S_{1/2}$	7.1	1.41e+04
Ca XVII	20.4340	$2s 2p^3 P_2 - 2s 3d^3 D_3$	6.9	1.72e+03
S XIV *	20.6766	$1s^2 2s^2 S_{1/2} - 1s^2 5p^2 P_{3/2}$	7.1	3.42e+03
S XIV *	20.6815	$1s^2 2s^2 S_{1/2} - 1s^2 5p^2 P_{1/2}$	7.1	1.73e+03
Cr XV	20.8629	$2s^2 2p^6^1 S_0 - 2s^2 2p^5 3s^3 P_1$	6.8	2.72e+03
N VII	20.9095	$1s^2 S_{1/2} - 3p^2 P_{3/2}$	7.1	1.18e+04
N VII	20.9106	$1s^2 S_{1/2} - 3p^2 P_{1/2}$	7.1	5.93e+03
Cr XV	21.1528	$2s^2 2p^6^1 S_0 - 2s^2 2p^5 3s^1 P_1$	6.8	3.13e+03
Ca XVII	21.1560	$2s 2p^1 P_1 - 2s 3d^1 D_2$	6.9	1.63e+04
Cr XV	21.2121	$2s^2 2p^6^1 S_0 - 2s^2 2p^5 3s^3 P_2$	6.8	2.51e+03
Fe XXIV	21.3716	$1s^2 3s^2 S_{1/2} - 1s^2 5p^2 P_{3/2}$	7.3	3.44e+03
Fe XXIV	21.4092	$1s^2 3s^2 S_{1/2} - 1s^2 5p^2 P_{1/2}$	7.3	1.72e+03
Ca XVI	21.4500	$2s^2 2p^2 P_{1/2} - 2s^2 3d^2 D_{3/2}$	6.8	6.95e+03
O VII	21.6015	$1s^2^1 S_0 - 1s 2p^1 P_1$	6.8	6.94e+04
Ca XVI	21.6194	$2s^2 2p^2 P_{3/2} - 2s^2 3d^2 D_{3/2}$	6.8	1.36e+03
S XIV	21.6602	$1s^2 2p^2 P_{1/2} - 1s^2 5d^2 D_{3/2}$	7.1	1.46e+03
S XIV	21.7297	$1s^2 2p^2 P_{3/2} - 1s^2 5d^2 D_{5/2}$	7.1	2.72e+03
O VII	21.8036	$1s^2^1 S_0 - 1s 2p^3 P_1$	6.4	8.69e+03
Fe XXIV	21.8231	$1s^2 3p^2 P_{1/2} - 1s^2 5d^2 D_{3/2}$	7.3	1.68e+03
Fe XXIV	21.9867	$1s^2 3p^2 P_{3/2} - 1s^2 5d^2 D_{5/2}$	7.3	1.58e+03
O VII	22.0977	$1s^2^1 S_0 - 1s 2s^3 S_1$	6.4	3.37e+04
Ca XVI	22.1211	$2s 2p^2^2 D_{3/2} - 2s 2p 3d^2 F_{5/2}$	6.8	1.47e+03
Ca XVII *	22.1600	$2s 2p^1 P_1 - 2s 3s^1 S_0$	6.9	9.16e+03
K XVII	22.1632	$2p^2 P_{3/2} - 3d^2 D_{5/2}$	7.1	1.17e+03
Fe XXIV	22.1811	$1s^2 3p^2 P_{3/2} - 1s^2 5s^2 S_{1/2}$	7.3	2.35e+03
Fe XXIV	22.1974	$1s^2 3d^2 D_{3/2} - 1s^2 5f^2 F_{5/2}$	7.3	7.61e+03
Ar XVII	22.2296	$1s 2p^3 P_2 - 1s 3p^1 P_1$	7.3	2.68e+03
Fe XXIV	22.2582	$1s^2 3d^2 D_{5/2} - 1s^2 5f^2 F_{7/2}$	7.3	5.38e+03
Fe XXIII	22.6860	$2s 3s^1 S_0 - 2s 5p^1 P_1$	7.2	1.41e+03
S XIV	23.0051	$1s^2 2s^2 S_{1/2} - 1s^2 4p^2 P_{3/2}$	7.1	9.39e+03
S XIV	23.0151	$1s^2 2s^2 S_{1/2} - 1s^2 4p^2 P_{1/2}$	7.1	4.76e+03
Ca XV	23.0230	$2s^2 2p^2^3 P_2 - 2s^2 2p 3d^3 F_3$	6.8	6.70e+03
Fe XXIII	23.0920	$2s 3p^1 P_1 - 2s 5d^1 D_2$	7.2	1.93e+03
Ar XVI	23.5063	$1s^2 2s^2 S_{1/2} - 1s^2 3p^2 P_{3/2}$	7.1	1.85e+04
Ca XVI *	23.5207	$2s 2p^2^2 D_{3/2} - 2s 2p 3s^2 P_{1/2}$	6.8	2.20e+03
Fe XXIII	23.5360	$2s 3p^1 P_1 - 2s 5s^1 S_0$	7.2	1.64e+03
Ar XVI	23.5463	$1s^2 2s^2 S_{1/2} - 1s^2 3p^2 P_{1/2}$	7.1	9.31e+03
Fe XXII *	23.7634	$1s^2 2s 2s 3s^2 S_{1/2} - 1s^2 2s^2 5p^2 P_{1/2}$	7.1	2.23e+03
Ca XIV	24.0859	$2s^2 2p^3^4 S_{3/2} - 2s^2 2p^2 (3P) 3d^4 P_{3/2}$	6.7	1.91e+03
Ca XIV	24.1330	$2s^2 2p^3^4 S_{3/2} - 2s^2 2p^2 (3P) 3d^4 P_{5/2}$	6.7	2.40e+03
Fe XXIII *	24.1490	$2s 3d^1 D_2 - 2s 5f^1 F_3$	7.2	4.66e+03
S XIV	24.2002	$1s^2 2p^2 P_{1/2} - 1s^2 4d^2 D_{3/2}$	7.1	4.46e+03
S XIV	24.2849	$1s^2 2p^2 P_{3/2} - 1s^2 4d^2 D_{5/2}$	7.1	8.12e+03
S XIV	24.4180	$1s^2 2p^2 P_{1/2} - 1s^2 4s^2 S_{1/2}$	7.1	1.67e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
S XIV	24.5082	$1s^2 2p^2 P_{3/2} - 1s^2 4s^2 S_{1/2}$	7.1	3.28e+03
S XIII	24.5900	$2s^2 1S_0 - 2s 4p^1 P_1$	6.9	1.19e+03
Ar XV *	24.7000	$2s^2 1S_0 - 2s 3p^3 P_1$	6.9	1.74e+03
Ar XV	24.7370	$2s^2 1S_0 - 2s 3p^1 P_1$	6.9	3.55e+03
N VII	24.7792	$1s^2 S_{1/2} - 2p^2 P_{3/2}$	7.1	7.03e+04
N VII	24.7846	$1s^2 S_{1/2} - 2p^2 P_{1/2}$	7.1	3.51e+04
Ar XVI	24.8509	$1s^2 2p^2 P_{1/2} - 1s^2 3d^2 D_{3/2}$	7.1	1.17e+04
Ar XVI	24.9940	$1s^2 2p^2 P_{3/2} - 1s^2 3d^2 D_{5/2}$	7.1	2.12e+04
Ar XVI	25.0098	$1s^2 2p^2 P_{3/2} - 1s^2 3d^2 D_{3/2}$	7.1	2.28e+03
Fe XXI *	25.0340	$2s^2 2p 3s^3 P_1 - 2s^2 2p 5p^3 P_0$	7.1	2.70e+03
Ar XVI	25.5167	$1s^2 2p^2 P_{1/2} - 1s^2 3s^2 S_{1/2}$	7.1	5.18e+03
S XVI	25.6594	$2p^2 P_{3/2} - 3s^2 S_{1/2}$	7.3	1.35e+03
Ar XVI	25.6843	$1s^2 2p^2 P_{3/2} - 1s^2 3s^2 S_{1/2}$	7.1	1.01e+04
Fe XXII *	25.7763	$1s^2 2s^2 3d^2 D_{3/2} - 1s^2 2s^2 5f^2 F_{5/2}$	7.2	1.70e+03
Fe XXI *	25.8600	$2s^2 2p 3p^3 D_1 - 2s^2 2p 5d^3 D_1$	7.1	1.29e+03
C VI	26.3572	$1s^2 S_{1/2} - 5p^2 P_{3/2}$	7.1	3.22e+03
C VI	26.3574	$1s^2 S_{1/2} - 5p^2 P_{1/2}$	7.1	1.61e+03
Cl XV	26.6360	$2s^2 S_{1/2} - 3p^2 P_{3/2}$	7.1	1.52e+03
Fe XXI	26.6730	$2s^2 2p 3p^3 P_0 - 2s^2 2p 5d^3 D_1$	7.1	2.07e+03
C VI	26.9896	$1s^2 S_{1/2} - 4p^2 P_{3/2}$	7.1	6.84e+03
C VI	26.9901	$1s^2 S_{1/2} - 4p^2 P_{1/2}$	7.1	3.42e+03
Ar XV	27.0440	$2s 2p^1 P_1 - 2s 3d^1 D_2$	6.8	6.52e+03
Si XIII	27.3428	$1s 2s^3 S_1 - 1s 4p^3 P_2$	7.1	1.92e+03
Fe XVII *	27.4127	$2s^2 2p^5 3s^1 P_1 - 2s^2 2p^5 7p^1 S_0$	6.9	1.35e+03
Ar XIV	27.4690	$2s^2 2p^2 P_{1/2} - 2s^2 3d^2 D_{3/2}$	6.7	2.01e+03
S XV	27.5306	$1s 2s^3 S_1 - 1s 3p^3 P_2$	7.2	3.21e+03
S XV	27.5600	$1s 2s^3 S_1 - 1s 3p^3 P_1$	7.2	1.76e+03
Si XII *	27.8948	$1s^2 2s^2 S_{1/2} - 1s^2 5p^2 P_{3/2}$	7.0	3.15e+03
Si XII *	27.8997	$1s^2 2s^2 S_{1/2} - 1s^2 5p^2 P_{1/2}$	7.0	1.59e+03
Ar XV	28.3400	$2s 2p^1 P_1 - 2s 3s^1 S_0$	6.8	3.72e+03
Cl XV	28.4030	$2p^2 P_{3/2} - 3d^2 D_{5/2}$	7.1	1.79e+03
C VI	28.4652	$1s^2 S_{1/2} - 3p^2 P_{3/2}$	7.1	1.93e+04
C VI	28.4663	$1s^2 S_{1/2} - 3p^2 P_{1/2}$	7.1	9.67e+03
N VI	28.7870	$1s^2 1S_0 - 1s 2p^1 P_1$	6.3	2.29e+03
Fe XVII *	29.4373	$2s^2 2p^5 3s^1 P_1 - 2s^2 2p^5 6p^1 S_0$	6.9	2.23e+03
Si XII	29.4391	$1s^2 2p^2 P_{1/2} - 1s^2 5d^2 D_{3/2}$	7.0	1.32e+03
Fe XVII *	29.4560	$2s^2 2p^5 3s^3 P_1 - 2s^2 2p^5 6p^3 P_0$	6.9	1.19e+03
Si XII	29.5089	$1s^2 2p^2 P_{3/2} - 1s^2 5d^2 D_{5/2}$	7.0	2.45e+03
S XV	29.5449	$1s 2p^1 P_1 - 1s 3s^1 S_0$	7.2	2.13e+03
S XIV	30.4270	$1s^2 2s^2 S_{1/2} - 1s^2 3p^2 P_{3/2}$	7.1	4.75e+04
S XIV	30.4690	$1s^2 2s^2 S_{1/2} - 1s^2 3p^2 P_{1/2}$	7.1	2.38e+04
Fe XXIV	30.7465	$1s^2 3s^2 S_{1/2} - 1s^2 4p^2 P_{3/2}$	7.3	7.07e+03
Fe XXIV	30.8985	$1s^2 3s^2 S_{1/2} - 1s^2 4p^2 P_{1/2}$	7.3	3.67e+03
Si XII	31.0121	$1s^2 2s^2 S_{1/2} - 1s^2 4p^2 P_{3/2}$	7.0	8.45e+03
Si XII	31.0227	$1s^2 2s^2 S_{1/2} - 1s^2 4p^2 P_{1/2}$	7.0	4.30e+03
Fe XIX *	31.2372	$1s^2 2s^2 2p^3 3p^3 P_2 - 1s^2 2s^2 2p^3 (^4S) 5d^3 D_3$	7.0	1.23e+03
Fe XVIII *	31.4007	$2s^2 2p^4 (^3P) 3s^2 P_{3/2} - 2s^2 2p^4 (^3P) 5p^2 P_{3/2}$	6.9	3.80e+03
Fe XVIII *	31.5931	$2s^2 2p^4 (^3P) 3s^2 P_{1/2} - 2s^2 2p^4 (^3P) 5p^2 D_{3/2}$	6.9	1.68e+03
Fe XXIV	31.6356	$1s^2 3p^2 P_{1/2} - 1s^2 4d^2 D_{3/2}$	7.2	4.17e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XXIII *	31.9320	$2s\ 3s\ ^3S_1 - 2s\ 4p\ ^3P_2$	7.2	2.49e+03
Fe XXIV	31.9683	$1s^2\ 3p\ ^2P_{3/2} - 1s^2\ 4d\ ^2D_{5/2}$	7.2	7.13e+03
Fe XXIII	32.1200	$2s\ 3s\ ^3S_1 - 2s\ 4p\ ^3P_1$	7.2	2.54e+03
S XIII	32.1910	$2s^2\ ^1S_0 - 2s\ 3p\ ^3P_1$	6.9	1.28e+03
S XIII	32.2420	$2s^2\ ^1S_0 - 2s\ 3p\ ^1P_1$	6.9	5.48e+03
Fe XXIV	32.3771	$1s^2\ 3d\ ^2D_{3/2} - 1s^2\ 4f\ ^2F_{5/2}$	7.2	9.01e+03
Fe XXIV	32.4023	$1s^2\ 3p\ ^2P_{1/2} - 1s^2\ 4s\ ^2S_{1/2}$	7.3	2.95e+03
S XIV	32.4160	$1s^2\ 2p\ ^2P_{1/2} - 1s^2\ 3d\ ^2D_{3/2}$	7.1	2.91e+04
Fe XXIV	32.4781	$1s^2\ 3d\ ^2D_{5/2} - 1s^2\ 4f\ ^2F_{7/2}$	7.2	1.29e+04
S XIV	32.5600	$1s^2\ 2p\ ^2P_{3/2} - 1s^2\ 3d\ ^2D_{5/2}$	7.1	5.23e+04
S XIV	32.5751	$1s^2\ 2p\ ^2P_{3/2} - 1s^2\ 3d\ ^2D_{3/2}$	7.1	5.73e+03
Fe XXIII	32.5870	$2s\ 3s\ ^1S_0 - 2s\ 4p\ ^1P_1$	7.2	3.05e+03
Fe XXIV	32.8159	$1s^2\ 3p\ ^2P_{3/2} - 1s^2\ 4s\ ^2S_{1/2}$	7.3	6.28e+03
Si XII	32.8878	$1s^2\ 2p\ ^2P_{1/2} - 1s^2\ 4d\ ^2D_{3/2}$	7.0	3.89e+03
Si XII	32.9732	$1s^2\ 2p\ ^2P_{3/2} - 1s^2\ 4d\ ^2D_{5/2}$	7.0	7.13e+03
Fe XXIII	33.0910	$2s\ 3p\ ^3P_1 - 2s\ 4d\ ^1D_2$	7.2	2.10e+03
Si XII *	33.2263	$1s^2\ 2p\ ^2P_{1/2} - 1s^2\ 4s\ ^2S_{1/2}$	7.0	1.42e+03
Si XIV	33.3023	$2p\ ^2P_{1/2} - 3d\ ^2D_{3/2}$	7.2	1.28e+03
Si XIV	33.3081	$2s\ ^2S_{1/2} - 3p\ ^2P_{3/2}$	7.2	2.28e+03
Si XII *	33.3167	$1s^2\ 2p\ ^2P_{3/2} - 1s^2\ 4s\ ^2S_{1/2}$	7.0	2.81e+03
Si XIV	33.3470	$2p\ ^2P_{1/2} - 3s\ ^2S_{1/2}$	7.2	1.68e+03
S XIV	33.3808	$1s^2\ 2p\ ^2P_{1/2} - 1s^2\ 3s\ ^2S_{1/2}$	7.1	1.28e+04
Fe XXIII	33.4390	$2s\ 3p\ ^1P_1 - 2s\ 4d\ ^1D_2$	7.2	5.02e+03
Si XIV	33.4444	$2p\ ^2P_{3/2} - 3d\ ^2D_{5/2}$	7.2	2.29e+03
Si XIV	33.5051	$2p\ ^2P_{3/2} - 3s\ ^2S_{1/2}$	7.2	3.31e+03
S XIV	33.5495	$1s^2\ 2p\ ^2P_{3/2} - 1s^2\ 3s\ ^2S_{1/2}$	7.1	2.51e+04
Fe XXVII *	33.6894	$2s^2\ 2p^5\ 3s\ ^1P_1 - 2s^2\ 2p^5\ 5p\ ^1S_0$	6.9	3.81e+03
C VI	33.7342	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	7.1	1.19e+05
C VI	33.7396	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	7.1	6.56e+04
Fe XXII *	33.7421	$1s^2\ 2s2\ 3s\ ^2S_{1/2} - 1s^2\ 2s^2\ 4p\ ^2P_{3/2}$	7.1	2.49e+03
Fe XXVII *	33.7424	$2s^2\ 2p^5\ 3s\ ^3P_1 - 2s^2\ 2p^5\ 5p\ ^3P_0$	6.9	2.48e+03
Fe XXII *	33.9156	$1s^2\ 2s2\ 3s\ ^2S_{1/2} - 1s^2\ 2s^2\ 4p\ ^2P_{1/2}$	7.1	5.32e+03
Fe XXIII	34.4260	$2s\ 3p\ ^3P_1 - 2s\ 4s\ ^1S_0$	7.2	3.19e+03
Fe XXIII *	34.4370	$2s\ 3d\ ^3D_1 - 2s\ 4f\ ^3F_2$	7.2	1.33e+03
Fe XXIII *	34.4870	$2s\ 3d\ ^3D_2 - 2s\ 4f\ ^3F_3$	7.2	2.23e+03
Fe XXIII *	34.5630	$2s\ 3d\ ^3D_3 - 2s\ 4f\ ^3F_4$	7.2	2.63e+03
Fe XXIII	34.8030	$2s\ 3p\ ^1P_1 - 2s\ 4s\ ^1S_0$	7.2	5.60e+03
Fe XVI	35.1059	$3p\ ^2P_{3/2} - 6d\ ^2D_{5/2}$	6.8	1.46e+03
Fe XXII *	35.1376	$1s^2\ 2s^2\ 3p\ ^2P_{1/2} - 1s^2\ 2s^2\ 4d\ ^2D_{3/2}$	7.1	5.98e+03
Fe XXII *	35.1916	$1s^2\ 2s\ 2p\ (^3P)\ 3p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^2D_{3/2}$	7.2	1.17e+03
Fe XXIII *	35.2740	$2s\ 3d\ ^1D_2 - 2s\ 4f\ ^1F_3$	7.2	1.16e+04
Fe XXII	35.4862	$1s^2\ 2s\ 2p\ (^3P)\ 3p\ ^2D_{3/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4d\ ^2F_{5/2}$	7.2	1.47e+03
Fe XXI *	35.5830	$2s^2\ 2p\ 3s\ ^3P_0 - 2s^2\ 2p\ 4p\ ^3P_1$	7.1	1.27e+03
Fe XXI *	35.6310	$2s^2\ 2p\ 3s\ ^3P_1 - 2s^2\ 2p\ 4p\ ^3P_0$	7.1	1.09e+04
S XIII	35.6670	$2s\ 2p\ ^1P_1 - 2s\ 3d\ ^1D_2$	6.9	8.21e+03
Fe XXI *	35.6760	$2s^2\ 2p\ 3s\ ^3P_1 - 2s^2\ 2p\ 4p\ ^3D_2$	7.1	3.16e+03
Fe XXII *	35.7354	$1s^2\ 2p^2\ (^1D)\ 3p\ ^2F_{7/2} - 1s^2\ 2p^2\ (^1D)\ 4d\ ^2G_{9/2}$	7.1	1.59e+03
Fe XXI *	35.9980	$2s^2\ 2p\ 3s\ ^3P_1 - 2s^2\ 2p\ 4p\ ^3D_1$	7.1	1.19e+03
S XII	36.3980	$2s^2\ 2p\ ^2P_{1/2} - 2s^2\ 3d\ ^2D_{3/2}$	6.4	1.92e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Si XIII	36.4362	$1s\ 2s\ ^3S_1 - 1s\ 3p\ ^3P_2$	7.1	5.43e+03
Si XIII	36.4643	$1s\ 2s\ ^3S_1 - 1s\ 3p\ ^3P_1$	7.1	3.12e+03
Fe XVII *	36.5014	$2s^2\ 2p^5\ 3p\ ^3D_3 - 2s^2\ 2p^5\ 5d\ ^3F_4$	6.9	1.62e+03
Fe XXI *	36.7270	$2s^2\ 2p\ 3p\ ^3D_1 - 2s^2\ 2p\ 4d\ ^3D_1$	7.1	2.65e+03
Fe XVI	36.7490	$3s\ ^2S_{1/2} - 5p\ ^2P_{3/2}$	6.8	2.42e+03
Fe XVI	36.8030	$3s\ ^2S_{1/2} - 5p\ ^2P_{1/2}$	6.8	1.23e+03
Fe XVII *	36.8329	$2s\ 2p^6\ 3p\ ^1P_1 - 2s\ 2p^6\ 5d\ ^1D_2$	6.9	1.76e+03
Fe XXI *	37.0300	$2s^2\ 2p\ 3p\ ^3D_1 - 2s^2\ 2p\ 4d\ ^3F_2$	7.1	1.52e+03
Fe XXII *	37.0760	$1s^2\ 2s\ 2p\ (^3P)\ 3p\ ^2P_{1/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4s\ ^2P_{1/2}$	7.1	1.30e+03
Fe XXII *	37.1066	$1s^2\ 2s\ 2p\ (^3P)\ 3d\ ^4F_{7/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4f\ ^4G_{9/2}$	7.1	1.38e+03
Fe XXII *	37.3252	$1s^2\ 2s^2\ 3d\ ^2D_{3/2} - 1s^2\ 2s^2\ 4f\ ^2F_{5/2}$	7.2	3.64e+03
Fe XXII *	37.4221	$1s^2\ 2s^2\ 3d\ ^2D_{5/2} - 1s^2\ 2s^2\ 4f\ ^2F_{7/2}$	7.1	1.44e+03
Fe XXII *	37.7069	$1s^2\ 2s\ 2p\ (^3P)\ 3p\ ^2D_{3/2} - 1s^2\ 2s\ 2p\ (^3P)\ 4s\ ^2P_{1/2}$	7.1	1.82e+03
S XIII *	37.7250	$2s\ 2p\ ^1P_1 - 2s\ 3s\ ^1S_0$	6.9	4.72e+03
Si XIII	37.8796	$1s\ 2p\ ^3P_2 - 1s\ 3d\ ^3D_3$	7.1	1.80e+03
Fe XXI	37.9000	$2s^2\ 2p\ 3p\ ^3P_0 - 2s^2\ 2p\ 4d\ ^3D_1$	7.1	4.44e+03
Ni XIX *	38.0086	$2s^2\ 2p^5\ 3s\ ^3P_1 - 2s^2\ 2p^5\ 4p\ ^1S_0$	7.0	1.27e+03
Si XIII	38.6425	$1s\ 2p\ ^3P_2 - 1s\ 3s\ ^3S_1$	7.1	1.80e+03
Si XIII	39.1029	$1s\ 2p\ ^1P_1 - 1s\ 3d\ ^1D_2$	7.1	2.20e+03
Si XIII	39.4180	$1s\ 2p\ ^1P_1 - 1s\ 3s\ ^1S_0$	7.1	3.61e+03
Fe XVI	39.8271	$3p\ ^2P_{1/2} - 5d\ ^2D_{3/2}$	6.8	2.08e+03
Fe XVI	40.1531	$3p\ ^2P_{3/2} - 5d\ ^2D_{5/2}$	6.8	3.76e+03
C V	40.2674	$1s^2\ ^1S_0 - 1s\ 2p\ ^1P_1$	6.0	2.39e+03
Fe XIX *	40.3842	$1s^2\ 2s^2\ 2p^3\ 3s\ ^5S_2 - 1s^2\ 2s^2\ 2p^3\ 4p\ ^5P_3$	7.0	1.42e+03
Fe XIX *	40.3904	$1s^2\ 2s^2\ 2p^3\ 3s\ ^3D_3 - 1s^2\ 2s^2\ 2p^3\ 4p\ ^3P_2$	7.0	6.76e+03
Fe XIX *	40.5569	$1s^2\ 2s^2\ 2p^3\ 3s\ ^3D_2 - 1s^2\ 2s^2\ 2p^3\ 4p\ ^3D_2$	7.0	1.91e+03
Fe XXI *	40.6910	$2s^2\ 2p\ 3d\ ^3D_1 - 2s^2\ 2p\ 4f\ ^3F_2$	7.1	3.76e+03
Fe XXI	40.7660	$2s\ 2p^2\ 3p\ ^5P_1 - 2s\ 2p^2\ 4s\ ^3P_0$	7.1	1.44e+03
Fe XIX *	40.8680	$1s^2\ 2s^2\ 2p^3\ 3s\ ^3S_1 - 1s^2\ 2s^2\ 2p^3\ 4p\ ^3P_2$	7.0	5.67e+03
Si XII	40.9110	$1s^2\ 2s\ ^2S_{1/2} - 1s^2\ 3p\ ^2P_{3/2}$	7.0	4.08e+04
Si XII	40.9510	$1s^2\ 2s\ ^2S_{1/2} - 1s^2\ 3p\ ^2P_{1/2}$	7.0	2.04e+04
Ni XVIII	41.0155	$3s\ ^2S_{1/2} - 4p\ ^2P_{3/2}$	6.9	2.00e+03
Fe XXI *	41.2830	$2s\ 2p^2\ 3d\ ^3P_2 - 2s\ 2p^2\ 4f\ ^3G_3$	7.1	2.70e+03
Fe XVI	41.9321	$3p\ ^2P_{1/2} - 5s\ ^2S_{1/2}$	6.8	1.46e+03
Fe XVI	42.3037	$3p\ ^2P_{3/2} - 5s\ ^2S_{1/2}$	6.8	3.11e+03
Fe XXI *	42.8610	$2s^2\ 2p\ 3d\ ^3D_1 - 2s^2\ 2p\ 4p\ ^3P_0$	7.1	1.51e+03
Fe XIX *	42.9761	$1s^2\ 2s^2\ 2p^3\ 3p\ ^5P_3 - 1s^2\ 2s^2\ 2p^3\ 4d\ ^5D_4$	7.0	1.97e+03
Fe XVIII *	43.2555	$2s^2\ 2p^4\ (^3P)\ 3s\ ^2P_{3/2} - 2s^2\ 2p^4\ (^3P)\ 4p\ ^2P_{3/2}$	6.9	6.69e+03
Fe XVIII *	43.2759	$2s^2\ 2p^4\ (^3P)\ 3s\ ^4P_{5/2} - 2s^2\ 2p^4\ (^3P)\ 4p\ ^4D_{7/2}$	6.9	1.79e+03
Fe XVIII *	43.2947	$2s^2\ 2p^4\ (^1D)\ 3s\ ^2D_{5/2} - 2s^2\ 2p^4\ (^1D)\ 4p\ ^2P_{3/2}$	6.9	6.63e+03
Fe XVIII *	43.3372	$2s^2\ 2p^4\ (^3P)\ 3s\ ^4P_{1/2} - 2s^2\ 2p^4\ (^3P)\ 4p\ ^4D_{3/2}$	6.9	1.87e+03
Fe XIX *	43.3447	$1s^2\ 2s^2\ 2p^3\ 3p\ ^3P_2 - 1s^2\ 2s^2\ 2p^3\ 4d\ ^3D_3$	7.0	2.53e+03
Fe XVIII *	43.3620	$2s^2\ 2p^4\ (^3P)\ 3s\ ^4P_{3/2} - 2s^2\ 2p^4\ (^3P)\ 4p\ ^4S_{3/2}$	6.9	2.44e+03
Fe XVIII *	43.3655	$2s^2\ 2p^4\ (^1D)\ 3s\ ^2D_{3/2} - 2s^2\ 2p^4\ (^1D)\ 4p\ ^2P_{3/2}$	6.9	1.84e+03
Fe XVIII *	43.4651	$2s^2\ 2p^4\ (^3P)\ 3s\ ^4P_{5/2} - 2s^2\ 2p^4\ (^3P)\ 4p\ ^4P_{5/2}$	6.9	1.54e+03
Fe XVIII *	43.4966	$2s^2\ 2p^4\ (^1D)\ 3s\ ^2D_{5/2} - 2s^2\ 2p^4\ (^1D)\ 4p\ ^2F_{7/2}$	6.9	1.26e+03
Fe XIX *	43.7107	$1s^2\ 2s\ 2p^4\ 3p\ ^3D_3 - 1s^2\ 2s\ 2p^4\ (^4P)\ 4d\ ^3F_4$	7.0	2.60e+03
Si XI	43.7620	$2s^2\ ^1S_0 - 2s\ 3p\ ^1P_1$	6.9	2.63e+03
Fe XVIII *	43.7793	$2s^2\ 2p^4\ (^3P)\ 3s\ ^2P_{1/2} - 2s^2\ 2p^4\ (^3P)\ 4p\ ^2D_{3/2}$	6.9	3.32e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
Fe XVIII *	43.7878	$2s^2 2p^4 (^3P) 3s^2 2P_{3/2} - 2s^2 2p^4 (^3P) 4p^2 D_{5/2}$	6.9	1.61e+03
Ni XVIII	43.8127	$3p^2 P_{1/2} - 4d^2 D_{3/2}$	6.9	1.35e+03
Si XII *	44.0186	$1s^2 2p^2 P_{1/2} - 1s^2 3d^2 D_{3/2}$	7.0	2.41e+04
Mg X	44.0500	$1s^2 2s^2 S_{1/2} - 1s^2 4p^2 P_{1/2}$	6.9	1.92e+03
Mg X	44.0500	$1s^2 2s^2 S_{1/2} - 1s^2 4p^2 P_{3/2}$	6.9	1.27e+03
Si XII *	44.1603	$1s^2 2p^2 P_{3/2} - 1s^2 3d^2 D_{5/2}$	7.0	4.36e+04
Si XII *	44.1775	$1s^2 2p^2 P_{3/2} - 1s^2 3d^2 D_{3/2}$	7.0	4.74e+03
Ni XVIII	44.3653	$3p^2 P_{3/2} - 4d^2 D_{5/2}$	6.9	2.43e+03
Mg XII	45.3972	$2s^2 S_{1/2} - 3p^2 P_{3/2}$	7.1	2.07e+03
Mg XII	45.4355	$2p^2 P_{1/2} - 3s^2 S_{1/2}$	7.1	1.54e+03
Si XII	45.5206	$1s^2 2p^2 P_{1/2} - 1s^2 3s^2 S_{1/2}$	7.0	1.07e+04
Mg XII	45.5330	$2p^2 P_{3/2} - 3d^2 D_{5/2}$	7.1	1.88e+03
Mg XII	45.5935	$2p^2 P_{3/2} - 3s^2 S_{1/2}$	7.1	3.04e+03
Si XII	45.6906	$1s^2 2p^2 P_{3/2} - 1s^2 3s^2 S_{1/2}$	7.0	2.11e+04
Fe XVIII *	45.9075	$2s^2 2p^4 (^3P) 3p^4 P_{5/2} - 2s^2 2p^4 (^3P) 4d^4 D_{7/2}$	6.9	1.57e+03
Fe XVIII *	45.9102	$2s^2 2p^4 (^3P) 3p^4 P_{5/2} - 2s^2 2p^4 (^3P) 4d^4 D_{5/2}$	6.9	1.20e+03
Fe XV *	46.2870	$3s 3p^1 P_1 - 3s 5s^1 S_0$	6.7	1.25e+03
Fe XVII	46.3000	$2s^2 2p^5 3s^1 P_1 - 2s^2 2p^5 4p^3 P_0$	6.9	7.52e+03
Fe XVII	46.3067	$2s^2 2p^5 3s^3 P_1 - 2s^2 2p^5 4p^1 S_0$	6.9	1.17e+04
Fe XVII *	46.3798	$2s^2 2p^5 3s^3 P_2 - 2s^2 2p^5 4p^3 P_2$	6.9	1.24e+03
Fe XVIII *	46.3977	$2s^2 2p^4 (^3P) 3p^2 D_{5/2} - 2s^2 2p^4 (^3P) 4d^2 F_{7/2}$	6.9	1.73e+03
Fe XVII	46.4000	$2s^2 2p^5 3s^3 P_2 - 2s^2 2p^5 4p^3 D_3$	6.9	3.30e+03
Fe XVIII *	46.4507	$2s^2 2p^4 (^3P) 3p^4 D_{7/2} - 2s^2 2p^4 (^3P) 4d^4 F_{9/2}$	6.9	2.20e+03
Fe XVIII *	46.4529	$2s^2 2p^4 (^3P) 3p^4 D_{5/2} - 2s^2 2p^4 (^3P) 4d^4 F_{7/2}$	6.9	1.20e+03
Fe XVIII *	46.4719	$2s^2 2p^4 (^1D) 3p^2 F_{7/2} - 2s^2 2p^4 (^1D) 4d^2 G_{9/2}$	6.9	1.30e+03
Fe XVIII *	46.6164	$2s^2 2p^4 (^1S) 3p^2 P_{3/2} - 2s^2 2p^4 (^1S) 4d^2 D_{5/2}$	6.9	1.20e+03
Fe XVII *	46.6534	$2s^2 2p^5 3s^3 P_2 - 2s^2 2p^5 4p^3 D_2$	6.9	1.23e+03
Fe XVI	46.6614	$3d^2 D_{3/2} - 5f^2 F_{5/2}$	6.8	2.10e+03
Fe XVII *	46.6755	$2s^2 2p^5 3s^3 P_1 - 2s^2 2p^5 4p^1 D_2$	6.9	2.49e+03
Fe XVI	46.7182	$3d^2 D_{5/2} - 5f^2 F_{7/2}$	6.8	2.99e+03
Fe XVII *	46.8067	$2s^2 2p^5 3s^3 P_2 - 2s^2 2p^5 4p^3 S_1$	6.9	2.24e+03
Fe XVII *	46.8075	$2s^2 2p^5 3s^1 P_1 - 2s^2 2p^5 4p^1 P_1$	6.9	1.64e+03
Fe XVII *	46.9859	$2s^2 2p^5 3s^1 P_1 - 2s^2 2p^5 4p^3 D_2$	6.9	1.50e+03
Fe XVIII *	47.0163	$2s 2p^5 (^3P) 3p^2 D_{5/2} - 2s 2p^5 (^3P) 4d^2 F_{7/2}$	6.9	1.96e+03
Mg X	47.3102	$1s^2 2p^2 P_{3/2} - 1s^2 4d^2 D_{5/2}$	6.8	1.78e+03
Al XI	48.2970	$1s^2 2s^2 S_{1/2} - 1s^2 3p^2 P_{3/2}$	6.9	1.65e+03
Fe XVII *	49.1428	$2s^2 2p^5 3p^3 S_1 - 2s^2 2p^5 4d^3 P_2$	6.9	1.34e+03
Fe XIX *	49.1898	$1s^2 2s^2 2p^3 3d^3 D_3 - 1s^2 2s^2 2p^3 4f^3 F_4$	7.0	1.27e+03
Si XI	49.2230	$2s 2p^1 P_1 - 2s 3d^1 D_2$	6.3	3.53e+03
Fe XVII	49.4519	$2s^2 2p^5 3p^3 S_1 - 2s^2 2p^5 4d^3 P_1$	6.9	2.17e+03
Fe XVII	49.7500	$2s^2 2p^5 3p^1 P_1 - 2s^2 2p^5 4d^3 D_1$	6.9	1.36e+03
Fe XVII *	49.7814	$2s^2 2p^5 3p^3 D_1 - 2s^2 2p^5 4d^3 F_2$	6.9	1.91e+03
Fe XVII	49.8700	$2s^2 2p^5 3p^3 D_2 - 2s^2 2p^5 4d^3 F_3$	6.9	2.81e+03