

Predicted XUV Line Intensities
CHIANTI database - Version 10.1

Calculated with Constant pressure= 1.00e+16 (cm⁻³ K)

915.6 to 1994.1 Å

Number of lines: 180

Minimum intensity = 1150.00

Units are: erg cm⁻² sr⁻¹ s⁻¹

Lines marked with a "s" are satellite lines from autoionizing levels.

Lines marked with a * do not have observed energy levels
and have approximate wavelengths.

Calculated: Mon Jun 26 10:31:36 2023

Ionization Fractions file: chianti.ioneq

ionization equilibrium: CHIANTI

produced as part of the CHIANTI atomic data base collaboration

Created on Tue May 30 16:53:01 2023

comment:

Prepared for the release of CHIANTI 10.1.

Elemental Abundance file: sun_photospheric_2015_scott.abund

created for the CHIANTI atomic database by Peter Young, 16-Aug-2017

abundances (F to Ca):

Scott et al., 2015, A&A, 573, A25

DOI: 10.1051/0004-6361/201424109

abundances (Sc to Ni):

Scott et al., 2015, A&A, 573, A26

DOI: 10.1051/0004-6361/201424110

abundances (Cu & Zn):

Grevesse et al., 2015, A&A, 573, A27

DOI: 10.1051/0004-6361/201424111

abundances (other elements):

Asplund, M., Grevesse, N., Sauval, A.J., & Scott, P. 2009, ARAA, 47, 481

DOI: 10.1146/annurev.astro.46.060407.145222

comment:

This updates the Asplund et al. (2009) results for elements F and higher. The

changes

are mostly small.

Minimum abundance = 3.63078e-08

Differential Emission Measure file: flare_ext.dem

filename: flare.dem

dem: Dere, K.P., Cook, J.W., 1979, ApJ, 229, 772

comment: composite of August 9 1553 and 1554 UT data of an M2 X-ray class

flare

comment: modifies at high temperature (7.3 to 8.0) by G.Del Zanna to
calculate

the emissivities of the hottest ions.

produced as part of the Arcetri/Cambridge/NRL 'CHIANTI' atomic data base
collaboration

K.P.Dere and G. Del Zanna - Aug 2002

Calculation performed with population lookup tables.

Table 1: *Line List*

Ion	λ (Å)	Transition	T_{\max}	Int
N II	915.6120	$2s^2 2p^2 \ ^3P_0 - 2s 2p^3 \ ^3P_1$	4.60	3.38e+03
N II	915.9620	$2s^2 2p^2 \ ^3P_1 - 2s 2p^3 \ ^3P_0$	4.60	3.21e+03
N II	916.0120	$2s^2 2p^2 \ ^3P_1 - 2s 2p^3 \ ^3P_2$	4.60	4.48e+03
N II	916.0200	$2s^2 2p^2 \ ^3P_1 - 2s 2p^3 \ ^3P_1$	4.60	2.57e+03
N II	916.7010	$2s^2 2p^2 \ ^3P_2 - 2s 2p^3 \ ^3P_2$	4.60	1.36e+04
N II	916.7100	$2s^2 2p^2 \ ^3P_2 - 2s 2p^3 \ ^3P_1$	4.60	4.21e+03
N IV	921.9990	$2s 2p \ ^3P_1 - 2p 2p \ ^3P_2$	5.10	9.73e+03
N IV	922.5180	$2s 2p \ ^3P_0 - 2p 2p \ ^3P_1$	5.10	7.77e+03
N IV	923.0540	$2s 2p \ ^3P_1 - 2p 2p \ ^3P_1$	5.10	5.81e+03
N IV	923.2250	$2s 2p \ ^3P_2 - 2p 2p \ ^3P_2$	5.10	2.90e+04
N IV	923.6770	$2s 2p \ ^3P_1 - 2p 2p \ ^3P_0$	5.10	7.20e+03
N IV	924.2830	$2s 2p \ ^3P_2 - 2p 2p \ ^3P_1$	5.10	9.63e+03
S VI	933.3780	$3s \ ^2S_{1/2} - 3p \ ^2P_{3/2}$	5.30	5.92e+03
S VI	944.5230	$3s \ ^2S_{1/2} - 3p \ ^2P_{1/2}$	5.30	2.94e+03
H I	949.7430	$1s \ ^2S_{1/2} - 5p \ ^2P_{1/2}$	4.50	9.85e+03
H I	949.7430	$1s \ ^2S_{1/2} - 5p \ ^2P_{3/2}$	4.50	1.97e+04
P IV	950.6570	$3s^2 \ ^1S_0 - 3s 3p \ ^1P_1$	4.95	2.93e+03
H I	972.5370	$1s \ ^2S_{1/2} - 4p \ ^2P_{3/2}$	4.50	4.50e+04
H I	972.5370	$1s \ ^2S_{1/2} - 4p \ ^2P_{1/2}$	4.50	2.25e+04
Fe XVIII	974.8580	$2s^2 2p^5 \ ^2P_{3/2} - 2s^2 2p^5 \ ^2P_{1/2}$	6.95	4.67e+04
C III	977.0200	$2s^2 \ ^1S_0 - 2s 2p \ ^1P_1$	4.85	1.15e+06
N III	979.9050	$2s 2p^2 \ ^2D_{5/2} - 2p^3 \ ^2D_{5/2}$	4.95	1.37e+03
N III	989.7990	$2s^2 2p \ ^2P_{1/2} - 2s 2p^2 \ ^2D_{3/2}$	4.85	5.26e+04
N III	991.5110	$2s^2 2p \ ^2P_{3/2} - 2s 2p^2 \ ^2D_{3/2}$	4.85	1.03e+04
N III	991.5770	$2s^2 2p \ ^2P_{3/2} - 2s 2p^2 \ ^2D_{5/2}$	4.85	9.46e+04
Si II	992.6830	$3s^2 3p \ ^2P_{3/2} - 3s^2 4d \ ^2D_{5/2}$	4.50	1.44e+03
Si III	993.5190	$3s 3p \ ^3P_0 - 3s 4s \ ^3S_1$	4.75	1.50e+03
Si III	994.7900	$3s 3p \ ^3P_1 - 3s 4s \ ^3S_1$	4.75	4.50e+03
S II	996.0070	$3s^2 3p^3 \ ^2D_{5/2} - 3p^2 \ (^1D) 3d \ ^2F_{7/2}$	4.50	1.57e+03
Si III	997.3870	$3s 3p \ ^3P_2 - 3s 4s \ ^3S_1$	4.75	7.49e+03
Ne VI	999.2330	$2s^2 2p \ ^2P_{3/2} - 2s 2p^2 \ ^4P_{5/2}$	5.55	1.34e+03
S II	1006.0910	$3s^2 3p^3 \ ^2D_{5/2} - 3p^2 \ (^3P) 3d \ ^4D_{7/2}$	4.50	1.21e+03
C II	1009.8570	$2s 2p^2 \ ^4P_{1/2} - 2p^3 \ ^4S_{3/2}$	4.60	1.76e+03
C II	1010.0710	$2s 2p^2 \ ^4P_{3/2} - 2p^3 \ ^4S_{3/2}$	4.60	3.96e+03
C II	1010.3690	$2s 2p^2 \ ^4P_{5/2} - 2p^3 \ ^4S_{3/2}$	4.60	5.94e+03
S III	1012.4920	$3s^2 3p^2 \ ^3P_0 - 3s 3p^3 \ ^3P_1$	4.70	2.26e+03
S III	1015.4960	$3s^2 3p^2 \ ^3P_1 - 3s 3p^3 \ ^3P_0$	4.70	1.90e+03
S III	1015.5610	$3s^2 3p^2 \ ^3P_1 - 3s 3p^3 \ ^3P_1$	4.70	1.78e+03
S III	1015.7750	$3s^2 3p^2 \ ^3P_1 - 3s 3p^3 \ ^3P_2$	4.70	3.36e+03
S III	1021.1050	$3s^2 3p^2 \ ^3P_2 - 3s 3p^3 \ ^3P_1$	4.70	1.60e+03
S III	1021.3210	$3s^2 3p^2 \ ^3P_2 - 3s 3p^3 \ ^3P_2$	4.70	6.00e+03
H I	1025.7220	$1s \ ^2S_{1/2} - 3p \ ^2P_{3/2}$	4.50	1.72e+05
H I	1025.7230	$1s \ ^2S_{1/2} - 3p \ ^2P_{1/2}$	4.50	8.58e+04
O VI	1031.9120	$1s^2 2s \ ^2S_{1/2} - 1s^2 2p \ ^2P_{3/2}$	5.45	9.93e+04
C II	1036.3370	$2s^2 2p \ ^2P_{1/2} - 2s 2p^2 \ ^2S_{1/2}$	4.55	4.29e+04
C II	1037.0179	$2s^2 2p \ ^2P_{3/2} - 2s 2p^2 \ ^2S_{1/2}$	4.55	8.46e+04
O VI	1037.6130	$1s^2 2s \ ^2S_{1/2} - 1s^2 2p \ ^2P_{1/2}$	5.45	4.93e+04
S IV	1062.6639	$3s^2 3p \ ^2P_{1/2} - 3s 3p^2 \ ^2D_{3/2}$	4.95	1.08e+04
C II	1065.8910	$2s 2p^2 \ ^2D_{5/2} - 2p^3 \ ^2P_{3/2}$	4.65	2.25e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
C II	1066.1331	$2s\ 2p^2\ ^2D_{3/2} - 2p^3\ ^2P_{1/2}$	4.65	1.38e+04
S IV	1072.9740	$3s^2\ 3p\ ^2P_{3/2} - 3s\ 3p^2\ ^2D_{5/2}$	4.95	1.65e+04
S IV	1073.5179	$3s^2\ 3p\ ^2P_{3/2} - 3s\ 3p^2\ ^2D_{3/2}$	4.95	1.64e+03
S III	1077.1710	$3s^2\ 3p^2\ ^1D_2 - 3s^2\ 3p\ 3d\ ^1D_2$	4.70	9.68e+03
Fe XXIII	1079.4120	$2s\ 2p\ ^3P_1 - 2s\ 2p\ ^3P_2$	7.15	9.29e+03
N II	1083.9900	$2s^2\ 2p^2\ ^3P_0 - 2s\ 2p^3\ ^3D_1$	4.55	7.62e+03
N II	1084.5620	$2s^2\ 2p^2\ ^3P_1 - 2s\ 2p^3\ ^3D_1$	4.55	5.62e+03
N II	1084.5800	$2s^2\ 2p^2\ ^3P_1 - 2s\ 2p^3\ ^3D_2$	4.55	1.72e+04
N II	1085.5460	$2s^2\ 2p^2\ ^3P_2 - 2s\ 2p^3\ ^3D_2$	4.55	5.55e+03
N II	1085.7010	$2s^2\ 2p^2\ ^3P_2 - 2s\ 2p^3\ ^3D_3$	4.55	3.38e+04
S II	1102.3621	$3s^2\ 3p^3\ ^2D_{5/2} - 3p^2\ (^3P)\ 3d\ ^2P_{3/2}$	4.50	1.50e+03
Si III	1108.3590	$3s\ 3p\ ^3P_0 - 3s\ 3d\ ^3D_1$	4.75	1.17e+04
Si III	1109.9410	$3s\ 3p\ ^3P_1 - 3s\ 3d\ ^3D_1$	4.75	8.75e+03
Si III	1109.9700	$3s\ 3p\ ^3P_1 - 3s\ 3d\ ^3D_2$	4.75	2.50e+04
Si III	1113.2040	$3s\ 3p\ ^3P_2 - 3s\ 3d\ ^3D_2$	4.75	8.26e+03
Si III	1113.2300	$3s\ 3p\ ^3P_2 - 3s\ 3d\ ^3D_3$	4.75	5.38e+04
Fe XIX	1118.0551	$1s^2\ 2s^2\ 2p^4\ ^3P_2 - 1s^2\ 2s^2\ 2p^4\ ^3P_1$	7.00	4.42e+04
Fe III	1122.5260	$3s^2\ 3p^6\ 3d^6\ ^5D_4 - 3s^2\ 3p^6\ 3d^5\ 4p\ ^5P_3$	4.50	2.63e+03
Fe III	1124.8810	$3s^2\ 3p^6\ 3d^6\ ^5D_3 - 3s^2\ 3p^6\ 3d^5\ 4p\ ^5P_2$	4.50	1.30e+03
Si IV	1128.3400	$3p\ ^2P_{3/2} - 3d\ ^2D_{5/2}$	4.90	1.99e+03
C II	1141.6250	$2s\ 2p^2\ ^2D_{5/2} - 2s^2\ 4p\ ^2P_{3/2}$	4.60	1.78e+03
Ne V	1145.6071	$2s^2\ 2p^2\ ^3P_2 - 2s\ 2p^3\ ^5S_2$	5.40	1.16e+03
Fe XVII	1153.1630	$2s^2\ 2p^5\ 3s\ ^1P_1 - 2s^2\ 2p^5\ 3s\ ^3P_0$	6.90	1.47e+03
C III	1174.9330	$2s\ 2p\ ^3P_1 - 2p^2\ ^3P_2$	4.85	1.06e+05
C III	1175.2640	$2s\ 2p\ ^3P_0 - 2p^2\ ^3P_1$	4.85	8.49e+04
C III	1175.5909	$2s\ 2p\ ^3P_1 - 2p^2\ ^3P_1$	4.85	6.36e+04
C III	1175.7111	$2s\ 2p\ ^3P_2 - 2p^2\ ^3P_2$	4.85	3.17e+05
C III	1175.9880	$2s\ 2p\ ^3P_1 - 2p^2\ ^3P_0$	4.85	8.42e+04
C III	1176.3700	$2s\ 2p\ ^3P_2 - 2p^2\ ^3P_1$	4.85	1.06e+05
S III	1190.1970	$3s^2\ 3p^2\ ^3P_0 - 3s\ 3p^3\ ^3D_1$	4.65	4.46e+03
Si II	1190.4160	$3s^2\ 3p\ ^2P_{1/2} - 3s\ 3p^2\ ^2P_{3/2}$	4.50	2.02e+03
Si II	1193.2900	$3s^2\ 3p\ ^2P_{1/2} - 3s\ 3p^2\ ^2P_{1/2}$	4.50	4.17e+03
S III	1194.0470	$3s^2\ 3p^2\ ^3P_1 - 3s\ 3p^3\ ^3D_2$	4.65	9.96e+03
S III	1194.4410	$3s^2\ 3p^2\ ^3P_1 - 3s\ 3p^3\ ^3D_1$	4.65	2.94e+03
Si II	1194.5000	$3s^2\ 3p\ ^2P_{3/2} - 3s\ 3p^2\ ^2P_{3/2}$	4.50	1.04e+04
Si II	1197.3940	$3s^2\ 3p\ ^2P_{3/2} - 3s\ 3p^2\ ^2P_{1/2}$	4.50	2.16e+03
S V	1199.1340	$3s^2\ ^1S_0 - 3s\ 3p\ ^3P_1$	5.15	8.13e+03
S III	1200.9590	$3s^2\ 3p^2\ ^3P_2 - 3s\ 3p^3\ ^3D_3$	4.65	1.57e+04
S III	1201.7180	$3s^2\ 3p^2\ ^3P_2 - 3s\ 3p^3\ ^3D_2$	4.65	2.55e+03
S II	1204.2710	$3s^2\ 3p^3\ ^2D_{3/2} - 3s\ 3p^4\ ^2D_{3/2}$	4.50	2.08e+03
S II	1204.3240	$3s^2\ 3p^3\ ^2D_{5/2} - 3s\ 3p^4\ ^2D_{5/2}$	4.50	3.20e+03
Si III	1206.5000	$3s^2\ ^1S_0 - 3s\ 3p\ ^1P_1$	4.65	6.37e+05
Si III	1206.5551	$3s\ 3p\ ^1P_1 - 3s\ 3d\ ^1D_2$	4.80	7.07e+03
He II	1215.0880	$2p\ ^2P_{1/2} - 4d\ ^2D_{3/2}$	4.90	1.30e+03
He II	1215.1710	$2p\ ^2P_{3/2} - 4d\ ^2D_{5/2}$	4.90	2.34e+03
H I	1215.6680	$1s\ ^2S_{1/2} - 2p\ ^2P_{3/2}$	4.50	8.73e+05
H I	1215.6740	$1s\ ^2S_{1/2} - 2p\ ^2P_{1/2}$	4.50	4.36e+05
O V	1218.3440	$2s^2\ ^1S_0 - 2s\ 2p\ ^3P_1$	5.35	4.22e+04
N V	1238.8210	$1s^2\ 2s\ ^2S_{1/2} - 1s^2\ 2p\ ^2P_{3/2}$	5.25	2.64e+04

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
N V	1242.8040	$1s^2 2s^2 2S_{1/2} - 1s^2 2p^2 2P_{1/2}$	5.25	1.32e+04
C III	1247.3820	$2s 2p^1 1P_1 - 2p^2 1S_0$	4.90	5.05e+03
S II	1250.5850	$3s^2 3p^3 4S_{3/2} - 3s 3p^4 4P_{1/2}$	4.50	1.71e+03
S II	1253.8110	$3s^2 3p^3 4S_{3/2} - 3s 3p^4 4P_{3/2}$	4.50	3.37e+03
S II	1259.5190	$3s^2 3p^3 4S_{3/2} - 3s 3p^4 4P_{5/2}$	4.50	4.59e+03
Si II	1260.4220	$3s^2 3p^2 2P_{1/2} - 3s^2 3d^2 2D_{3/2}$	4.50	6.77e+03
Si II	1264.7380	$3s^2 3p^2 2P_{3/2} - 3s^2 3d^2 2D_{5/2}$	4.50	1.20e+04
Si II	1265.0020	$3s^2 3p^2 2P_{3/2} - 3s^2 3d^2 2D_{3/2}$	4.50	1.26e+03
Si III	1294.5450	$3s 3p^3 3P_1 - 3p^2 3P_2$	4.70	1.63e+04
Si III	1296.7260	$3s 3p^3 3P_0 - 3p^2 3P_1$	4.70	1.30e+04
Si III	1298.8920	$3s 3p^3 3P_1 - 3p^2 3P_1$	4.70	9.69e+03
Si III	1298.9460	$3s 3p^3 3P_2 - 3p^2 3P_2$	4.70	4.80e+04
Si III	1301.1479	$3s 3p^3 3P_1 - 3p^2 3P_0$	4.70	1.08e+04
Si III	1303.3220	$3s 3p^3 3P_2 - 3p^2 3P_1$	4.70	1.59e+04
Si II	1304.3700	$3s^2 3p^2 2P_{1/2} - 3s 3p^2 2S_{1/2}$	4.50	1.63e+03
Si II	1309.2760	$3s^2 3p^2 2P_{3/2} - 3s 3p^2 2S_{1/2}$	4.50	2.84e+03
Si III	1312.5909	$3s 3p^1 1P_1 - 3s 4s^1 1S_0$	4.80	4.04e+03
C II	1323.9060	$2s 2p^2 2D_{3/2} - 2p^3 2D_{3/2}$	4.60	4.88e+03
C II	1323.9510	$2s 2p^2 2D_{5/2} - 2p^3 2D_{5/2}$	4.60	1.39e+03
Fe XIX	1328.9041	$1s^2 2s^2 2p^4 3P_2 - 1s^2 2s^2 2p^4 3P_0$	7.00	5.52e+03
C II	1334.5320	$2s^2 2p^2 2P_{1/2} - 2s 2p^2 2D_{3/2}$	4.50	2.47e+05
C II	1335.6620	$2s^2 2p^2 2P_{3/2} - 2s 2p^2 2D_{3/2}$	4.50	4.88e+04
C II	1335.7070	$2s^2 2p^2 2P_{3/2} - 2s 2p^2 2D_{5/2}$	4.50	4.13e+05
Fe XXI	1354.0630	$2s^2 2p^2 3P_0 - 2s^2 2p^2 3P_1$	7.10	1.11e+05
O V	1371.2960	$2s 2p^1 1P_1 - 2p^2 1D_2$	5.35	6.48e+03
Si IV	1393.7550	$3s^2 2S_{1/2} - 3p^2 2P_{3/2}$	4.85	6.13e+04
O IV	1399.7760	$2s^2 2p^2 2P_{1/2} - 2s 2p^2 4P_{1/2}$	5.10	9.20e+03
O IV	1401.1630	$2s^2 2p^2 2P_{3/2} - 2s 2p^2 4P_{5/2}$	5.10	3.11e+04
Si IV	1402.7700	$3s^2 2S_{1/2} - 3p^2 2P_{1/2}$	4.85	3.07e+04
O IV	1404.8060	$2s^2 2p^2 2P_{3/2} - 2s 2p^2 4P_{3/2}$	5.15	6.49e+03
S IV	1404.8080	$3s^2 3p^2 2P_{1/2} - 3s 3p^2 4P_{1/2}$	4.95	1.58e+03
S IV	1406.0160	$3s^2 3p^2 2P_{3/2} - 3s 3p^2 4P_{5/2}$	4.95	6.82e+03
O IV	1407.3840	$2s^2 2p^2 2P_{3/2} - 2s 2p^2 4P_{1/2}$	5.10	8.99e+03
S IV	1416.8870	$3s^2 3p^2 2P_{3/2} - 3s 3p^2 4P_{3/2}$	4.95	3.40e+03
Si III	1417.2380	$3s 3p^1 1P_1 - 3p^2 1S_0$	4.75	1.55e+03
S IV	1423.8390	$3s^2 3p^2 2P_{3/2} - 3s 3p^2 4P_{1/2}$	4.95	1.16e+03
N IV	1486.5031	$2s^2 1S_0 - 2s 2p^3 3P_1$	5.10	6.12e+03
S V	1501.7629	$3s 3p^1 1P_1 - 3p^2 1D_2$	5.20	1.43e+03
Si II	1526.7070	$3s^2 3p^2 2P_{1/2} - 3s^2 4s^2 2S_{1/2}$	4.50	2.24e+03
Si II	1533.4310	$3s^2 3p^2 2P_{3/2} - 3s^2 4s^2 2S_{1/2}$	4.50	4.41e+03
C IV	1548.1870	$1s^2 2s^2 2S_{1/2} - 1s^2 2p^2 2P_{3/2}$	5.00	3.00e+05
C IV	1550.7720	$1s^2 2s^2 2S_{1/2} - 1s^2 2p^2 2P_{1/2}$	5.00	1.50e+05
He II	1640.3320	$2p^2 2P_{1/2} - 3d^2 2D_{3/2}$	4.90	6.69e+03
He II	1640.3450	$2s^2 2S_{1/2} - 3p^2 2P_{3/2}$	4.90	2.00e+03
He II	1640.3750	$2p^2 2P_{1/2} - 3s^2 2S_{1/2}$	4.90	3.01e+03
He II	1640.4740	$2p^2 2P_{3/2} - 3d^2 2D_{5/2}$	4.90	1.20e+04
He II	1640.4900	$2p^2 2P_{3/2} - 3d^2 2D_{3/2}$	4.90	1.34e+03
He II	1640.5330	$2p^2 2P_{3/2} - 3s^2 2S_{1/2}$	4.90	6.02e+03
O III	1660.8101	$2s^2 2p^2 3P_1 - 2s 2p^3 5S_2$	4.90	9.09e+03

Table 1: (continued)

Ion	λ (Å)	Transition	T_{\max}	Int
O III	1666.1500	$2s^2 2p^2 \ ^3P_2 - 2s 2p^3 \ ^5S_2$	4.90	2.26e+04
Al II	1670.7880	$3s^2 \ ^1S_0 - 3s 3p \ ^1P_1$	4.50	1.94e+04
S III	1713.1121	$3s^2 3p^2 \ ^3P_1 - 3s 3p^3 \ ^5S_2$	4.65	2.09e+03
N IV	1718.5380	$2s 2p \ ^1P_1 - 2p 2p \ ^1D_2$	5.15	2.58e+03
C II	1721.0120	$2s 2p^2 \ ^2P_{1/2} - 2p^3 \ ^2P_{1/2}$	4.65	1.85e+03
Al II	1721.2710	$3s 3p \ ^3P_1 - 3s 3d \ ^3D_2$	4.50	1.39e+03
Al II	1724.9830	$3s 3p \ ^3P_2 - 3s 3d \ ^3D_3$	4.50	2.63e+03
S III	1728.9460	$3s^2 3p^2 \ ^3P_2 - 3s 3p^3 \ ^5S_2$	4.65	5.74e+03
N III	1748.6460	$2s^2 2p \ ^2P_{1/2} - 2s 2p^2 \ ^4P_{1/2}$	4.80	1.38e+03
N III	1749.6740	$2s^2 2p \ ^2P_{3/2} - 2s 2p^2 \ ^4P_{5/2}$	4.85	3.41e+03
N III	1753.9950	$2s^2 2p \ ^2P_{3/2} - 2s 2p^2 \ ^4P_{1/2}$	4.80	1.43e+03
C II	1760.3950	$2s 2p^2 \ ^2D_{5/2} - 2s^2 3p \ ^2P_{3/2}$	4.60	2.78e+03
C II	1760.8190	$2s 2p^2 \ ^2D_{3/2} - 2s^2 3p \ ^2P_{1/2}$	4.60	5.58e+03
Al II	1763.9520	$3s 3p \ ^3P_2 - 3p^2 \ ^3P_2$	4.50	1.98e+03
Si II	1808.0129	$3s^2 3p \ ^2P_{1/2} - 3s 3p^2 \ ^2D_{3/2}$	4.50	1.32e+04
Si II	1816.9280	$3s^2 3p \ ^2P_{3/2} - 3s 3p^2 \ ^2D_{5/2}$	4.50	2.22e+04
Si II	1817.4510	$3s^2 3p \ ^2P_{3/2} - 3s 3p^2 \ ^2D_{3/2}$	4.50	1.77e+03
Al III	1854.7159	$3s \ ^2S_{1/2} - 3p \ ^2P_{3/2}$	4.55	1.75e+04
Al III	1862.7910	$3s \ ^2S_{1/2} - 3p \ ^2P_{1/2}$	4.55	8.76e+03
Si III	1892.0291	$3s^2 \ ^1S_0 - 3s 3p \ ^3P_1$	4.60	1.43e+05
Fe III	1895.4540	$3s^2 3p^6 3d^5 4s \ ^7S_3 - 3s^2 3p^6 3d^5 4p \ ^7P_4$	4.50	7.25e+03
C III	1908.7321	$2s^2 \ ^1S_0 - 2s 2p \ ^3P_1$	4.80	1.05e+04
Fe III	1914.0551	$3s^2 3p^6 3d^5 4s \ ^7S_3 - 3s^2 3p^6 3d^5 4p \ ^7P_3$	4.50	5.78e+03
Fe III	1915.0780	$3s^2 3p^6 3d^5 4s \ ^5G_6 - 3s^2 3p^6 3d^5 4p \ ^5H_7$	4.50	2.41e+03
Ni XXIII	1918.0601	$2s^2 2p^2 \ ^3P_1 - 2s^2 2p^2 \ ^3P_2$	7.15	1.60e+03
Fe III	1922.7880	$3s^2 3p^6 3d^5 4s \ ^5G_5 - 3s^2 3p^6 3d^5 4p \ ^5H_6$	4.50	2.04e+03
Fe III	1926.3030	$3s^2 3p^6 3d^5 4s \ ^7S_3 - 3s^2 3p^6 3d^5 4p \ ^7P_2$	4.50	4.22e+03
Fe III	1930.3831	$3s^2 3p^6 3d^5 4s \ ^5G_4 - 3s^2 3p^6 3d^5 4p \ ^5H_5$	4.50	1.68e+03
Fe III	1937.3500	$3s^2 3p^6 3d^5 4s \ ^5G_3 - 3s^2 3p^6 3d^5 4p \ ^5H_4$	4.50	1.36e+03
Fe III	1960.3230	$3s^2 3p^6 3d^5 4s \ ^3I_7 - 3s^2 3p^6 3d^5 4p \ ^3K_8$	4.55	1.26e+03
Fe III	1987.5020	$3s^2 3p^6 3d^5 4s \ ^5G_6 - 3s^2 3p^6 3d^5 4p \ ^5G_6$	4.50	2.17e+03
Fe III	1991.6110	$3s^2 3p^6 3d^5 4s \ ^5G_5 - 3s^2 3p^6 3d^5 4p \ ^5G_5$	4.50	1.61e+03
Fe III	1994.0780	$3s^2 3p^6 3d^5 4s \ ^5G_4 - 3s^2 3p^6 3d^5 4p \ ^5G_4$	4.50	1.19e+03